




O-RING GLAND DIMENSIONS





O-Ring Gland Design For Static Seals



- A – Bore Dia. (male gland)
- A-1 – Groove Dia. (female gland)
- B – Tube OD (female gland)
- B-1 – Groove Dia. (male gland)
- C – Plug Dia. (male gland)
- D – Throat Dia. (female gland)
- E – Diametrical Clearance

W O-RING CROSS SECTION	L GROOVE DEPTH		SQUEEZE				E DIAMETRICAL CLEARANCE MAX.	G GROOVE WIDTH ± .005			R GROOVE RADIUS	ECCEN- TRICITY MAX.
			RADIAL		AXIAL			NO BACKUP RING	ONE BACKUP RING	TWO BACKUP RINGS		
	RADIAL	AXIAL	INCHES	%	INCHES	%						
.070	.050-.052	.050 -.054	.015-.023	22-23	.013-.023	19-32	.004	.095	.140	.207	.005-.015	.002
.103	.081-.083	.074-.080	.017-.025	17-24	.020-.032	20-30	.005	.142	.173	.240	.005-.015	.002
.139	.111-.113	.101-.107	.022-.032	16-23	.028-.042	20-30	.006	.189	.210	.277	.010-.025	.003
.210	.170-.173	.152-.162	.032-.045	15-21	.043-.063	21-30	.006	.283	.313	.413	.020-.035	.004
.275	.226-.229	.201-.211	.040-.055	15-20	.058-.080	21-29	.007	.377	.410	.540	.020-.035	.00

O-Ring Gland Design For Reciprocating Seals



- A – Bore Dia. of Cylinder
- B – OD of Rod
- C – OD of Piston
- D – Bore Dia. for Rod

W O-RING CROSS SECTION	L GROOVE DEPTH	SQUEEZE		E DIAMETRICAL CLEARANCE MAX.	G GROOVE WIDTH ± .005			R GROOVE RADIUS	ECCEN- TRICITY MAX.
					NO BACKUP RING	ONE BACKUP RING	TWO BACKUP RINGS		
		INCHES	%						
.070	.055-.057	.010-.018	15-25	.004	.095	.140	.207	.005-.015	.002
.103	.088-.090	.010-.018	10-17	.005	.142	.173	.240	.005-.015	.002
.139	.121-.123	.012-.022	9-16	.006	.189	.210	.277	.010-.025	.003
.210	.185-.188	.017-.030	8-14	.006	.283	.313	.413	.020-.035	.004
.275	.237-.240	.029-.044	11-16	.007	.377	.410	.540	.020-.035	.005

O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-001	1/32	3/32	1/32	.029±.004	.040±.003
-001 1/2	1/16	1/8	1/32	.070±.004	.040±.003
-002	3/64	9/64	3/64	.042±.004	.050±.003
-003	1/16	3/16	1/16	.056±.004	.060±.003
-004	5/64	13/64	1/16	.070±.005	.070±.003
-005	3/32	7/32	1/16	.101±.005	.070±.003
-006	1/8	1/4	1/16	.114±.005	.070±.003
-007	5/32	9/32	1/16	.145±.005	.070±.003
-008	3/16	5/16	1/16	.176±.005	.070±.003
-009	7/32	11/32	1/16	.208±.005	.070±.003
-010	1/4	3/8	1/16	.239±.005	.070±.003
-011	5/16	7/16	1/16	.301±.005	.070±.003
-012	3/8	1/2	1/16	.364±.005	.070±.003
-013	7/16	9/16	1/16	.426±.005	.070±.003
-014	1/2	5/8	1/16	.489±.005	.070±.003
-015	9/16	11/16	1/16	.551±.007	.070±.003
-016	5/8	3/4	1/16	.614±.009	.070±.003
-017	11/16	13/16	1/16	.676±.009	.070±.003
-018	3/4	7/8	1/16	.739±.009	.070±.003
-019	13/16	15/16	1/16	.801±.009	.070±.003
-020	7/8	1	1/16	.864±.009	.070±.003
-021	15/16	1 1/16	1/16	.926±.009	.070±.003
-022	1	1 1/8	1/16	.989±.010	.070±.003
-023	1 1/16	1 3/16	1/16	1.051±.010	.070±.003
-024	1 1/8	1 1/4	1/16	1.114±.010	.070±.003
-025	1 3/16	1 5/16	1/16	1.176±.011	.070±.003
-026	1 1/4	1 3/8	1/16	1.239±.011	.070±.003
-027	1 5/16	1 7/16	1/16	1.301±.011	.070±.003
-028	1 3/8	1 1/2	1/16	1.364±.013	.070±.003
-029	1 1/2	1 5/8	1/16	1.489±.013	.070±.003
-030	1 5/8	1 3/4	1/16	1.614±.013	.070±.003
-031	1 3/4	1 7/8	1/16	1.739±.015	.070±.003
-032	1 7/8	2	1/16	1.864±.015	.070±.003
-033	2	2 1/8	1/16	1.989±.018	.070±.003
-034	2 1/8	2 1/4	1/16	2.114±.018	.070±.003
-035	2 1/4	2 3/8	1/16	2.239±.018	.070±.003
-036	2 3/8	2 1/2	1/16	2.364±.018	.070±.003
-037	2 1/2	2 5/8	1/16	2.489±.018	.070±.003
-038	2 5/8	2 3/4	1/16	2.614±.020	.070±.003
-039	2 3/4	2 7/8	1/16	2.739±.020	.070±.003
-040	2 7/8	3	1/16	2.864±.020	.070±.003
-041	3	3 1/8	1/16	2.989±.024	.070±.003
-042	3 1/4	3 3/8	1/16	3.239±.024	.070±.003
-043	3 1/2	3 5/8	1/16	3.489±.024	.070±.003
-044	3 3/4	3 7/8	1/16	3.739±.027	.070±.003
-045	4	4 1/8	1/16	3.989±.027	.070±.003
-046	4 1/4	4 3/8	1/16	4.239±.030	.070±.003

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-047	4 1/2	4 5/8	1/16	4.489±.030	.070±.003
-048	4 3/4	4 7/8	1/16	4.739±.030	.070±.003
-049	5	5 1/8	1/16	4.989±.037	.070±.003
-050	5 1/4	5 3/8	1/16	5.239±.037	.070±.003
-102	1/16	1/4	3/32	.049±.005	.103±.003
-103	3/32	9/32	3/32	.081±.005	.103±.003
-104	1/8	5/16	3/32	.112±.005	.103±.003
-105	5/32	11/32	3/32	.143±.005	.103±.003
-106	3/16	3/8	3/32	.174±.005	.103±.003
-107	7/32	13/32	3/32	.206±.005	.103±.003
-108	1/4	7/16	3/32	.237±.005	.103±.003
-109	5/16	1/2	3/32	.299±.005	.103±.003
-110	3/8	9/16	3/32	.362±.005	.103±.003
-111	7/16	5/8	3/32	.424±.005	.103±.003
-112	1/2	11/16	3/32	.487±.005	.103±.003
-113	9/16	3/4	3/32	.549±.005	.103±.003
-114	5/8	13/16	3/32	.612±.009	.103±.003
-115	11/16	7/8	3/32	.674±.009	.103±.003
-116	3/4	15/16	3/32	.737±.009	.103±.003
-117	13/16	1	3/32	.799±.010	.103±.003
-118	7/8	1 1/16	3/32	.862±.010	.103±.003
-119	15/16	1 1/8	3/32	.924±.010	.103±.003
-120	1	1 3/16	3/32	.987±.010	.103±.003
-121	1 1/16	1 1/4	3/32	1.049±.010	.103±.003
-122	1 1/8	1 5/16	3/32	1.112±.010	.103±.003
-123	1 3/16	1 3/8	3/32	1.174±.012	.103±.003
-124	1 1/4	1 7/16	3/32	1.237±.012	.103±.003
-125	1 5/16	1 1/2	3/32	1.299±.012	.103±.003
-126	1 3/8	1 9/16	3/32	1.362±.012	.103±.003
-127	1 7/16	1 5/8	3/32	1.424±.012	.103±.003
-128	1 1/2	1 11/16	3/32	1.487±.012	.103±.003
-129	1 9/16	1 3/4	3/32	1.549±.015	.103±.003
-130	1 5/8	1 13/16	3/32	1.612±.015	.103±.003
-131	1 11/16	1 7/8	3/32	1.674±.015	.103±.003
-132	1 3/4	1 15/16	3/32	1.737±.015	.103±.003
-133	1 13/16	2	3/32	1.799±.015	.103±.003
-134	1 7/8	2 1/16	3/32	1.862±.015	.103±.003
-135	1 15/16	2 1/8	3/32	1.925±.017	.103±.003
-136	2	2 3/16	3/32	1.987±.017	.103±.003
-137	2 1/16	2 1/4	3/32	2.050±.017	.103±.003
-138	2 1/8	2 5/16	3/32	2.112±.017	.103±.003
-139	2 3/16	2 3/8	3/32	2.175±.017	.103±.003
-140	2 1/4	2 7/16	3/32	2.237±.017	.103±.003
-141	2 5/16	2 1/2	3/32	2.300±.020	.103±.003
-142	2 3/8	2 9/16	3/32	2.362±.020	.103±.003
-143	2 7/16	2 5/8	3/32	2.425±.020	.103±.003
-144	2 1/2	2 11/16	3/32	2.487±.020	.103±.003

O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-145	2 9/16	2 3/4	3/32	2.550±.020	.103±.003
-146	2 5/8	2 13/16	3/32	2.612±.020	.103±.003
-147	2 11/16	2 7/8	3/32	2.675±.022	.103±.003
-148	2 3/4	2 15/16	3/32	2.737±.022	.103±.003
-149	2 13/16	3	3/32	2.800±.022	.103±.003
-150	2 7/8	3 1/16	3/32	2.862±.022	.103±.003
-151	3	3 3/16	3/32	2.987±.024	.103±.003
-152	3 1/4	3 7/16	3/32	3.237±.024	.103±.003
-153	3 1/2	3 11/16	3/32	3.487±.024	.103±.003
-154	3 3/4	3 15/16	3/32	3.737±.028	.103±.003
-155	4	4 3/16	3/32	3.987±.028	.103±.003
-156	4 1/4	4 7/16	3/32	4.237±.030	.103±.003
-157	4 1/2	4 11/16	3/32	4.487±.030	.103±.003
-158	4 3/4	4 15/16	3/32	4.737±.030	.103±.003
-159	5	5 3/16	3/32	4.987±.035	.103±.003
-160	5 1/4	5 7/16	3/32	5.237±.035	.103±.003
-161	5 1/2	5 11/16	3/32	5.487±.035	.103±.003
-162	5 3/4	5 15/16	3/32	5.737±.035	.103±.003
-163	6	6 3/16	3/32	5.987±.035	.103±.003
-164	6 1/4	6 7/16	3/32	6.237±.040	.103±.003
-165	6 1/2	6 11/16	3/32	6.487±.040	.103±.003
-166	6 3/4	6 15/16	3/32	6.737±.040	.103±.003
-167	7	7 3/16	3/32	6.987±.040	.103±.003
-168	7 1/4	7 7/16	3/32	7.237±.045	.103±.003
-169	7 1/2	7 11/16	3/32	7.487±.045	.103±.003
-170	7 3/4	7 15/16	3/32	7.737±.045	.103±.003
-171	8	8 3/16	3/32	7.987±.045	.103±.003
-172	8 1/4	8 7/16	3/32	8.237±.050	.103±.003
-173	8 1/2	8 11/16	3/32	8.487±.050	.103±.003
-174	8 3/4	8 15/16	3/32	8.737±.050	.103±.003
-175	9	9 3/16	3/32	8.987±.050	.103±.003
-176	9 1/4	9 7/16	3/32	9.237±.055	.103±.003
-177	9 1/2	9 11/16	3/32	9.487±.055	.103±.003
-178	9 3/4	9 15/16	3/32	9.737±.055	.103±.003
-201	3/16	7/16	1/8	.171±.005	.139±.004
-202	1/4	1/2	1/8	.234±.005	.139±.004
-203	5/16	9/16	1/8	.296±.005	.139±.004
-204	3/8	5/8	1/8	.359±.005	.139±.004
-205	7/16	11/16	1/8	.421±.005	.139±.004
-206	1/2	3/4	1/8	.484±.005	.139±.004
-207	9/16	13/16	1/8	.546±.007	.139±.004
-208	5/8	7/8	1/8	.609±.009	.139±.004
-209	11/16	15/16	1/8	.671±.009	.139±.004
-210	3/4	1	1/8	.734±.010	.139±.004
-211	13/16	1 1/16	1/8	.796±.010	.139±.004
-212	7/8	1 1/8	1/8	.859±.010	.139±.004
-213	15/16	1 3/16	1/8	.921±.010	.139±.004

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-214	1	1 1/4	1/8	.984±.010	.139±.004
-215	1 1/16	1 5/16	1/8	1.046±.010	.139±.004
-216	1 1/8	1 3/8	1/8	1.109±.012	.139±.004
-217	1 3/16	1 7/16	1/8	1.171±.012	.139±.004
-218	1 1/4	1 1/2	1/8	1.234±.012	.139±.004
-219	1 5/16	1 9/16	1/8	1.296±.012	.139±.004
-220	1 3/8	1 5/8	1/8	1.359±.012	.139±.004
-221	1 7/16	1 11/16	1/8	1.421±.012	.139±.004
-222	1 1/2	1 3/4	1/8	1.484±.015	.139±.004
-223	1 5/8	1 7/8	1/8	1.609±.015	.139±.004
-224	1 3/4	2	1/8	1.734±.015	.139±.004
-225	1 7/8	2 1/8	1/8	1.859±.018	.139±.004
-226	2	2 1/4	1/8	1.984±.018	.139±.004
-227	2 1/8	2 3/8	1/8	2.109±.018	.139±.004
-228	2 1/4	2 1/2	1/8	2.234±.020	.139±.004
-229	2 3/8	2 5/8	1/8	2.359±.020	.139±.004
-230	2 1/2	2 3/4	1/8	2.484±.020	.139±.004
-231	2 5/8	2 7/8	1/8	2.609±.020	.139±.004
-232	2 3/4	3	1/8	2.734±.024	.139±.004
-233	2 7/8	3 1/8	1/8	2.859±.024	.139±.004
-234	3	3 1/4	1/8	2.984±.024	.139±.004
-235	3 1/8	3 3/8	1/8	3.109±.024	.139±.004
-236	3 1/4	3 1/2	1/8	3.234±.024	.139±.004
-237	3 3/8	3 5/8	1/8	3.359±.024	.139±.004
-238	3 1/2	3 3/4	1/8	3.484±.024	.139±.004
-239	3 5/8	3 7/8	1/8	3.609±.028	.139±.004
-240	3 3/4	4	1/8	3.734±.028	.139±.004
-241	3 7/8	4 1/8	1/8	3.859±.028	.139±.004
-242	4	4 1/4	1/8	3.984±.028	.139±.004
-243	4 1/8	4 3/8	1/8	4.109±.028	.139±.004
-244	4 1/4	4 1/2	1/8	4.234±.030	.139±.004
-245	4 3/8	4 5/8	1/8	4.359±.030	.139±.004
-246	4 1/2	4 3/4	1/8	4.484±.030	.139±.004
-247	4 5/8	4 7/8	1/8	4.609±.030	.139±.004
-248	4 3/4	5	1/8	4.734±.030	.139±.004
-249	4 7/8	5 1/8	1/8	4.859±.035	.139±.004
-250	5	5 1/4	1/8	4.984±.035	.139±.004
-251	5 1/8	5 3/8	1/8	5.109±.035	.139±.004
-252	5 1/4	5 1/2	1/8	5.234±.035	.139±.004
-253	5 3/8	5 5/8	1/8	5.359±.035	.139±.004
-254	5 1/2	5 3/4	1/8	5.484±.035	.139±.004
-255	5 5/8	5 7/8	1/8	5.609±.035	.139±.004
-256	5 3/4	6	1/8	5.734±.035	.139±.004
-257	5 7/8	6 1/8	1/8	5.859±.035	.139±.004
-258	6	6 1/4	1/8	5.984±.035	.139±.004
-259	6 1/4	6 1/2	1/8	6.234±.040	.139±.004
-260	6 1/2	6 3/4	1/8	6.484±.040	.139±.004



O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-261	6 3/4	7	1/8	6.734±.040	.139±.004
-262	7	7 1/4	1/8	6.984±.040	.139±.004
-263	7 1/4	7 1/2	1/8	7.234±.045	.139±.004
-264	7 1/2	7 3/4	1/8	7.484±.045	.139±.004
-265	7 3/4	8	1/8	7.734±.045	.139±.004
-266	8	8 1/4	1/8	7.984±.045	.139±.004
-267	8 1/4	8 1/2	1/8	8.234±.050	.139±.004
-268	8 1/2	8 3/4	1/8	8.484±.050	.139±.004
-269	8 3/4	9	1/8	8.734±.050	.139±.004
-270	9	9 1/4	1/8	8.984±.050	.139±.004
-271	9 1/4	9 1/2	1/8	9.234±.055	.139±.004
-272	9 1/2	9 3/4	1/8	9.484±.055	.139±.004
-273	9 3/4	10	1/8	9.734±.055	.139±.004
-274	10	10 1/4	1/8	9.984±.055	.139±.004
-275	10 1/2	10 3/4	1/8	10.484±.055	.139±.004
-276	11	11 1/4	1/8	10.984±.065	.139±.004
-277	11 1/2	11 3/4	1/8	11.484±.065	.139±.004
-278	12	12 1/4	1/8	11.984±.065	.139±.004
-279	13	13 1/4	1/8	12.984±.065	.139±.004
-280	14	14 1/4	1/8	13.984±.065	.139±.004
-281	15	15 1/4	1/8	14.984±.065	.139±.004
-282	16	16 1/4	1/8	15.955±.075	.139±.004
-283	17	17 1/4	1/8	16.955±.080	.139±.004
-284	18	18 1/4	1/8	17.955±.085	.139±.004
-309	7/16	13/16	3/16	.412±.005	.210±.005
-310	1/2	7/8	3/16	.475±.005	.210±.005
-311	9/16	15/16	3/16	.537±.007	.210±.005
-312	5/8	1	3/16	.600±.009	.210±.005
-313	11/16	1 1/16	3/16	.662±.009	.210±.005
-314	3/4	1 1/8	3/16	.725±.010	.210±.005
-315	13/16	1 3/16	3/16	.787±.010	.210±.005
-316	7/8	1 1/4	3/16	.850±.010	.210±.005
-317	15/16	1 5/16	3/16	.912±.010	.210±.005
-318	1	1 3/8	3/16	.975±.010	.210±.005
-319	1 1/16	1 7/16	3/16	1.037±.010	.210±.005
-320	1 1/8	1 1/2	3/16	1.100±.012	.210±.005
-321	1 3/16	1 9/16	3/16	1.162±.012	.210±.005
-322	1 1/4	1 5/8	3/16	1.225±.012	.210±.005
-323	1 5/16	1 11/16	3/16	1.287±.012	.210±.005
-324	1 3/8	1 3/4	3/16	1.350±.012	.210±.005
-325	1 1/2	1 7/8	3/16	1.475±.015	.210±.005
-326	1 5/8	2	3/16	1.600±.015	.210±.005
-327	1 3/4	2 1/8	3/16	1.725±.015	.210±.005
-328	1 7/8	2 1/4	3/16	1.850±.015	.210±.005
-329	2	2 3/8	3/16	1.975±.018	.210±.005
-330	2 1/8	2 1/2	3/16	2.100±.018	.210±.005
-331	2 1/4	2 5/8	3/16	2.225±.018	.210±.005


AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-332	2 3/8	2 3/4	3/16	2.350±.018	.210±.005
-333	2 1/2	2 7/8	3/16	2.475±.020	.210±.005
-334	2 5/8	3	3/16	2.600±.020	.210±.005
-335	2 3/4	3 1/8	3/16	2.725±.020	.210±.005
-336	2 7/8	3 1/4	3/16	2.850±.020	.210±.005
-337	3	3 3/8	3/16	2.975±.024	.210±.005
-338	3 1/8	3 1/2	3/16	3.100±.024	.210±.005
-339	3 1/4	3 5/8	3/16	3.225±.024	.210±.005
-340	3 3/8	3 3/4	3/16	3.350±.024	.210±.005
-341	3 1/2	3 7/8	3/16	3.475±.024	.210±.005
-342	3 5/8	4	3/16	3.600±.028	.210±.005
-343	3 3/4	4 1/8	3/16	3.725±.028	.210±.005
-344	3 7/8	4 1/4	3/16	3.850±.028	.210±.005
-345	4	4 3/8	3/16	3.975±.028	.210±.005
-346	4 1/8	4 1/2	3/16	4.100±.028	.210±.005
-347	4 1/4	4 5/8	3/16	4.225±.030	.210±.005
-348	4 3/8	4 3/4	3/16	4.350±.030	.210±.005
-349	4 1/2	4 7/8	3/16	4.475±.030	.210±.005
-350	4 5/8	5	3/16	4.600±.030	.210±.005
-351	4 3/4	5 1/8	3/16	4.725±.030	.210±.005
-352	4 7/8	5 1/4	3/16	4.850±.030	.210±.005
-353	5	5 3/8	3/16	4.975±.037	.210±.005
-354	5 1/8	5 1/2	3/16	5.100±.037	.210±.005
-355	5 1/4	5 5/8	3/16	5.225±.037	.210±.005
-356	5 3/8	5 3/4	3/16	5.350±.037	.210±.005
-357	5 1/2	5 7/8	3/16	5.475±.037	.210±.005
-358	5 5/8	6	3/16	5.600±.037	.210±.005
-359	5 3/4	6 1/8	3/16	5.725±.037	.210±.005
-360	5 7/8	6 1/4	3/16	5.850±.037	.210±.005
-361	6	6 3/8	3/16	5.975±.037	.210±.005
-362	6 1/4	6 5/8	3/16	6.225±.040	.210±.005
-363	6 1/2	6 7/8	3/16	6.475±.040	.210±.005
-364	6 3/4	7 1/8	3/16	6.725±.040	.210±.005
-365	7	7 3/8	3/16	6.975±.040	.210±.005
-366	7 1/4	7 5/8	3/16	7.225±.045	.210±.005
-367	7 1/2	7 7/8	3/16	7.475±.045	.210±.005
-368	7 3/4	8 1/8	3/16	7.725±.045	.210±.005
-369	8	8 3/8	3/16	7.975±.045	.210±.005
-370	8 1/4	8 5/8	3/16	8.225±.050	.210±.005
-371	8 1/2	8 7/8	3/16	8.475±.050	.210±.005
-372	8 3/4	9 1/8	3/16	8.725±.050	.210±.005
-373	9	9 3/8	3/16	8.975±.050	.210±.005
-374	9 1/4	9 5/8	3/16	9.225±.055	.210±.005
-375	9 1/2	9 7/8	3/16	9.475±.055	.210±.005
-376	9 3/4	10 1/8	3/16	9.725±.055	.210±.005
-377	10	10 3/8	3/16	9.975±.055	.210±.005
-378	10 1/2	10 7/8	3/16	10.475±.060	.210±.005

O-RING SIZE CHART AND INSTALLATION DATA



AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-379	11	11 3/8	3/16	10.975±.060	.210±.005
-380	11 1/2	11 7/8	3/16	11.475±.065	.210±.005
-381	12	12 3/8	3/16	11.975±.065	.210±.005
-382	13	13 3/8	3/16	12.975±.065	.210±.005
-383	14	14 3/8	3/16	13.975±.070	.210±.005
-384	15	15 3/8	3/16	14.975±.070	.210±.005
-385	16	16 3/8	3/16	15.955±.075	.210±.005
-386	17	17 3/8	3/16	16.955±.080	.210±.005
-387	18	18 3/8	3/16	17.955±.085	.210±.005
-388	19	19 3/8	3/16	18.955±.090	.210±.005
-389	20	20 3/8	3/16	19.955±.095	.210±.005
-390	21	21 3/8	3/16	20.955±.095	.210±.005
-391	22	22 3/8	3/16	21.955±.100	.210±.005
-392	23	23 3/8	3/16	22.940±.105	.210±.005
-393	24	24 3/8	3/16	23.940±.110	.210±.005
-394	25	25 3/8	3/16	24.940±.115	.210±.005
-395	26	26 3/8	3/16	25.940±.120	.210±.005
-400*	1 3/8	1 7/8	1/4	1.225±.012	.275±.006
-401*	1 1/2	2	1/4	1.475±.014	.275±.006
-402*	1 5/8	2 1/8	1/4	1.600±.015	.275±.006
-403*	1 3/4	2 1/4	1/4	1.725±.016	.275±.006
-404*	1 7/8	2 3/8	1/4	1.850±.016	.275±.006
-405*	2	2 1/2	1/4	1.975±.017	.275±.006
-406*	2 1/8	2 5/8	1/4	2.100±.018	.275±.006
-407*	2 1/4	2 3/4	1/4	2.225±.018	.275±.006
-408*	2 3/8	2 7/8	1/4	2.350±.020	.275±.006
-409*	2 1/2	3	1/4	2.475±.020	.275±.006
-410*	2 5/8	3 1/8	1/4	2.600±.020	.275±.006
-411*	2 3/4	3 1/4	1/4	2.725±.022	.275±.006
-412*	2 7/8	3 3/8	1/4	2.850±.022	.275±.006
-413*	3	3 1/2	1/4	2.975±.024	.275±.006
-414*	3 1/8	3 5/8	1/4	3.100±.024	.275±.006
-415*	3 1/4	3 3/4	1/4	3.225±.024	.275±.006
-416*	3 3/8	3 7/8	1/4	3.350±.026	.275±.006
-417*	3 1/2	4	1/4	3.475±.026	.275±.006
-418*	3 5/8	4 1/8	1/4	3.600±.026	.275±.006
-419*	3 3/4	4 1/4	1/4	3.725±.028	.275±.006
-420*	3 7/8	4 3/8	1/4	3.850±.028	.275±.006
-421*	4	4 1/2	1/4	3.975±.028	.275±.006
-422*	4 1/8	4 5/8	1/4	4.100±.030	.275±.006
-423*	4 1/4	4 3/4	1/4	4.225±.030	.275±.006
-424*	4 3/8	4 7/8	1/4	4.350±.030	.275±.006
-425	4 1/2	5	1/4	4.475±.033	.275±.006
-426	4 5/8	5 1/8	1/4	4.600±.033	.275±.006
-427	4 3/4	5 1/4	1/4	4.725±.033	.275±.006
-428	4 7/8	5 3/8	1/4	4.850±.033	.275±.006
-429	5	5 1/2	1/4	4.975±.037	.275±.006
AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-430	5 1/8	5 5/8	1/4	5.100±.037	.275±.006
-431	5 1/4	5 3/4	1/4	5.225±.037	.275±.006
-432	5 3/8	5 7/8	1/4	5.350±.037	.275±.006
-433	5 1/2	6	1/4	5.475±.037	.275±.006
-434	5 5/8	6 1/8	1/4	5.600±.037	.275±.006
-435	5 3/4	6 1/4	1/4	5.725±.037	.275±.006
-436	5 7/8	6 3/8	1/4	5.850±.037	.275±.006
-437	6	6 1/2	1/4	5.975±.037	.275±.006
-438	6 1/4	6 3/4	1/4	6.225±.040	.275±.006
-439	6 1/2	7	1/4	6.475±.040	.275±.006
-440	6 3/4	7 1/4	1/4	6.725±.040	.275±.006
-441	7	7 1/2	1/4	6.975±.040	.275±.006
-442	7 1/4	7 3/4	1/4	7.225±.045	.275±.006
-443	7 1/2	8	1/4	7.475±.045	.275±.006
-444	7 3/4	8 1/4	1/4	7.725±.045	.275±.006
-445	8	8 1/2	1/4	7.975±.045	.275±.006
-446	8 1/2	9	1/4	8.475±.055	.275±.006
-447	9	9 1/2	1/4	8.975±.055	.275±.006
-448	9 1/2	10	1/4	9.475±.055	.275±.006
-449	10	10 1/2	1/4	9.975±.055	.275±.006
-450	10 1/2	11	1/4	10.475±.060	.275±.006
-451	11	11 1/2	1/4	10.975±.060	.275±.006
-452	11 1/2	12	1/4	11.475±.060	.275±.006
-453	12	12 1/2	1/4	11.975±.060	.275±.006
-454	12 1/2	13	1/4	12.475±.060	.275±.006
-455	13	13 1/2	1/4	12.975±.060	.275±.006
-456	13 1/2	14	1/4	13.475±.070	.275±.006
-457	14	14 1/2	1/4	13.975±.070	.275±.006
-458	14 1/2	15	1/4	14.475±.070	.275±.006
-459	15	15 1/2	1/4	14.975±.070	.275±.006
-460	15 1/2	16	1/4	15.475±.070	.275±.006
-461	16	16 1/2	1/4	15.955±.075	.275±.006
-462	16 1/2	17	1/4	16.455±.075	.275±.006
-463	17	17 1/2	1/4	16.955±.080	.275±.006
-464	17 1/2	18	1/4	17.455±.085	.275±.006
-465	18	18 1/2	1/4	17.955±.085	.275±.006
-466	18 1/2	19	1/4	18.455±.085	.275±.006
-467	19	19 1/2	1/4	18.955±.090	.275±.006
-468	19 1/2	20	1/4	19.455±.090	.275±.006
-469	20	20 1/2	1/4	19.955±.090	.275±.006
-470	21	21 1/2	1/4	20.955±.090	.275±.006
-471	22	22 1/2	1/4	21.955±.100	.275±.006
-472	23	23 1/2	1/4	22.940±.105	.275±.006
-473	24	24 1/2	1/4	23.940±.110	.275±.006
-474	25	25 1/2	1/4	24.940±.115	.275±.006
-475	26	26 1/2	1/4	25.940±.120	.275±.006

* NON-ANSI STANDARD

O-RING GLAND DIMENSIONS





O-Ring Gland Design For Static Seals



- A - Bore Dia. (male gland)
- A-1 - Groove Dia. (female gland)
- B - Tube OD (female gland)
- B-1 - Groove Dia. (male gland)
- C - Plug Dia. (male gland)
- D - Throat Dia. (female gland)
- E - Diametrical Clearance

W O-RING CROSS SECTION	L GROOVE DEPTH		SQUEEZE				E DIAMETRICAL CLEARANCE MAX.	G GROOVE WIDTH ± .005			R GROOVE RADIUS	ECCEN- TRICITY MAX.
			RADIAL		AXIAL			NO BACKUP RING	ONE BACKUP RING	TWO BACKUP RINGS		
	RADIAL	AXIAL	INCHES	%	INCHES	%						
.070	.050-.052	.050 -.054	.015-.023	22-23	.013-.023	19-32	.004	.095	.140	.207	.005-.015	.002
.103	.081-.083	.074-.080	.017-.025	17-24	.020-.032	20-30	.005	.142	.173	.240	.005-.015	.002
.139	.111-.113	.101-.107	.022-.032	16-23	.028-.042	20-30	.006	.189	.210	.277	.010-.025	.003
.210	.170-.173	.152-.162	.032-.045	15-21	.043-.063	21-30	.006	.283	.313	.413	.020-.035	.004
.275	.226-.229	.201-.211	.040-.055	15-20	.058-.080	21-29	.007	.377	.410	.540	.020-.035	.00

O-Ring Gland Design For Reciprocating Seals



- A - Bore Dia. of Cylinder
- B - OD of Rod
- C - OD of Piston
- D - Bore Dia. for Rod

W O-RING CROSS SECTION	L GROOVE DEPTH	SQUEEZE		E DIAMETRICAL CLEARANCE MAX.	G GROOVE WIDTH ± .005			R GROOVE RADIUS	ECCEN- TRICITY MAX.
					NO BACKUP RING	ONE BACKUP RING	TWO BACKUP RINGS		
		INCHES	%						
.070	.055-.057	.010-.018	15-25	.004	.095	.140	.207	.005-.015	.002
.103	.088-.090	.010-.018	10-17	.005	.142	.173	.240	.005-.015	.002
.139	.121-.123	.012-.022	9-16	.006	.189	.210	.277	.010-.025	.003
.210	.185-.188	.017-.030	8-14	.006	.283	.313	.413	.020-.035	.004
.275	.237-.240	.029-.044	11-16	.007	.377	.410	.540	.020-.035	.005

O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-001	1/32	3/32	1/32	.029±.004	.040±.003
-001 1/2	1/16	1/8	1/32	.070±.004	.040±.003
-002	3/64	9/64	3/64	.042±.004	.050±.003
-003	1/16	3/16	1/16	.056±.004	.060±.003
-004	5/64	13/64	1/16	.070±.005	.070±.003
-005	3/32	7/32	1/16	.101±.005	.070±.003
-006	1/8	1/4	1/16	.114±.005	.070±.003
-007	5/32	9/32	1/16	.145±.005	.070±.003
-008	3/16	5/16	1/16	.176±.005	.070±.003
-009	7/32	11/32	1/16	.208±.005	.070±.003
-010	1/4	3/8	1/16	.239±.005	.070±.003
-011	5/16	7/16	1/16	.301±.005	.070±.003
-012	3/8	1/2	1/16	.364±.005	.070±.003
-013	7/16	9/16	1/16	.426±.005	.070±.003
-014	1/2	5/8	1/16	.489±.005	.070±.003
-015	9/16	11/16	1/16	.551±.007	.070±.003
-016	5/8	3/4	1/16	.614±.009	.070±.003
-017	11/16	13/16	1/16	.676±.009	.070±.003
-018	3/4	7/8	1/16	.739±.009	.070±.003
-019	13/16	15/16	1/16	.801±.009	.070±.003
-020	7/8	1	1/16	.864±.009	.070±.003
-021	15/16	1 1/16	1/16	.926±.009	.070±.003
-022	1	1 1/8	1/16	.989±.010	.070±.003
-023	1 1/16	1 3/16	1/16	1.051±.010	.070±.003
-024	1 1/8	1 1/4	1/16	1.114±.010	.070±.003
-025	1 3/16	1 5/16	1/16	1.176±.011	.070±.003
-026	1 1/4	1 3/8	1/16	1.239±.011	.070±.003
-027	1 5/16	1 7/16	1/16	1.301±.011	.070±.003
-028	1 3/8	1 1/2	1/16	1.364±.013	.070±.003
-029	1 1/2	1 5/8	1/16	1.489±.013	.070±.003
-030	1 5/8	1 3/4	1/16	1.614±.013	.070±.003
-031	1 3/4	1 7/8	1/16	1.739±.015	.070±.003
-032	1 7/8	2	1/16	1.864±.015	.070±.003
-033	2	2 1/8	1/16	1.989±.018	.070±.003
-034	2 1/8	2 1/4	1/16	2.114±.018	.070±.003
-035	2 1/4	2 3/8	1/16	2.239±.018	.070±.003
-036	2 3/8	2 1/2	1/16	2.364±.018	.070±.003
-037	2 1/2	2 5/8	1/16	2.489±.018	.070±.003
-038	2 5/8	2 3/4	1/16	2.614±.020	.070±.003
-039	2 3/4	2 7/8	1/16	2.739±.020	.070±.003
-040	2 7/8	3	1/16	2.864±.020	.070±.003
-041	3	3 1/8	1/16	2.989±.024	.070±.003
-042	3 1/4	3 3/8	1/16	3.239±.024	.070±.003
-043	3 1/2	3 5/8	1/16	3.489±.024	.070±.003
-044	3 3/4	3 7/8	1/16	3.739±.027	.070±.003
-045	4	4 1/8	1/16	3.989±.027	.070±.003
-046	4 1/4	4 3/8	1/16	4.239±.030	.070±.003

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-047	4 1/2	4 5/8	1/16	4.489±.030	.070±.003
-048	4 3/4	4 7/8	1/16	4.739±.030	.070±.003
-049	5	5 1/8	1/16	4.989±.037	.070±.003
-050	5 1/4	5 3/8	1/16	5.239±.037	.070±.003
-102	1/16	1/4	3/32	.049±.005	.103±.003
-103	3/32	9/32	3/32	.081±.005	.103±.003
-104	1/8	5/16	3/32	.112±.005	.103±.003
-105	5/32	11/32	3/32	.143±.005	.103±.003
-106	3/16	3/8	3/32	.174±.005	.103±.003
-107	7/32	13/32	3/32	.206±.005	.103±.003
-108	1/4	7/16	3/32	.237±.005	.103±.003
-109	5/16	1/2	3/32	.299±.005	.103±.003
-110	3/8	9/16	3/32	.362±.005	.103±.003
-111	7/16	5/8	3/32	.424±.005	.103±.003
-112	1/2	11/16	3/32	.487±.005	.103±.003
-113	9/16	3/4	3/32	.549±.005	.103±.003
-114	5/8	13/16	3/32	.612±.009	.103±.003
-115	11/16	7/8	3/32	.674±.009	.103±.003
-116	3/4	15/16	3/32	.737±.009	.103±.003
-117	13/16	1	3/32	.799±.010	.103±.003
-118	7/8	1 1/16	3/32	.862±.010	.103±.003
-119	15/16	1 1/8	3/32	.924±.010	.103±.003
-120	1	1 3/16	3/32	.987±.010	.103±.003
-121	1 1/16	1 1/4	3/32	1.049±.010	.103±.003
-122	1 1/8	1 5/16	3/32	1.112±.010	.103±.003
-123	1 3/16	1 3/8	3/32	1.174±.012	.103±.003
-124	1 1/4	1 7/16	3/32	1.237±.012	.103±.003
-125	1 5/16	1 1/2	3/32	1.299±.012	.103±.003
-126	1 3/8	1 9/16	3/32	1.362±.012	.103±.003
-127	1 7/16	1 5/8	3/32	1.424±.012	.103±.003
-128	1 1/2	1 11/16	3/32	1.487±.012	.103±.003
-129	1 9/16	1 3/4	3/32	1.549±.015	.103±.003
-130	1 5/8	1 13/16	3/32	1.612±.015	.103±.003
-131	1 11/16	1 7/8	3/32	1.674±.015	.103±.003
-132	1 3/4	1 15/16	3/32	1.737±.015	.103±.003
-133	1 13/16	2	3/32	1.799±.015	.103±.003
-134	1 7/8	2 1/16	3/32	1.862±.015	.103±.003
-135	1 15/16	2 1/8	3/32	1.925±.017	.103±.003
-136	2	2 3/16	3/32	1.987±.017	.103±.003
-137	2 1/16	2 1/4	3/32	2.050±.017	.103±.003
-138	2 1/8	2 5/16	3/32	2.112±.017	.103±.003
-139	2 3/16	2 3/8	3/32	2.175±.017	.103±.003
-140	2 1/4	2 7/16	3/32	2.237±.017	.103±.003
-141	2 5/16	2 1/2	3/32	2.300±.020	.103±.003
-142	2 3/8	2 9/16	3/32	2.362±.020	.103±.003
-143	2 7/16	2 5/8	3/32	2.425±.020	.103±.003
-144	2 1/2	2 11/16	3/32	2.487±.020	.103±.003

O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-145	2 9/16	2 3/4	3/32	2.550±.020	.103±.003
-146	2 5/8	2 13/16	3/32	2.612±.020	.103±.003
-147	2 11/16	2 7/8	3/32	2.675±.022	.103±.003
-148	2 3/4	2 15/16	3/32	2.737±.022	.103±.003
-149	2 13/16	3	3/32	2.800±.022	.103±.003
-150	2 7/8	3 1/16	3/32	2.862±.022	.103±.003
-151	3	3 3/16	3/32	2.987±.024	.103±.003
-152	3 1/4	3 7/16	3/32	3.237±.024	.103±.003
-153	3 1/2	3 11/16	3/32	3.487±.024	.103±.003
-154	3 3/4	3 15/16	3/32	3.737±.028	.103±.003
-155	4	4 3/16	3/32	3.987±.028	.103±.003
-156	4 1/4	4 7/16	3/32	4.237±.030	.103±.003
-157	4 1/2	4 11/16	3/32	4.487±.030	.103±.003
-158	4 3/4	4 15/16	3/32	4.737±.030	.103±.003
-159	5	5 3/16	3/32	4.987±.035	.103±.003
-160	5 1/4	5 7/16	3/32	5.237±.035	.103±.003
-161	5 1/2	5 11/16	3/32	5.487±.035	.103±.003
-162	5 3/4	5 15/16	3/32	5.737±.035	.103±.003
-163	6	6 3/16	3/32	5.987±.035	.103±.003
-164	6 1/4	6 7/16	3/32	6.237±.040	.103±.003
-165	6 1/2	6 11/16	3/32	6.487±.040	.103±.003
-166	6 3/4	6 15/16	3/32	6.737±.040	.103±.003
-167	7	7 3/16	3/32	6.987±.040	.103±.003
-168	7 1/4	7 7/16	3/32	7.237±.045	.103±.003
-169	7 1/2	7 11/16	3/32	7.487±.045	.103±.003
-170	7 3/4	7 15/16	3/32	7.737±.045	.103±.003
-171	8	8 3/16	3/32	7.987±.045	.103±.003
-172	8 1/4	8 7/16	3/32	8.237±.050	.103±.003
-173	8 1/2	8 11/16	3/32	8.487±.050	.103±.003
-174	8 3/4	8 15/16	3/32	8.737±.050	.103±.003
-175	9	9 3/16	3/32	8.987±.050	.103±.003
-176	9 1/4	9 7/16	3/32	9.237±.055	.103±.003
-177	9 1/2	9 11/16	3/32	9.487±.055	.103±.003
-178	9 3/4	9 15/16	3/32	9.737±.055	.103±.003
-201	3/16	7/16	1/8	.171±.005	.139±.004
-202	1/4	1/2	1/8	.234±.005	.139±.004
-203	5/16	9/16	1/8	.296±.005	.139±.004
-204	3/8	5/8	1/8	.359±.005	.139±.004
-205	7/16	11/16	1/8	.421±.005	.139±.004
-206	1/2	3/4	1/8	.484±.005	.139±.004
-207	9/16	13/16	1/8	.546±.007	.139±.004
-208	5/8	7/8	1/8	.609±.009	.139±.004
-209	11/16	15/16	1/8	.671±.009	.139±.004
-210	3/4	1	1/8	.734±.010	.139±.004
-211	13/16	1 1/16	1/8	.796±.010	.139±.004
-212	7/8	1 1/8	1/8	.859±.010	.139±.004
-213	15/16	1 3/16	1/8	.921±.010	.139±.004
AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-214	1	1 1/4	1/8	.984±.010	.139±.004
-215	1 1/16	1 5/16	1/8	1.046±.010	.139±.004
-216	1 1/8	1 3/8	1/8	1.109±.012	.139±.004
-217	1 3/16	1 7/16	1/8	1.171±.012	.139±.004
-218	1 1/4	1 1/2	1/8	1.234±.012	.139±.004
-219	1 5/16	1 9/16	1/8	1.296±.012	.139±.004
-220	1 3/8	1 5/8	1/8	1.359±.012	.139±.004
-221	1 7/16	1 11/16	1/8	1.421±.012	.139±.004
-222	1 1/2	1 3/4	1/8	1.484±.015	.139±.004
-223	1 5/8	1 7/8	1/8	1.609±.015	.139±.004
-224	1 3/4	2	1/8	1.734±.015	.139±.004
-225	1 7/8	2 1/8	1/8	1.859±.018	.139±.004
-226	2	2 1/4	1/8	1.984±.018	.139±.004
-227	2 1/8	2 3/8	1/8	2.109±.018	.139±.004
-228	2 1/4	2 1/2	1/8	2.234±.020	.139±.004
-229	2 3/8	2 5/8	1/8	2.359±.020	.139±.004
-230	2 1/2	2 3/4	1/8	2.484±.020	.139±.004
-231	2 5/8	2 7/8	1/8	2.609±.020	.139±.004
-232	2 3/4	3	1/8	2.734±.024	.139±.004
-233	2 7/8	3 1/8	1/8	2.859±.024	.139±.004
-234	3	3 1/4	1/8	2.984±.024	.139±.004
-235	3 1/8	3 3/8	1/8	3.109±.024	.139±.004
-236	3 1/4	3 1/2	1/8	3.234±.024	.139±.004
-237	3 3/8	3 5/8	1/8	3.359±.024	.139±.004
-238	3 1/2	3 3/4	1/8	3.484±.024	.139±.004
-239	3 5/8	3 7/8	1/8	3.609±.028	.139±.004
-240	3 3/4	4	1/8	3.734±.028	.139±.004
-241	3 7/8	4 1/8	1/8	3.859±.028	.139±.004
-242	4	4 1/4	1/8	3.984±.028	.139±.004
-243	4 1/8	4 3/8	1/8	4.109±.028	.139±.004
-244	4 1/4	4 1/2	1/8	4.234±.030	.139±.004
-245	4 3/8	4 5/8	1/8	4.359±.030	.139±.004
-246	4 1/2	4 3/4	1/8	4.484±.030	.139±.004
-247	4 5/8	4 7/8	1/8	4.609±.030	.139±.004
-248	4 3/4	5	1/8	4.734±.030	.139±.004
-249	4 7/8	5 1/8	1/8	4.859±.035	.139±.004
-250	5	5 1/4	1/8	4.984±.035	.139±.004
-251	5 1/8	5 3/8	1/8	5.109±.035	.139±.004
-252	5 1/4	5 1/2	1/8	5.234±.035	.139±.004
-253	5 3/8	5 5/8	1/8	5.359±.035	.139±.004
-254	5 1/2	5 3/4	1/8	5.484±.035	.139±.004
-255	5 5/8	5 7/8	1/8	5.609±.035	.139±.004
-256	5 3/4	6	1/8	5.734±.035	.139±.004
-257	5 7/8	6 1/8	1/8	5.859±.035	.139±.004
-258	6	6 1/4	1/8	5.984±.035	.139±.004
-259	6 1/4	6 1/2	1/8	6.234±.040	.139±.004
-260	6 1/2	6 3/4	1/8	6.484±.040	.139±.004

O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-261	6 3/4	7	1/8	6.734±.040	.139±.004
-262	7	7 1/4	1/8	6.984±.040	.139±.004
-263	7 1/4	7 1/2	1/8	7.234±.045	.139±.004
-264	7 1/2	7 3/4	1/8	7.484±.045	.139±.004
-265	7 3/4	8	1/8	7.734±.045	.139±.004
-266	8	8 1/4	1/8	7.984±.045	.139±.004
-267	8 1/4	8 1/2	1/8	8.234±.050	.139±.004
-268	8 1/2	8 3/4	1/8	8.484±.050	.139±.004
-269	8 3/4	9	1/8	8.734±.050	.139±.004
-270	9	9 1/4	1/8	8.984±.050	.139±.004
-271	9 1/4	9 1/2	1/8	9.234±.055	.139±.004
-272	9 1/2	9 3/4	1/8	9.484±.055	.139±.004
-273	9 3/4	10	1/8	9.734±.055	.139±.004
-274	10	10 1/4	1/8	9.984±.055	.139±.004
-275	10 1/2	10 3/4	1/8	10.484±.055	.139±.004
-276	11	11 1/4	1/8	10.984±.065	.139±.004
-277	11 1/2	11 3/4	1/8	11.484±.065	.139±.004
-278	12	12 1/4	1/8	11.984±.065	.139±.004
-279	13	13 1/4	1/8	12.984±.065	.139±.004
-280	14	14 1/4	1/8	13.984±.065	.139±.004
-281	15	15 1/4	1/8	14.984±.065	.139±.004
-282	16	16 1/4	1/8	15.955±.075	.139±.004
-283	17	17 1/4	1/8	16.955±.080	.139±.004
-284	18	18 1/4	1/8	17.955±.085	.139±.004
-309	7/16	13/16	3/16	.412±.005	.210±.005
-310	1/2	7/8	3/16	.475±.005	.210±.005
-311	9/16	15/16	3/16	.537±.007	.210±.005
-312	5/8	1	3/16	.600±.009	.210±.005
-313	11/16	1 1/16	3/16	.662±.009	.210±.005
-314	3/4	1 1/8	3/16	.725±.010	.210±.005
-315	13/16	1 3/16	3/16	.787±.010	.210±.005
-316	7/8	1 1/4	3/16	.850±.010	.210±.005
-317	15/16	1 5/16	3/16	.912±.010	.210±.005
-318	1	1 3/8	3/16	.975±.010	.210±.005
-319	1 1/16	1 7/16	3/16	1.037±.010	.210±.005
-320	1 1/8	1 1/2	3/16	1.100±.012	.210±.005
-321	1 3/16	1 9/16	3/16	1.162±.012	.210±.005
-322	1 1/4	1 5/8	3/16	1.225±.012	.210±.005
-323	1 5/16	1 11/16	3/16	1.287±.012	.210±.005
-324	1 3/8	1 3/4	3/16	1.350±.012	.210±.005
-325	1 1/2	1 7/8	3/16	1.475±.015	.210±.005
-326	1 5/8	2	3/16	1.600±.015	.210±.005
-327	1 3/4	2 1/8	3/16	1.725±.015	.210±.005
-328	1 7/8	2 1/4	3/16	1.850±.015	.210±.005
-329	2	2 3/8	3/16	1.975±.018	.210±.005
-330	2 1/8	2 1/2	3/16	2.100±.018	.210±.005
-331	2 1/4	2 5/8	3/16	2.225±.018	.210±.005

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-332	2 3/8	2 3/4	3/16	2.350±.018	.210±.005
-333	2 1/2	2 7/8	3/16	2.475±.020	.210±.005
-334	2 5/8	3	3/16	2.600±.020	.210±.005
-335	2 3/4	3 1/8	3/16	2.725±.020	.210±.005
-336	2 7/8	3 1/4	3/16	2.850±.020	.210±.005
-337	3	3 3/8	3/16	2.975±.024	.210±.005
-338	3 1/8	3 1/2	3/16	3.100±.024	.210±.005
-339	3 1/4	3 5/8	3/16	3.225±.024	.210±.005
-340	3 3/8	3 3/4	3/16	3.350±.024	.210±.005
-341	3 1/2	3 7/8	3/16	3.475±.024	.210±.005
-342	3 5/8	4	3/16	3.600±.028	.210±.005
-343	3 3/4	4 1/8	3/16	3.725±.028	.210±.005
-344	3 7/8	4 1/4	3/16	3.850±.028	.210±.005
-345	4	4 3/8	3/16	3.975±.028	.210±.005
-346	4 1/8	4 1/2	3/16	4.100±.028	.210±.005
-347	4 1/4	4 5/8	3/16	4.225±.030	.210±.005
-348	4 3/8	4 3/4	3/16	4.350±.030	.210±.005
-349	4 1/2	4 7/8	3/16	4.475±.030	.210±.005
-350	4 5/8	5	3/16	4.600±.030	.210±.005
-351	4 3/4	5 1/8	3/16	4.725±.030	.210±.005
-352	4 7/8	5 1/4	3/16	4.850±.030	.210±.005
-353	5	5 3/8	3/16	4.975±.037	.210±.005
-354	5 1/8	5 1/2	3/16	5.100±.037	.210±.005
-355	5 1/4	5 5/8	3/16	5.225±.037	.210±.005
-356	5 3/8	5 3/4	3/16	5.350±.037	.210±.005
-357	5 1/2	5 7/8	3/16	5.475±.037	.210±.005
-358	5 5/8	6	3/16	5.600±.037	.210±.005
-359	5 3/4	6 1/8	3/16	5.725±.037	.210±.005
-360	5 7/8	6 1/4	3/16	5.850±.037	.210±.005
-361	6	6 3/8	3/16	5.975±.037	.210±.005
-362	6 1/4	6 5/8	3/16	6.225±.040	.210±.005
-363	6 1/2	6 7/8	3/16	6.475±.040	.210±.005
-364	6 3/4	7 1/8	3/16	6.725±.040	.210±.005
-365	7	7 3/8	3/16	6.975±.040	.210±.005
-366	7 1/4	7 5/8	3/16	7.225±.045	.210±.005
-367	7 1/2	7 7/8	3/16	7.475±.045	.210±.005
-368	7 3/4	8 1/8	3/16	7.725±.045	.210±.005
-369	8	8 3/8	3/16	7.975±.045	.210±.005
-370	8 1/4	8 5/8	3/16	8.225±.050	.210±.005
-371	8 1/2	8 7/8	3/16	8.475±.050	.210±.005
-372	8 3/4	9 1/8	3/16	8.725±.050	.210±.005
-373	9	9 3/8	3/16	8.975±.050	.210±.005
-374	9 1/4	9 5/8	3/16	9.225±.055	.210±.005
-375	9 1/2	9 7/8	3/16	9.475±.055	.210±.005
-376	9 3/4	10 1/8	3/16	9.725±.055	.210±.005
-377	10	10 3/8	3/16	9.975±.055	.210±.005
-378	10 1/2	10 7/8	3/16	10.475±.060	.210±.005


O-RING SIZE CHART AND INSTALLATION DATA

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-379	11	11 3/8	3/16	10.975±.060	.210±.005
-380	11 1/2	11 7/8	3/16	11.475±.065	.210±.005
-381	12	12 3/8	3/16	11.975±.065	.210±.005
-382	13	13 3/8	3/16	12.975±.065	.210±.005
-383	14	14 3/8	3/16	13.975±.070	.210±.005
-384	15	15 3/8	3/16	14.975±.070	.210±.005
-385	16	16 3/8	3/16	15.955±.075	.210±.005
-386	17	17 3/8	3/16	16.955±.080	.210±.005
-387	18	18 3/8	3/16	17.955±.085	.210±.005
-388	19	19 3/8	3/16	18.955±.090	.210±.005
-389	20	20 3/8	3/16	19.955±.095	.210±.005
-390	21	21 3/8	3/16	20.955±.095	.210±.005
-391	22	22 3/8	3/16	21.955±.100	.210±.005
-392	23	23 3/8	3/16	22.940±.105	.210±.005
-393	24	24 3/8	3/16	23.940±.110	.210±.005
-394	25	25 3/8	3/16	24.940±.115	.210±.005
-395	26	26 3/8	3/16	25.940±.120	.210±.005
-400*	1 3/8	1 7/8	1/4	1.225±.012	.275±.006
-401*	1 1/2	2	1/4	1.475±.014	.275±.006
-402*	1 5/8	2 1/8	1/4	1.600±.015	.275±.006
-403*	1 3/4	2 1/4	1/4	1.725±.016	.275±.006
-404*	1 7/8	2 3/8	1/4	1.850±.016	.275±.006
-405*	2	2 1/2	1/4	1.975±.017	.275±.006
-406*	2 1/8	2 5/8	1/4	2.100±.018	.275±.006
-407*	2 1/4	2 3/4	1/4	2.225±.018	.275±.006
-408*	2 3/8	2 7/8	1/4	2.350±.020	.275±.006
-409*	2 1/2	3	1/4	2.475±.020	.275±.006
-410*	2 5/8	3 1/8	1/4	2.600±.020	.275±.006
-411*	2 3/4	3 1/4	1/4	2.725±.022	.275±.006
-412*	2 7/8	3 3/8	1/4	2.850±.022	.275±.006
-413*	3	3 1/2	1/4	2.975±.024	.275±.006
-414*	3 1/8	3 5/8	1/4	3.100±.024	.275±.006
-415*	3 1/4	3 3/4	1/4	3.225±.024	.275±.006
-416*	3 3/8	3 7/8	1/4	3.350±.026	.275±.006
-417*	3 1/2	4	1/4	3.475±.026	.275±.006
-418*	3 5/8	4 1/8	1/4	3.600±.026	.275±.006
-419*	3 3/4	4 1/4	1/4	3.725±.028	.275±.006
-420*	3 7/8	4 3/8	1/4	3.850±.028	.275±.006
-421*	4	4 1/2	1/4	3.975±.028	.275±.006
-422*	4 1/8	4 5/8	1/4	4.100±.030	.275±.006
-423*	4 1/4	4 3/4	1/4	4.225±.030	.275±.006
-424*	4 3/8	4 7/8	1/4	4.350±.030	.275±.006
-425	4 1/2	5	1/4	4.475±.033	.275±.006
-426	4 5/8	5 1/8	1/4	4.600±.033	.275±.006
-427	4 3/4	5 1/4	1/4	4.725±.033	.275±.006
-428	4 7/8	5 3/8	1/4	4.850±.033	.275±.006
-429	5	5 1/2	1/4	4.975±.037	.275±.006

AS-568A SERIES	NOMINAL SIZE			ACTUAL DIMENSIONS	
	ID	OD	Width	ID Tol.	W. Tol.
-430	5 1/8	5 5/8	1/4	5.100±.037	.275±.006
-431	5 1/4	5 3/4	1/4	5.225±.037	.275±.006
-432	5 3/8	5 7/8	1/4	5.350±.037	.275±.006
-433	5 1/2	6	1/4	5.475±.037	.275±.006
-434	5 5/8	6 1/8	1/4	5.600±.037	.275±.006
-435	5 3/4	6 1/4	1/4	5.725±.037	.275±.006
-436	5 7/8	6 3/8	1/4	5.850±.037	.275±.006
-437	6	6 1/2	1/4	5.975±.037	.275±.006
-438	6 1/4	6 3/4	1/4	6.225±.040	.275±.006
-439	6 1/2	7	1/4	6.475±.040	.275±.006
-440	6 3/4	7 1/4	1/4	6.725±.040	.275±.006
-441	7	7 1/2	1/4	6.975±.040	.275±.006
-442	7 1/4	7 3/4	1/4	7.225±.045	.275±.006
-443	7 1/2	8	1/4	7.475±.045	.275±.006
-444	7 3/4	8 1/4	1/4	7.725±.045	.275±.006
-445	8	8 1/2	1/4	7.975±.045	.275±.006
-446	8 1/2	9	1/4	8.475±.055	.275±.006
-447	9	9 1/2	1/4	8.975±.055	.275±.006
-448	9 1/2	10	1/4	9.475±.055	.275±.006
-449	10	10 1/2	1/4	9.975±.055	.275±.006
-450	10 1/2	11	1/4	10.475±.060	.275±.006
-451	11	11 1/2	1/4	10.975±.060	.275±.006
-452	11 1/2	12	1/4	11.475±.060	.275±.006
-453	12	12 1/2	1/4	11.975±.060	.275±.006
-454	12 1/2	13	1/4	12.475±.060	.275±.006
-455	13	13 1/2	1/4	12.975±.060	.275±.006
-456	13 1/2	14	1/4	13.475±.070	.275±.006
-457	14	14 1/2	1/4	13.975±.070	.275±.006
-458	14 1/2	15	1/4	14.475±.070	.275±.006
-459	15	15 1/2	1/4	14.975±.070	.275±.006
-460	15 1/2	16	1/4	15.475±.070	.275±.006
-461	16	16 1/2	1/4	15.955±.075	.275±.006
-462	16 1/2	17	1/4	16.455±.075	.275±.006
-463	17	17 1/2	1/4	16.955±.080	.275±.006
-464	17 1/2	18	1/4	17.455±.085	.275±.006
-465	18	18 1/2	1/4	17.955±.085	.275±.006
-466	18 1/2	19	1/4	18.455±.085	.275±.006
-467	19	19 1/2	1/4	18.955±.090	.275±.006
-468	19 1/2	20	1/4	19.455±.090	.275±.006
-469	20	20 1/2	1/4	19.955±.090	.275±.006
-470	21	21 1/2	1/4	20.955±.090	.275±.006
-471	22	22 1/2	1/4	21.955±.100	.275±.006
-472	23	23 1/2	1/4	22.940±.105	.275±.006
-473	24	24 1/2	1/4	23.940±.110	.275±.006
-474	25	25 1/2	1/4	24.940±.115	.275±.006
-475	26	26 1/2	1/4	25.940±.120	.275±.006

* NON-ANSI STANDARD

STYLE 568, 70 DURO BUNA-N O-RINGS



SEAL INFORMATION

MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/32" C/S							
568-001	1/32	3/32	1/32	.029 ±.004	.040 ±.003	50	\$0.06
568-001-1/2	1/16	1/8	1/32	.070 ±.004	.040 ±.003	50	0.22
3/64" C/S							
568-002	3/64	9/64	3/64	.042 ±.004	.050 ±.003	50	\$0.06
1/16" C/S							
568-003	1/16	3/16	1/16	.056 ±.004	.060 ±.003	50	\$0.06
568-004	5/64	13/64	1/16	.070 ±.005	.070 ±.003	50	0.06
568-005	3/32	7/32	1/16	.101 ±.005	.070 ±.003	50	0.06
568-006	1/8	1/4	1/16	.114 ±.005	.070 ±.003	50	0.03
568-007	5/32	9/32	1/16	.145 ±.005	.070 ±.003	50	0.03
568-008	3/16	5/16	1/16	.176 ±.005	.070 ±.003	50	0.03
568-009	7/32	11/32	1/16	.208 ±.005	.070 ±.003	50	0.03
568-010	1/4	3/8	1/16	.239 ±.005	.070 ±.003	50	0.06
568-011	5/16	7/16	1/16	.301 ±.005	.070 ±.003	50	0.06
568-012	3/8	1/2	1/16	.364 ±.005	.070 ±.003	50	0.06
568-013	7/16	9/16	1/16	.426 ±.005	.070 ±.003	50	0.06
568-014	1/2	5/8	1/16	.489 ±.005	.070 ±.003	50	0.06
568-015	9/16	11/16	1/16	.551 ±.007	.070 ±.003	50	0.07
568-016	5/8	3/4	1/16	.614 ±.009	.070 ±.003	50	0.07
568-017	11/16	13/16	1/16	.676 ±.009	.070 ±.003	50	0.09
568-018	3/4	7/8	1/16	.739 ±.009	.070 ±.003	50	0.09
568-019	13/16	15/16	1/16	.801 ±.009	.070 ±.003	50	0.10
568-020	7/8	1	1/16	.864 ±.009	.070 ±.003	50	0.10
568-021	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	50	0.10
568-022	1	1-1/8	1/16	.989 ±.010	.070 ±.003	50	0.10
568-023	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	50	0.12
568-024	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	50	0.12
568-025	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	50	0.17
568-026	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	50	0.19
568-027	1-5/16	1-7/16	1/16	1.301 ±.011	.070 ±.003	50	0.19
568-028	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	20	0.19
568-029	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	20	0.20
568-030	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	20	0.23
568-031	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	20	0.26
568-032	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	20	0.29
568-033	2	2-1/8	1/16	1.989 ±.018	.070 ±.003	20	0.36
568-034	2-1/8	2-1/4	1/16	2.114 ±.018	.070 ±.003	20	0.39
568-035	2-1/4	2-3/8	1/16	2.239 ±.018	.070 ±.003	20	0.39

STYLE 568, 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-036	2-3/8	2-1/2	1/16	2.364 ±.018	.070 ±.003	20	0.42
568-037	2-1/2	2-5/8	1/16	2.489 ±.018	.070 ±.003	20	0.42
568-038	2-5/8	2-3/4	1/16	2.614 ±.020	.070 ±.003	20	0.47
568-039	2-3/4	2-7/8	1/16	2.739 ±.020	.070 ±.003	20	0.48
568-040	2-7/8	3	1/16	2.864 ±.020	.070 ±.003	20	0.50
568-041	3	3-1/8	1/16	2.989 ±.024	.070 ±.003	20	0.57
568-042	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	20	0.62
568-043	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	20	0.65
568-044	3-3/4	3-7/8	1/16	3.739 ±.027	.070 ±.003	10	0.77
568-045	4	4-1/8	1/16	3.989 ±.027	.070 ±.003	10	0.79
568-046	4-1/4	4-3/8	1/16	4.239 ±.030	.070 ±.003	10	0.85
568-047	4-1/2	4-5/8	1/16	4.489 ±.030	.070 ±.003	10	0.94
568-048	4-3/4	4-7/8	1/16	4.739 ±.030	.070 ±.003	10	1.12
568-049	5	5-1/8	1/16	4.989 ±.037	.070 ±.003	10	1.44
568-050	5-1/4	5-3/8	1/16	5.239 ±.037	.070 ±.003	10	1.44
3/32" C/S							
568-102	1/16	1/4	3/32	.049 ±.005	.103 ±.003	50	\$0.09
568-103	3/32	9/32	3/32	.081 ±.005	.103 ±.003	50	0.09
568-104	1/8	5/16	3/32	.112 ±.005	.103 ±.003	50	0.06
568-105	5/32	11/32	3/32	.143 ±.005	.103 ±.003	50	0.06
568-106	3/16	3/8	3/32	.174 ±.005	.103 ±.003	50	0.06
568-107	7/32	13/32	3/32	.206 ±.005	.103 ±.003	50	0.06
568-108	1/4	7/16	3/32	.237 ±.005	.103 ±.003	50	0.12
568-109	5/16	1/2	3/32	.299 ±.005	.103 ±.003	50	0.06
568-110	3/8	9/16	3/32	.362 ±.005	.103 ±.003	50	0.07
568-111	7/16	5/8	3/32	.424 ±.005	.103 ±.003	50	0.07
568-112	1/2	11/16	3/32	.487 ±.005	.103 ±.003	50	0.07
568-113	9/16	3/4	3/32	.549 ±.005	.103 ±.003	50	0.07
568-114	5/8	13/16	3/32	.612 ±.009	.103 ±.003	50	0.09
568-115	11/16	7/8	3/32	.674 ±.009	.103 ±.003	50	0.09
568-116	3/4	15/16	3/32	.737 ±.009	.103 ±.003	50	0.09
568-117	13/16	1	3/32	.799 ±.010	.103 ±.003	50	0.09
568-118	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	50	0.10
568-119	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	50	0.10
568-120	1	1-3/16	3/32	.987 ±.010	.103 ±.003	50	0.10
568-121	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	50	0.12
568-122	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	50	0.12
568-123	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	50	0.12
568-124	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	50	0.19
568-125	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	50	0.19
568-126	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	20	0.20
568-127	1-7/16	1-5/8	3/32	1.424 ±.012	.103 ±.003	20	0.22
568-128	1-1/2	1-11/16	3/32	1.487 ±.012	.103 ±.003	20	0.23
568-129	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	20	0.23
568-130	1-5/8	1-13/16	3/32	1.612 ±.015	.103 ±.003	20	0.26
568-131	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	20	0.27
568-132	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	20	0.27
568-133	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	20	0.29
568-134	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	20	0.29
568-135	1-15/16	2-1/8	3/32	1.925 ±.017	.103 ±.003	20	0.29

STYLE 568, 70 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-136	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	20	0.30
568-137	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	20	0.30
568-138	2-1/8	2-5/16	3/32	2.112 ±.017	.103 ±.003	20	0.36
568-139	2-3/16	2-3/8	3/32	2.175 ±.017	.103 ±.003	20	0.36
568-140	2-1/4	2-7/16	3/32	2.237 ±.017	.103 ±.003	20	0.36
568-141	2-5/16	2-1/2	3/32	2.300 ±.020	.103 ±.003	20	0.42
568-142	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	20	0.42
568-143	2-7/16	2-5/8	3/32	2.425 ±.020	.103 ±.003	20	0.42
568-144	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	20	0.47
568-145	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	20	0.47
568-146	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	20	0.47
568-147	2-11/16	2-7/8	3/32	2.675 ±.022	.103 ±.003	20	0.47
568-148	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	20	0.47
568-149	2-13/16	3	3/32	2.800 ±.022	.103 ±.003	20	0.48
568-150	2-7/8	3-1/16	3/32	2.862 ±.022	.103 ±.003	20	0.48
568-151	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	20	0.53
568-152	3-1/4	3-7/16	3/32	3.237 ±.024	.103 ±.003	20	0.62
568-153	3-1/2	3-11/16	3/32	3.487 ±.024	.103 ±.003	20	0.65
568-154	3-3/4	3-15/16	3/32	3.737 ±.028	.103 ±.003	20	0.65
568-155	4	4-3/16	3/32	3.987 ±.028	.103 ±.003	10	0.85
568-156	4-1/4	4-7/16	3/32	4.237 ±.030	.103 ±.003	10	1.06
568-157	4-1/2	4-11/16	3/32	4.487 ±.030	.103 ±.003	10	1.09
568-158	4-3/4	4-15/16	3/32	4.737 ±.030	.103 ±.003	10	1.12
568-159	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	10	1.20
568-160	5-1/4	5-7/16	3/32	5.237 ±.035	.103 ±.003	5	1.29
568-161	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	5	1.44
568-162	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	5	1.69
568-163	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	5	1.76
568-164	6-1/4	6-7/16	3/32	6.237 ±.040	.103 ±.003	5	1.96
568-165	6-1/2	6-11/16	3/32	6.487 ±.040	.103 ±.003	5	2.02
568-166	6-3/4	6-15/16	3/32	6.737 ±.040	.103 ±.003	5	2.02
568-167	7	7-3/16	3/32	6.987 ±.040	.103 ±.003	5	2.02
568-168	7-1/4	7-7/16	3/32	7.237 ±.045	.103 ±.003	5	2.21
568-169	7-1/2	7-11/16	3/32	7.487 ±.045	.103 ±.003	5	2.28
568-170	7-3/4	7-15/16	3/32	7.737 ±.045	.103 ±.003	5	2.36
568-171	8	8-3/16	3/32	7.987 ±.045	.103 ±.003	1	2.94
568-172	8-1/4	8-7/16	3/32	8.237 ±.050	.103 ±.003	1	3.05
568-173	8-1/2	8-11/16	3/32	8.487 ±.050	.103 ±.003	1	3.27
568-174	8-3/4	8-15/16	3/32	8.737 ±.050	.103 ±.003	1	3.59
568-175	9	9-3/16	3/32	8.987 ±.050	.103 ±.003	1	3.92
568-176	9-1/4	9-7/16	3/32	9.237 ±.055	.103 ±.003	1	4.24
568-177	9-1/2	9-11/16	3/32	9.487 ±.055	.103 ±.003	1	4.38
568-178	9-3/4	9-15/16	3/32	9.737 ±.055	.103 ±.003	1	4.59
1/8" C/S							
568-201	3/16	7/16	1/8	.171 ±.005	.139 ±.004	50	\$0.06
568-202	1/4	1/2	1/8	.234 ±.005	.139 ±.004	50	0.06
568-203	5/16	9/16	1/8	.296 ±.005	.139 ±.004	50	0.07
568-204	3/8	5/8	1/8	.359 ±.005	.139 ±.004	50	0.07
568-205	7/16	11/16	1/8	.421 ±.005	.139 ±.004	50	0.07
568-206	1/2	3/4	1/8	.484 ±.005	.139 ±.004	50	0.09

STYLE 568, 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-207	9/16	13/16	1/8	.546 ±.007	.139 ±.004	50	0.09
568-208	5/8	7/8	1/8	.609 ±.009	.139 ±.004	50	0.10
568-209	11/16	15/16	1/8	.671 ±.009	.139 ±.004	50	0.10
568-210	3/4	1	1/8	.734 ±.010	.139 ±.004	50	0.10
568-211	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	50	0.12
568-212	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	50	0.12
568-213	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	50	0.12
568-214	1	1-1/4	1/8	.984 ±.010	.139 ±.004	50	0.17
568-215	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	50	0.19
568-216	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	50	0.19
568-217	1-3/16	1-7/16	1/8	1.171 ±.012	.139 ±.004	50	0.20
568-218	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	50	0.20
568-219	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	50	0.20
568-220	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	20	0.22
568-221	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	20	0.23
568-222	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	20	0.26
568-223	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	20	0.29
568-224	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	20	0.54
568-225	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	20	0.32
568-226	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	20	0.39
568-227	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	20	0.39
568-228	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	20	0.42
568-229	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	20	0.47
568-230	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	20	0.50
568-231	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	20	0.53
568-232	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	20	0.53
568-233	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	20	0.56
568-234	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	20	0.59
568-235	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	20	0.62
568-236	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	20	0.65
568-237	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	20	0.65
568-238	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	20	0.69
568-239	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	20	0.69
568-240	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	20	0.71
568-241	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	20	0.72
568-242	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	10	0.79
568-243	4-1/8	4-3/8	1/8	4.109 ±.028	.139 ±.004	10	0.85
568-244	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	10	0.88
568-245	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	10	0.98
568-246	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	10	1.12
568-247	4-5/8	4-7/8	1/8	4.609 ±.030	.139 ±.004	10	1.15
568-248	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	10	1.18
568-249	4-7/8	5-1/8	1/8	4.859 ±.035	.139 ±.004	10	1.25
568-250	5	5-1/4	1/8	4.984 ±.035	.139 ±.004	10	1.25
568-251	5-1/8	5-3/8	1/8	5.109 ±.035	.139 ±.004	10	1.29
568-252	5-1/4	5-1/2	1/8	5.234 ±.035	.139 ±.004	10	1.29
568-253	5-3/8	5-5/8	1/8	5.359 ±.035	.139 ±.004	10	1.38
568-254	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	5	1.51
568-255	5-5/8	5-7/8	1/8	5.609 ±.035	.139 ±.004	5	1.57
568-256	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	5	1.64

STYLE 568, 70 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-257	5-7/8	6-1/8	1/8	5.859 ±.035	.139 ±.004	5	1.69
568-258	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	5	1.76
568-259	6-1/4	6-1/2	1/8	6.234 ±.040	.139 ±.004	5	1.96
568-260	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	5	1.96
568-261	6-3/4	7	1/8	6.734 ±.040	.139 ±.004	5	2.10
568-262	7	7-1/4	1/8	6.984 ±.040	.139 ±.004	5	2.16
568-263	7-1/4	7-1/2	1/8	7.234 ±.045	.139 ±.004	5	2.36
568-264	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	5	2.41
568-265	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	5	2.63
568-266	8	8-1/4	1/8	7.984 ±.045	.139 ±.004	5	2.68
568-267	8-1/4	8-1/2	1/8	8.234 ±.050	.139 ±.004	5	2.74
568-268	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	1	3.00
568-269	8-3/4	9	1/8	8.734 ±.050	.139 ±.004	1	3.27
568-270	9	9-1/4	1/8	8.984 ±.050	.139 ±.004	1	3.27
568-271	9-1/4	9-1/2	1/8	9.234 ±.055	.139 ±.004	1	3.27
568-272	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	1	3.27
568-273	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	1	3.27
568-274	10	10-1/4	1/8	9.984 ±.055	.139 ±.004	1	3.27
568-275	10-1/2	10-3/4	1/8	10.484 ±.055	.139 ±.004	1	3.59
568-276	11	11-1/4	1/8	10.984 ±.065	.139 ±.004	1	3.92
568-277	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	1	3.92
568-278	12	12-1/4	1/8	11.984 ±.065	.139 ±.004	1	4.24
568-279	13	13-1/4	1/8	12.984 ±.065	.139 ±.004	1	5.23
568-280	14	14-1/4	1/8	13.984 ±.065	.139 ±.004	1	6.42
568-281	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	1	7.52
568-282	16	16-1/4	1/8	15.955 ±.075	.139 ±.004	1	8.18
568-283	17	17-1/4	1/8	16.955 ±.080	.139 ±.004	1	9.16
568-284	18	18-1/4	1/8	17.955 ±.085	.139 ±.004	1	10.45
3/16" C/S							
568-309	7/16	13/16	3/16	.412 ±.005	.210 ±.005	50	\$0.17
568-310	1/2	7/8	3/16	.475 ±.005	.210 ±.005	50	0.19
568-311	9/16	15/16	3/16	.537 ±.007	.210 ±.005	50	0.19
568-312	5/8	1	3/16	.600 ±.009	.210 ±.005	50	0.22
568-313	11/16	1-1/16	3/16	.662 ±.009	.210 ±.005	50	0.22
568-314	3/4	1-1/8	3/16	.725 ±.010	.210 ±.005	50	0.22
568-315	13/16	1-3/16	3/16	.787 ±.010	.210 ±.005	50	0.23
568-316	7/8	1-1/4	3/16	.850 ±.010	.210 ±.005	50	0.23
568-317	15/16	1-5/16	3/16	.912 ±.010	.210 ±.005	50	0.23
568-318	1	1-3/8	3/16	.975 ±.010	.210 ±.005	50	0.23
568-319	1-1/16	1-7/16	3/16	1.037 ±.010	.210 ±.005	50	0.27
568-320	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	20	0.29
568-321	1-3/16	1-9/16	3/16	1.162 ±.012	.210 ±.005	20	0.29
568-322	1-1/4	1-5/8	3/16	1.225 ±.012	.210 ±.005	20	0.29
568-323	1-5/16	1-11/16	3/16	1.287 ±.012	.210 ±.005	20	0.29
568-324	1-3/8	1-3/4	3/16	1.350 ±.012	.210 ±.005	20	0.29
568-325	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	20	0.32
568-326	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	20	0.32
568-327	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	20	0.42
568-328	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	20	0.47
568-329	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	20	0.50

STYLE 568, 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-330	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	20	0.56
568-331	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	20	0.59
568-332	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	20	0.65
568-333	2-1/2	2-7/8	3/16	2.475 ±.020	.210 ±.005	20	0.71
568-334	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	20	0.72
568-335	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	10	0.79
568-336	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	10	0.85
568-337	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	10	0.88
568-338	3-1/8	3-1/2	3/16	3.100 ±.024	.210 ±.005	10	0.88
568-339	3-1/4	3-5/8	3/16	3.225 ±.024	.210 ±.005	10	0.98
568-340	3-3/8	3-3/4	3/16	3.350 ±.024	.210 ±.005	10	1.06
568-341	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	10	1.06
568-342	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	10	1.15
568-343	3-3/4	4-1/8	3/16	3.725 ±.028	.210 ±.005	10	1.18
568-344	3-7/8	4-1/4	3/16	3.850 ±.028	.210 ±.005	10	1.18
568-345	4	4-3/8	3/16	3.975 ±.028	.210 ±.005	10	1.29
568-346	4-1/8	4-1/2	3/16	4.100 ±.028	.210 ±.005	10	1.29
568-347	4-1/4	4-5/8	3/16	4.225 ±.030	.210 ±.005	10	1.29
568-348	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	10	1.29
568-349	4-1/2	4-7/8	3/16	4.475 ±.030	.210 ±.005	10	1.44
568-350	4-5/8	5	3/16	4.600 ±.030	.210 ±.005	5	1.51
568-351	4-3/4	5-1/8	3/16	4.725 ±.030	.210 ±.005	5	1.51
568-352	4-7/8	5-1/4	3/16	4.850 ±.030	.210 ±.005	5	1.57
568-353	5	5-3/8	3/16	4.975 ±.037	.210 ±.005	5	1.64
568-354	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	5	1.76
568-355	5-1/4	5-5/8	3/16	5.225 ±.037	.210 ±.005	5	1.96
568-356	5-3/8	5-3/4	3/16	5.350 ±.037	.210 ±.005	5	1.96
568-357	5-1/2	5-7/8	3/16	5.475 ±.037	.210 ±.005	5	2.02
568-358	5-5/8	6	3/16	5.600 ±.037	.210 ±.005	5	2.16
568-359	5-3/4	6-1/8	3/16	5.725 ±.037	.210 ±.005	5	2.16
568-360	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	5	2.28
568-361	6	6-3/8	3/16	5.975 ±.037	.210 ±.005	5	2.36
568-362	6-1/4	6-5/8	3/16	6.225 ±.040	.210 ±.005	5	2.41
568-363	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	5	2.52
568-364	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	5	2.63
568-365	7	7-3/8	3/16	6.975 ±.040	.210 ±.005	5	2.74
568-366	7-1/4	7-5/8	3/16	7.225 ±.045	.210 ±.005	5	2.74
568-367	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	5	2.74
568-368	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	5	2.74
568-369	8	8-3/8	3/16	7.975 ±.045	.210 ±.005	1	3.05
568-370	8-1/4	8-5/8	3/16	8.225 ±.050	.210 ±.005	1	3.39
568-371	8-1/2	8-7/8	3/16	8.475 ±.050	.210 ±.005	1	3.53
568-372	8-3/4	9-1/8	3/16	8.725 ±.050	.210 ±.005	1	3.59
568-373	9	9-3/8	3/16	8.975 ±.050	.210 ±.005	1	3.92
568-374	9-1/4	9-5/8	3/16	9.225 ±.055	.210 ±.005	1	4.00
568-375	9-1/2	9-7/8	3/16	9.475 ±.055	.210 ±.005	1	4.06
568-376	9-3/4	10-1/8	3/16	9.725 ±.055	.210 ±.005	1	4.12
568-377	10	10-3/8	3/16	9.975 ±.055	.210 ±.005	1	4.12
568-378	10-1/2	10-7/8	3/16	10.475 ±.060	.210 ±.005	1	5.23
568-379	11	11-3/8	3/16	10.975 ±.060	.210 ±.005	1	5.55

STYLE 568, 70 DURO BUNA-N O-RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-380	11-1/2	11-7/8	3/16	11.475 ±.065	.210 ±.005	1	5.69
568-381	12	12-3/8	3/16	11.975 ±.065	.210 ±.005	1	5.89
568-382	13	13-3/8	3/16	12.975 ±.065	.210 ±.005	1	5.89
568-383	14	14-3/8	3/16	13.975 ±.070	.210 ±.005	1	7.85
568-384	15	15-3/8	3/16	14.975 ±.070	.210 ±.005	1	7.85
568-385	16	16-3/8	3/16	15.955 ±.075	.210 ±.005	1	9.16
568-386	17	17-3/8	3/16	16.955 ±.080	.210 ±.005	1	9.81
568-387	18	18-3/8	3/16	17.955 ±.085	.210 ±.005	1	11.12
568-388	19	19-3/8	3/16	18.955 ±.090	.210 ±.005	1	11.44
568-389	20	20-3/8	3/16	19.955 ±.095	.210 ±.005	1	11.44
568-390	21	21-3/8	3/16	20.955 ±.095	.210 ±.005	1	11.44
568-391	22	22-3/8	3/16	21.955 ±.100	.210 ±.005	1	11.77
568-392	23	23-3/8	3/16	22.940 ±.105	.210 ±.005	1	11.77
568-393	24	24-3/8	3/16	23.940 ±.110	.210 ±.005	1	18.95
568-394	25	25-3/8	3/16	24.940 ±.115	.210 ±.005	1	18.97
568-395	26	26-3/8	3/16	25.940 ±.120	.210 ±.005	1	20.93
1/4" C/S							
568-400	1-3/8	1-7/8	1/4	1.225 ±.012	.275 ±.006	5	\$3.07
568-401	1-1/2	2	1/4	1.475 ±.014	.275 ±.006	5	3.11
568-402	1-5/8	2-1/8	1/4	1.600 ±.015	.275 ±.006	5	3.20
568-403	1-3/4	2-1/4	1/4	1.725 ±.016	.275 ±.006	5	3.21
568-404	1-7/8	2-3/8	1/4	1.850 ±.016	.275 ±.006	5	3.26
568-405	2	2-1/2	1/4	1.975 ±.017	.275 ±.006	5	3.31
568-406	2-1/8	2-5/8	1/4	2.100 ±.018	.275 ±.006	5	3.35
568-407	2-1/4	2-3/4	1/4	2.225 ±.018	.275 ±.006	5	3.42
568-408	2-3/8	2-7/8	1/4	2.350 ±.020	.275 ±.006	5	3.46
568-409	2-1/2	3	1/4	2.475 ±.020	.275 ±.006	5	3.53
568-410	2-5/8	3-1/8	1/4	2.600 ±.020	.275 ±.006	5	3.58
568-411	2-3/4	3-1/4	1/4	2.725 ±.022	.275 ±.006	5	3.63
568-412	2-7/8	3-3/8	1/4	2.850 ±.022	.275 ±.006	5	3.68
568-413	3	3-1/2	1/4	2.975 ±.024	.275 ±.006	5	3.71
568-414	3-1/8	3-5/8	1/4	3.100 ±.024	.275 ±.006	5	3.76
568-415	3-1/4	3-3/4	1/4	3.225 ±.024	.275 ±.006	5	3.83
568-416	3-3/8	3-7/8	1/4	3.350 ±.026	.275 ±.006	5	3.87
568-417	3-1/2	4	1/4	3.475 ±.026	.275 ±.006	5	3.93
568-418	3-5/8	4-1/8	1/4	3.600 ±.026	.275 ±.006	5	3.98
568-419	3-3/4	4-1/4	1/4	3.725 ±.028	.275 ±.006	5	4.02
568-420	3-7/8	4-3/8	1/4	3.850 ±.028	.275 ±.006	5	4.08
568-421	4	4-1/2	1/4	3.975 ±.028	.275 ±.006	5	4.17
568-422	4-1/8	4-5/8	1/4	4.100 ±.030	.275 ±.006	5	4.23
568-423	4-1/4	4-3/4	1/4	4.225 ±.030	.275 ±.006	5	4.32
568-424	4-3/8	4-7/8	1/4	4.350 ±.030	.275 ±.006	5	4.44
568-425	4-1/2	5	1/4	4.475 ±.033	.275 ±.006	5	1.64
568-426	4-5/8	5-1/8	1/4	4.600 ±.033	.275 ±.006	5	1.64
568-427	4-3/4	5-1/4	1/4	4.725 ±.033	.275 ±.006	5	1.64
568-428	4-7/8	5-3/8	1/4	4.850 ±.033	.275 ±.006	5	1.76
568-429	5	5-1/2	1/4	4.975 ±.037	.275 ±.006	5	1.84
568-430	5-1/8	5-5/8	1/4	5.100 ±.037	.275 ±.006	5	1.84
568-431	5-1/4	5-3/4	1/4	5.225 ±.037	.275 ±.006	5	2.10
568-432	5-3/8	5-7/8	1/4	5.350 ±.037	.275 ±.006	5	2.13

STYLE 568, 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-433	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	5	2.13
568-434	5-5/8	6-1/8	1/4	5.600 ±.037	.275 ±.006	5	2.16
568-435	5-3/4	6-1/4	1/4	5.725 ±.037	.275 ±.006	5	2.28
568-436	5-7/8	6-3/8	1/4	5.850 ±.037	.275 ±.006	5	2.28
568-437	6	6-1/2	1/4	5.975 ±.037	.275 ±.006	5	2.47
568-438	6-1/4	6-3/4	1/4	6.225 ±.040	.275 ±.006	5	2.63
568-439	6-1/2	7	1/4	6.475 ±.040	.275 ±.006	5	2.74
568-440	6-3/4	7-1/4	1/4	6.725 ±.040	.275 ±.006	1	2.94
568-441	7	7-1/2	1/4	6.975 ±.040	.275 ±.006	1	3.21
568-442	7-1/4	7-3/4	1/4	7.225 ±.045	.275 ±.006	1	3.27
568-443	7-1/2	8	1/4	7.475 ±.045	.275 ±.006	1	3.39
568-444	7-3/4	8-1/4	1/4	7.725 ±.045	.275 ±.006	1	3.59
568-445	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	3.73
568-446	8-1/2	9	1/4	8.475 ±.055	.275 ±.006	1	3.86
568-447	9	9-1/2	1/4	8.975 ±.055	.275 ±.006	1	4.06
568-448	9-1/2	10	1/4	9.475 ±.055	.275 ±.006	1	4.06
568-449	10	10-1/2	1/4	9.975 ±.055	.275 ±.006	1	4.06
568-450	10-1/2	11	1/4	10.475 ±.060	.275 ±.006	1	4.91
568-451	11	11-1/2	1/4	10.975 ±.060	.275 ±.006	1	5.10
568-452	11-1/2	12	1/4	11.475 ±.060	.275 ±.006	1	5.55
568-453	12	12-1/2	1/4	11.975 ±.060	.275 ±.006	1	5.89
568-454	12-1/2	13	1/4	12.475 ±.060	.275 ±.006	1	6.22
568-455	13	13-1/2	1/4	12.975 ±.060	.275 ±.006	1	7.85
568-456	13-1/2	14	1/4	13.475 ±.070	.275 ±.006	1	7.85
568-457	14	14-1/2	1/4	13.975 ±.070	.275 ±.006	1	7.85
568-458	14-1/2	15	1/4	14.475 ±.070	.275 ±.006	1	7.85
568-459	15	15-1/2	1/4	14.975 ±.070	.275 ±.006	1	8.11
568-460	15-1/2	16	1/4	15.475 ±.070	.275 ±.006	1	8.50
568-461	16	16-1/2	1/4	15.955 ±.075	.275 ±.006	1	9.49
568-462	16-1/2	17	1/4	16.455 ±.075	.275 ±.006	1	9.81
568-463	17	17-1/2	1/4	16.955 ±.080	.275 ±.006	1	10.45
568-464	17-1/2	18	1/4	17.455 ±.085	.275 ±.006	1	11.12
568-465	18	18-1/2	1/4	17.955 ±.085	.275 ±.006	1	12.43
568-466	18-1/2	19	1/4	18.455 ±.085	.275 ±.006	1	12.43
568-467	19	19-1/2	1/4	18.955 ±.090	.275 ±.006	1	12.43
568-468	19-1/2	20	1/4	19.455 ±.090	.275 ±.006	1	13.08
568-469	20	20-1/2	1/4	19.955 ±.090	.275 ±.006	1	13.06
568-470	21	21-1/2	1/4	20.955 ±.090	.275 ±.006	1	13.09
568-471	22	22-1/2	1/4	21.955 ±.100	.275 ±.006	1	13.24
568-472	23	23-1/2	1/4	22.940 ±.105	.275 ±.006	1	13.31
568-473	24	24-1/2	1/4	23.940 ±.110	.275 ±.006	1	13.38
568-474	25	25-1/2	1/4	24.940 ±.115	.275 ±.006	1	13.53
568-475	26	26-1/2	1/4	25.940 ±.120	.275 ±.006	1	13.68

STYLE 568, BULK 70 DURO BUNA-N O-RINGS



SEAL INFORMATION

MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/32" C/S							
568-001-B	1/32	3/32	1/32	.029 ±.004	.040 ±.003	1000	\$0.0589
3/64" C/S							
568-002-B	3/64	9/64	3/64	.042 ±.004	.050 ±.003	1000	\$0.0589
1/16" C/S							
568-003-B	1/16	3/16	1/16	.056 ±.004	.060 ±.003	1000	\$0.0589
568-004-B	5/64	13/64	1/16	.070 ±.005	.070 ±.003	1000	0.0589
568-005-B	3/32	7/32	1/16	.101 ±.005	.070 ±.003	1000	0.0589
568-006-B	1/8	1/4	1/16	.114 ±.005	.070 ±.003	1000	0.0295
568-007-B	5/32	9/32	1/16	.145 ±.005	.070 ±.003	1000	0.0295
568-008-B	3/16	5/16	1/16	.176 ±.005	.070 ±.003	1000	0.0295
568-009-B	7/32	11/32	1/16	.208 ±.005	.070 ±.003	1000	0.0295
568-010-B	1/4	3/8	1/16	.239 ±.005	.070 ±.003	1000	0.0589
568-011-B	5/16	7/16	1/16	.301 ±.005	.070 ±.003	1000	0.0589
568-012-B	3/8	1/2	1/16	.364 ±.005	.070 ±.003	1000	0.0589
568-013-B	7/16	9/16	1/16	.426 ±.005	.070 ±.003	1000	0.0589
568-014-B	1/2	5/8	1/16	.489 ±.005	.070 ±.003	1000	0.0589
568-015-B	9/16	11/16	1/16	.551 ±.007	.070 ±.003	1000	0.0736
568-016-B	5/8	3/4	1/16	.614 ±.009	.070 ±.003	1000	0.0736
568-017-B	11/16	13/16	1/16	.676 ±.009	.070 ±.003	1000	0.0884
568-018-B	3/4	7/8	1/16	.739 ±.009	.070 ±.003	1000	0.0884
568-019-B	13/16	15/16	1/16	.801 ±.009	.070 ±.003	1000	0.1032
568-020-B	7/8	1	1/16	.864 ±.009	.070 ±.003	1000	0.1032
568-021-B	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	1000	0.1032
568-022-B	1	1-1/8	1/16	.989 ±.010	.070 ±.003	1000	0.1032
568-023-B	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	1000	0.1178
568-024-B	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	1000	0.1178
568-025-B	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	1000	0.1568
568-026-B	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	1000	0.1725
568-027-B	1-5/16	1-7/16	1/16	1.301 ±.011	.070 ±.003	1000	0.1725
568-028-B	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	400	0.1725
568-029-B	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	400	0.1883
568-030-B	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	400	0.2194
568-031-B	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	400	0.251
568-032-B	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	400	0.2822
568-033-B	2	2-1/8	1/16	1.989 ±.018	.070 ±.003	400	0.3451
568-034-B	2-1/8	2-1/4	1/16	2.114 ±.018	.070 ±.003	400	0.3763
568-035-B	2-1/4	2-3/8	1/16	2.239 ±.018	.070 ±.003	400	0.3763
568-036-B	2-3/8	2-1/2	1/16	2.364 ±.018	.070 ±.003	400	0.3922

STYLE 568, BULK 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-037-B	2-1/2	2-5/8	1/16	2.489 ±.018	.070 ±.003	400	0.3922
568-038-B	2-5/8	2-3/4	1/16	2.614 ±.020	.070 ±.003	400	0.4392
568-039-B	2-3/4	2-7/8	1/16	2.739 ±.020	.070 ±.003	400	0.4547
568-040-B	2-7/8	3	1/16	2.864 ±.020	.070 ±.003	400	0.4704
568-041-B	3	3-1/8	1/16	2.989 ±.024	.070 ±.003	400	0.5491
568-042-B	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	400	0.5961
568-043-B	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	400	0.6274
568-044-B	3-3/4	3-7/8	1/16	3.739 ±.027	.070 ±.003	400	0.7371
568-045-B	4	4-1/8	1/16	3.989 ±.027	.070 ±.003	400	0.7528
568-046-B	4-1/4	4-3/8	1/16	4.239 ±.030	.070 ±.003	200	0.8155
568-047-B	4-1/2	4-5/8	1/16	4.489 ±.030	.070 ±.003	200	0.8992
568-048-B	4-3/4	4-7/8	1/16	4.739 ±.030	.070 ±.003	200	1.0666
568-049-B	5	5-1/8	1/16	4.989 ±.037	.070 ±.003	200	1.3803
568-050-B	5-1/4	5-3/8	1/16	5.239 ±.037	.070 ±.003	200	1.3803
3/32" C/S							
568-102-B	1/16	1/4	3/32	.049 ±.005	.103 ±.003	1000	\$0.0884
568-103-B	3/32	9/32	3/32	.081 ±.005	.103 ±.003	1000	0.0884
568-104-B	1/8	5/16	3/32	.112 ±.005	.103 ±.003	1000	0.0589
568-105-B	5/32	11/32	3/32	.143 ±.005	.103 ±.003	1000	0.0589
568-106-B	3/16	3/8	3/32	.174 ±.005	.103 ±.003	1000	0.0589
568-107-B	7/32	13/32	3/32	.206 ±.005	.103 ±.003	1000	0.0589
568-108-B	1/4	7/16	3/32	.237 ±.005	.103 ±.003	1000	0.1178
568-109-B	5/16	1/2	3/32	.299 ±.005	.103 ±.003	1000	0.0589
568-110-B	3/8	9/16	3/32	.362 ±.005	.103 ±.003	1000	0.0736
568-111-B	7/16	5/8	3/32	.424 ±.005	.103 ±.003	1000	0.0736
568-112-B	1/2	11/16	3/32	.487 ±.005	.103 ±.003	1000	0.0736
568-113-B	9/16	3/4	3/32	.549 ±.005	.103 ±.003	1000	0.0736
568-114-B	5/8	13/16	3/32	.612 ±.009	.103 ±.003	1000	0.0884
568-115-B	11/16	7/8	3/32	.674 ±.009	.103 ±.003	1000	0.0884
568-116-B	3/4	15/16	3/32	.737 ±.009	.103 ±.003	1000	0.0884
568-117-B	13/16	1	3/32	.799 ±.010	.103 ±.003	1000	0.0884
568-118-B	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	1000	0.1032
568-119-B	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	1000	0.1032
568-120-B	1	1-3/16	3/32	.987 ±.010	.103 ±.003	1000	0.1032
568-121-B	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	1000	0.1178
568-122-B	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	1000	0.1178
568-123-B	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	1000	0.1178
568-124-B	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	1000	0.1725
568-125-B	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	1000	0.1725
568-126-B	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	400	0.1883
568-127-B	1-7/16	1-5/8	3/32	1.424 ±.012	.103 ±.003	400	0.204
568-128-B	1-1/2	1-11/16	3/32	1.487 ±.012	.103 ±.003	400	0.2194
568-129-B	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	400	0.2194
568-130-B	1-5/8	1-13/16	3/32	1.612 ±.015	.103 ±.003	400	0.251
568-131-B	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	400	0.2665
568-132-B	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	400	0.2665
568-133-B	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	400	0.2822
568-134-B	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	400	0.2822
568-135-B	1-15/16	2-1/8	3/32	1.925 ±.017	.103 ±.003	400	0.2822
568-136-B	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	400	0.2981

STYLE 568, BULK 70 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-137-B	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	400	0.2981
568-138-B	2-1/8	2-5/16	3/32	2.112 ±.017	.103 ±.003	400	0.3451
568-139-B	2-3/16	2-3/8	3/32	2.175 ±.017	.103 ±.003	400	0.3451
568-140-B	2-1/4	2-7/16	3/32	2.237 ±.017	.103 ±.003	400	0.3451
568-141-B	2-5/16	2-1/2	3/32	2.300 ±.020	.103 ±.003	400	0.3922
568-142-B	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	400	0.3922
568-143-B	2-7/16	2-5/8	3/32	2.425 ±.020	.103 ±.003	400	0.3922
568-144-B	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	400	0.4392
568-145-B	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	400	0.4392
568-146-B	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	400	0.4392
568-147-B	2-11/16	2-7/8	3/32	2.675 ±.022	.103 ±.003	400	0.4392
568-148-B	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	400	0.4392
568-149-B	2-13/16	3	3/32	2.800 ±.022	.103 ±.003	400	0.4547
568-150-B	2-7/8	3-1/16	3/32	2.862 ±.022	.103 ±.003	400	0.4547
568-151-B	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	400	0.5021
568-152-B	3-1/4	3-7/16	3/32	3.237 ±.024	.103 ±.003	400	0.5961
568-153-B	3-1/2	3-11/16	3/32	3.487 ±.024	.103 ±.003	400	0.6274
568-154-B	3-3/4	3-15/16	3/32	3.737 ±.028	.103 ±.003	400	0.6274
568-155-B	4	4-3/16	3/32	3.987 ±.028	.103 ±.003	200	0.8155
568-156-B	4-1/4	4-7/16	3/32	4.237 ±.030	.103 ±.003	200	1.0036
568-157-B	4-1/2	4-11/16	3/32	4.487 ±.030	.103 ±.003	200	1.0351
568-158-B	4-3/4	4-15/16	3/32	4.737 ±.030	.103 ±.003	200	1.0666
568-159-B	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	200	1.1605
568-160-B	5-1/4	5-7/16	3/32	5.237 ±.035	.103 ±.003	200	1.2389
568-161-B	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	200	1.3803
568-162-B	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	200	1.6311
568-163-B	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	200	1.6939
568-164-B	6-1/4	6-7/16	3/32	6.237 ±.040	.103 ±.003	200	1.882
568-165-B	6-1/2	6-11/16	3/32	6.487 ±.040	.103 ±.003	200	1.945
568-166-B	6-3/4	6-15/16	3/32	6.737 ±.040	.103 ±.003	200	1.945
568-167-B	7	7-3/16	3/32	6.987 ±.040	.103 ±.003	200	1.945
568-168-B	7-1/4	7-7/16	3/32	7.237 ±.045	.103 ±.003	200	2.133
568-169-B	7-1/2	7-11/16	3/32	7.487 ±.045	.103 ±.003	200	2.1956
568-170-B	7-3/4	7-15/16	3/32	7.737 ±.045	.103 ±.003	200	2.2584
568-171-B	8	8-3/16	3/32	7.987 ±.045	.103 ±.003	100	2.8231
568-172-B	8-1/4	8-7/16	3/32	8.237 ±.050	.103 ±.003	100	2.9329
568-173-B	8-1/2	8-11/16	3/32	8.487 ±.050	.103 ±.003	100	3.1368
568-174-B	8-3/4	8-15/16	3/32	8.737 ±.050	.103 ±.003	100	3.4501
568-175-B	9	9-3/16	3/32	8.987 ±.050	.103 ±.003	100	3.764
568-176-B	9-1/4	9-7/16	3/32	9.237 ±.055	.103 ±.003	100	4.062
568-177-B	9-1/2	9-11/16	3/32	9.487 ±.055	.103 ±.003	100	4.203
568-178-B	9-3/4	9-15/16	3/32	9.737 ±.055	.103 ±.003	100	4.3915
1/8" C/S							
568-201-B	3/16	7/16	1/8	.171 ±.005	.139 ±.004	1000	\$0.0589
568-202-B	1/4	1/2	1/8	.234 ±.005	.139 ±.004	1000	0.0589
568-203-B	5/16	9/16	1/8	.296 ±.005	.139 ±.004	1000	0.0736
568-204-B	3/8	5/8	1/8	.359 ±.005	.139 ±.004	1000	0.0736
568-205-B	7/16	11/16	1/8	.421 ±.005	.139 ±.004	1000	0.0736
568-206-B	1/2	3/4	1/8	.484 ±.005	.139 ±.004	1000	0.0884
568-207-B	9/16	13/16	1/8	.546 ±.007	.139 ±.004	1000	0.0884

STYLE 568, BULK 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-208-B	5/8	7/8	1/8	.609 ±.009	.139 ±.004	1000	0.1032
568-209-B	11/16	15/16	1/8	.671 ±.009	.139 ±.004	1000	0.1032
568-210-B	3/4	1	1/8	.734 ±.010	.139 ±.004	1000	0.1032
568-211-B	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	1000	0.1178
568-212-B	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	1000	0.1178
568-213-B	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	1000	0.1178
568-214-B	1	1-1/4	1/8	.984 ±.010	.139 ±.004	1000	0.1568
568-215-B	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	1000	0.1725
568-216-B	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	1000	0.1725
568-217-B	1-3/16	1-7/16	1/8	1.171 ±.012	.139 ±.004	1000	0.1883
568-218-B	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	1000	0.1883
568-219-B	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	1000	0.1883
568-220-B	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	400	0.204
568-221-B	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	400	0.2194
568-222-B	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	400	0.251
568-223-B	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	400	0.2822
568-224-B	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	400	0.2981
568-225-B	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	400	0.3136
568-226-B	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	400	0.3763
568-227-B	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	400	0.3763
568-228-B	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	400	0.3922
568-229-B	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	400	0.4392
568-230-B	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	400	0.4704
568-231-B	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	400	0.5021
568-232-B	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	400	0.5021
568-233-B	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	400	0.5331
568-234-B	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	400	0.5647
568-235-B	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	400	0.5961
568-236-B	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	400	0.6274
568-237-B	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	400	0.6274
568-238-B	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	400	0.6587
568-239-B	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	400	0.6587
568-240-B	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	400	0.6743
568-241-B	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	400	0.69
568-242-B	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	200	0.7528
568-243-B	4-1/8	4-3/8	1/8	4.109 ±.028	.139 ±.004	200	0.8155
568-244-B	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	200	0.8468
568-245-B	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	200	0.941
568-246-B	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	200	1.0666
568-247-B	4-5/8	4-7/8	1/8	4.609 ±.030	.139 ±.004	200	1.0978
568-248-B	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	200	1.1291
568-249-B	4-7/8	5-1/8	1/8	4.859 ±.035	.139 ±.004	200	1.1919
568-250-B	5	5-1/4	1/8	4.984 ±.035	.139 ±.004	200	1.1919
568-251-B	5-1/8	5-3/8	1/8	5.109 ±.035	.139 ±.004	200	1.2389
568-252-B	5-1/4	5-1/2	1/8	5.234 ±.035	.139 ±.004	200	1.2389
568-253-B	5-3/8	5-5/8	1/8	5.359 ±.035	.139 ±.004	200	1.3172
568-254-B	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	200	1.4429
568-255-B	5-5/8	5-7/8	1/8	5.609 ±.035	.139 ±.004	200	1.5058
568-256-B	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	200	1.5682
568-257-B	5-7/8	6-1/8	1/8	5.859 ±.035	.139 ±.004	200	1.6311

STYLE 568, BULK 70 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-258-B	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	200	1.6939
568-259-B	6-1/4	6-1/2	1/8	6.234 ±.040	.139 ±.004	200	1.882
568-260-B	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	200	1.882
568-261-B	6-3/4	7	1/8	6.734 ±.040	.139 ±.004	200	2.0075
568-262-B	7	7-1/4	1/8	6.984 ±.040	.139 ±.004	200	2.0703
568-263-B	7-1/4	7-1/2	1/8	7.234 ±.045	.139 ±.004	200	2.2584
568-264-B	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	200	2.3212
568-265-B	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	200	2.5095
568-266-B	8	8-1/4	1/8	7.984 ±.045	.139 ±.004	100	2.572
568-267-B	8-1/4	8-1/2	1/8	8.234 ±.050	.139 ±.004	100	2.6348
568-268-B	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	100	2.8857
568-269-B	8-3/4	9	1/8	8.734 ±.050	.139 ±.004	100	3.1368
568-270-B	9	9-1/4	1/8	8.984 ±.050	.139 ±.004	100	3.1368
568-271-B	9-1/4	9-1/2	1/8	9.234 ±.055	.139 ±.004	100	3.1368
568-272-B	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	100	3.1368
568-273-B	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	100	3.1368
568-274-B	10	10-1/4	1/8	9.984 ±.055	.139 ±.004	100	3.1368
568-275-B	10-1/2	10-3/4	1/8	10.484 ±.055	.139 ±.004	100	3.4504
568-276-B	11	11-1/4	1/8	10.984 ±.065	.139 ±.004	100	3.764
568-277-B	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	100	3.764
568-278-B	12	12-1/4	1/8	11.984 ±.065	.139 ±.004	100	4.062
568-279-B	13	13-1/4	1/8	12.984 ±.065	.139 ±.004	100	5.0186
568-280-B	14	14-1/4	1/8	13.984 ±.065	.139 ±.004	100	6.148
568-281-B	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	100	7.2145
568-282-B	16	16-1/4	1/8	15.955 ±.075	.139 ±.004	100	7.8419
568-283-B	17	17-1/4	1/8	16.955 ±.080	.139 ±.004	100	8.7829
568-284-B	18	18-1/4	1/8	17.955 ±.085	.139 ±.004	100	10.0374
3/16" C/S							
568-309-B	7/16	13/16	3/16	.412 ±.005	.210 ±.005	1000	\$0.1568
568-310-B	1/2	7/8	3/16	.475 ±.005	.210 ±.005	1000	0.1725
568-311-B	9/16	15/16	3/16	.537 ±.007	.210 ±.005	1000	0.1725
568-312-B	5/8	1	3/16	.600 ±.009	.210 ±.005	1000	0.204
568-313-B	11/16	1-1/16	3/16	.662 ±.009	.210 ±.005	1000	0.204
568-314-B	3/4	1-1/8	3/16	.725 ±.010	.210 ±.005	1000	0.204
568-315-B	13/16	1-3/16	3/16	.787 ±.010	.210 ±.005	1000	0.2194
568-316-B	7/8	1-1/4	3/16	.850 ±.010	.210 ±.005	1000	0.2194
568-317-B	15/16	1-5/16	3/16	.912 ±.010	.210 ±.005	1000	0.2194
568-318-B	1	1-3/8	3/16	.975 ±.010	.210 ±.005	1000	0.2194
568-319-B	1-1/16	1-7/16	3/16	1.037 ±.010	.210 ±.005	1000	0.2665
568-320-B	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	1000	0.2822
568-321-B	1-3/16	1-9/16	3/16	1.162 ±.012	.210 ±.005	1000	0.2822
568-322-B	1-1/4	1-5/8	3/16	1.225 ±.012	.210 ±.005	1000	0.2822
568-323-B	1-5/16	1-11/16	3/16	1.287 ±.012	.210 ±.005	1000	0.2822
568-324-B	1-3/8	1-3/4	3/16	1.350 ±.012	.210 ±.005	400	0.2822
568-325-B	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	400	0.3136
568-326-B	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	400	0.3136
568-327-B	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	400	0.3922
568-328-B	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	400	0.4392
568-329-B	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	400	0.4704
568-330-B	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	400	0.5331

STYLE 568, BULK 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-331-B	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	400	0.5647
568-332-B	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	400	0.6274
568-333-B	2-1/2	2-7/8	3/16	2.475 ±.020	.210 ±.005	400	0.6743
568-334-B	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	400	0.69
568-335-B	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	400	0.7528
568-336-B	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	400	0.8155
568-337-B	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	400	0.8468
568-338-B	3-1/8	3-1/2	3/16	3.100 ±.024	.210 ±.005	400	0.8468
568-339-B	3-1/4	3-5/8	3/16	3.225 ±.024	.210 ±.005	400	0.941
568-340-B	3-3/8	3-3/4	3/16	3.350 ±.024	.210 ±.005	400	1.0036
568-341-B	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	400	1.0036
568-342-B	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	400	1.0978
568-343-B	3-3/4	4-1/8	3/16	3.725 ±.028	.210 ±.005	400	1.1291
568-344-B	3-7/8	4-1/4	3/16	3.850 ±.028	.210 ±.005	400	1.1291
568-345-B	4	4-3/8	3/16	3.975 ±.028	.210 ±.005	200	1.2389
568-346-B	4-1/8	4-1/2	3/16	4.100 ±.028	.210 ±.005	200	1.2389
568-347-B	4-1/4	4-5/8	3/16	4.225 ±.030	.210 ±.005	200	1.2389
568-348-B	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	200	1.2389
568-349-B	4-1/2	4-7/8	3/16	4.475 ±.030	.210 ±.005	200	1.3803
568-350-B	4-5/8	5	3/16	4.600 ±.030	.210 ±.005	200	1.4429
568-351-B	4-3/4	5-1/8	3/16	4.725 ±.030	.210 ±.005	200	1.4429
568-352-B	4-7/8	5-1/4	3/16	4.850 ±.030	.210 ±.005	200	1.5058
568-353-B	5	5-3/8	3/16	4.975 ±.037	.210 ±.005	200	1.5682
568-354-B	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	200	1.6939
568-355-B	5-1/4	5-5/8	3/16	5.225 ±.037	.210 ±.005	200	1.882
568-356-B	5-3/8	5-3/4	3/16	5.350 ±.037	.210 ±.005	200	1.882
568-357-B	5-1/2	5-7/8	3/16	5.475 ±.037	.210 ±.005	200	1.945
568-358-B	5-5/8	6	3/16	5.600 ±.037	.210 ±.005	200	2.0703
568-359-B	5-3/4	6-1/8	3/16	5.725 ±.037	.210 ±.005	200	2.0703
568-360-B	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	200	2.1956
568-361-B	6	6-3/8	3/16	5.975 ±.037	.210 ±.005	200	2.2584
568-362-B	6-1/4	6-5/8	3/16	6.225 ±.040	.210 ±.005	200	2.3212
568-363-B	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	200	2.4153
568-364-B	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	200	2.5095
568-365-B	7	7-3/8	3/16	6.975 ±.040	.210 ±.005	200	2.6348
568-366-B	7-1/4	7-5/8	3/16	7.225 ±.045	.210 ±.005	200	2.6348
568-367-B	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	200	2.6348
568-368-B	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	200	2.6348
568-369-B	8	8-3/8	3/16	7.975 ±.045	.210 ±.005	100	2.9329
568-370-B	8-1/4	8-5/8	3/16	8.225 ±.050	.210 ±.005	100	3.2622
568-371-B	8-1/2	8-7/8	3/16	8.475 ±.050	.210 ±.005	100	3.3879
568-372-B	8-3/4	9-1/8	3/16	8.725 ±.050	.210 ±.005	100	3.4504
568-373-B	9	9-3/8	3/16	8.975 ±.050	.210 ±.005	100	3.764
568-374-B	9-1/4	9-5/8	3/16	9.225 ±.055	.210 ±.005	100	3.8267
568-375-B	9-1/2	9-7/8	3/16	9.475 ±.055	.210 ±.005	100	3.8894
568-376-B	9-3/4	10-1/8	3/16	9.725 ±.055	.210 ±.005	100	3.9523
568-377-B	10	10-3/8	3/16	9.975 ±.055	.210 ±.005	100	3.9523
568-378-B	10-1/2	10-7/8	3/16	10.475 ±.060	.210 ±.005	100	5.0186
568-379-B	11	11-3/8	3/16	10.975 ±.060	.210 ±.005	100	5.3323
568-380-B	11-1/2	11-7/8	3/16	11.475 ±.065	.210 ±.005	100	5.4578

STYLE 568, BULK 70 DURO BUNA-N O-RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-381-B	12	12-3/8	3/16	11.975 ±.065	.210 ±.005	100	5.646
568-382-B	13	13-3/8	3/16	12.975 ±.065	.210 ±.005	100	5.646
568-383-B	14	14-3/8	3/16	13.975 ±.070	.210 ±.005	100	7.5282
568-384-B	15	15-3/8	3/16	14.975 ±.070	.210 ±.005	100	7.5282
568-385-B	16	16-3/8	3/16	15.955 ±.075	.210 ±.005	100	8.7829
568-386-B	17	17-3/8	3/16	16.955 ±.080	.210 ±.005	100	9.4101
568-387-B	18	18-3/8	3/16	17.955 ±.085	.210 ±.005	100	10.6648
568-388-B	19	19-3/8	3/16	18.955 ±.090	.210 ±.005	20	10.9785
568-389-B	20	20-3/8	3/16	19.955 ±.095	.210 ±.005	20	10.9785
568-390-B	21	21-3/8	3/16	20.955 ±.095	.210 ±.005	20	10.9785
568-391-B	22	22-3/8	3/16	21.955 ±.100	.210 ±.005	20	11.2921
568-392-B	23	23-3/8	3/16	22.940 ±.105	.210 ±.005	20	11.2921
568-393-B	24	24-3/8	3/16	23.940 ±.110	.210 ±.005	20	18.1774
568-394-B	25	25-3/8	3/16	24.940 ±.115	.210 ±.005	20	18.193
568-395-B	26	26-3/8	3/16	25.940 ±.120	.210 ±.005	20	20.075
1/4" C/S							
568-425-B	4-1/2	5	1/4	4.475 ±.033	.275 ±.006	200	\$1.5682
568-426-B	4-5/8	5-1/8	1/4	4.600 ±.033	.275 ±.006	200	1.5682
568-427-B	4-3/4	5-1/4	1/4	4.725 ±.033	.275 ±.006	200	1.5682
568-428-B	4-7/8	5-3/8	1/4	4.850 ±.033	.275 ±.006	200	1.6939
568-429-B	5	5-1/2	1/4	4.975 ±.037	.275 ±.006	200	1.7565
568-430-B	5-1/8	5-5/8	1/4	5.100 ±.037	.275 ±.006	200	1.7565
568-431-B	5-1/4	5-3/4	1/4	5.225 ±.037	.275 ±.006	200	2.0075
568-432-B	5-3/8	5-7/8	1/4	5.350 ±.037	.275 ±.006	200	2.0387
568-433-B	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	200	2.0387
568-434-B	5-5/8	6-1/8	1/4	5.600 ±.037	.275 ±.006	200	2.0703
568-435-B	5-3/4	6-1/4	1/4	5.725 ±.037	.275 ±.006	200	2.1956
568-436-B	5-7/8	6-3/8	1/4	5.850 ±.037	.275 ±.006	200	2.1956
568-437-B	6	6-1/2	1/4	5.975 ±.037	.275 ±.006	200	2.3682
568-438-B	6-1/4	6-3/4	1/4	6.225 ±.040	.275 ±.006	200	2.5095
568-439-B	6-1/2	7	1/4	6.475 ±.040	.275 ±.006	200	2.6348
568-440-B	6-3/4	7-1/4	1/4	6.725 ±.040	.275 ±.006	200	2.8231
568-441-B	7	7-1/2	1/4	6.975 ±.040	.275 ±.006	200	3.0741
568-442-B	7-1/4	7-3/4	1/4	7.225 ±.045	.275 ±.006	200	3.1368
568-443-B	7-1/2	8	1/4	7.475 ±.045	.275 ±.006	200	3.2622
568-444-B	7-3/4	8-1/4	1/4	7.725 ±.045	.275 ±.006	200	3.4504
568-445-B	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	100	3.5759
568-446-B	8-1/2	9	1/4	8.475 ±.055	.275 ±.006	100	3.7015
568-447-B	9	9-1/2	1/4	8.975 ±.055	.275 ±.006	100	3.8894
568-448-B	9-1/2	10	1/4	9.475 ±.055	.275 ±.006	100	3.8894
568-449-B	10	10-1/2	1/4	9.975 ±.055	.275 ±.006	100	3.8894
568-450-B	10-1/2	11	1/4	10.475 ±.060	.275 ±.006	100	4.7051
568-451-B	11	11-1/2	1/4	10.975 ±.060	.275 ±.006	100	4.8933
568-452-B	11-1/2	12	1/4	11.475 ±.060	.275 ±.006	100	5.3323
568-453-B	12	12-1/2	1/4	11.975 ±.060	.275 ±.006	100	5.646
568-454-B	12-1/2	13	1/4	12.475 ±.060	.275 ±.006	100	5.9597
568-455-B	13	13-1/2	1/4	12.975 ±.060	.275 ±.006	100	7.5282
568-456-B	13-1/2	14	1/4	13.475 ±.070	.275 ±.006	100	7.5282
568-457-B	14	14-1/2	1/4	13.975 ±.070	.275 ±.006	20	7.5282
568-458-B	14-1/2	15	1/4	14.475 ±.070	.275 ±.006	20	7.5282

STYLE 568, BULK 70 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-459-B	15	15-1/2	1/4	14.975 ±.070	.275 ±.006	20	7.7793
568-460-B	15-1/2	16	1/4	15.475 ±.070	.275 ±.006	20	8.1554
568-461-B	16	16-1/2	1/4	15.955 ±.075	.275 ±.006	20	9.0965
568-462-B	16-1/2	17	1/4	16.455 ±.075	.275 ±.006	20	9.4101
568-463-B	17	17-1/2	1/4	16.955 ±.080	.275 ±.006	20	10.0374
568-464-B	17-1/2	18	1/4	17.455 ±.085	.275 ±.006	20	10.6648
568-465-B	18	18-1/2	1/4	17.955 ±.085	.275 ±.006	20	11.9196
568-466-B	18-1/2	19	1/4	18.455 ±.085	.275 ±.006	20	11.9196
568-467-B	19	19-1/2	1/4	18.955 ±.090	.275 ±.006	20	11.9196
568-468-B	19-1/2	20	1/4	19.455 ±.090	.275 ±.006	20	12.547
568-469-B	20	20-1/2	1/4	19.955 ±.090	.275 ±.006	20	12.5313
568-470-B	21	21-1/2	1/4	20.955 ±.090	.275 ±.006	20	12.6352
568-471-B	22	22-1/2	1/4	21.955 ±.100	.275 ±.006	20	12.7755
568-472-B	23	23-1/2	1/4	22.940 ±.105	.275 ±.006	20	12.8456
568-473-B	24	24-1/2	1/4	23.940 ±.110	.275 ±.006	20	12.9159
568-474-B	25	25-1/2	1/4	24.940 ±.115	.275 ±.006	20	13.0561
568-475-B	26	26-1/2	1/4	25.940 ±.120	.275 ±.006	20	13.1966

STYLE 568C AND 580C, 70 DURO BUNA-N O-RING CORD



SOLD BY FOOT

SEAL INFORMATION


MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Cord) - (Nominal)

Part Number	Nom. Cross Section	C HEIGHT	CROSS SECTION	List Price
568C-062	1/16		.070 ±.006	\$0.62
568C-093	3/32		.103 ±.007	0.75
568C-125	1/8		.139 ±.007	0.85
568C-187	3/16		.210 ±.008	1.08
568C-250	1/4		.275 ±.008	1.26
568C-313	5/16		.313 ±.012	1.76
568C-375	3/8		.375 ±.012	2.76
568C-437	7/16		.437 ±.012	2.48
568C-500	1/2		.500 ±.012	3.42
580C-093	3/32	.099 ±.005	.099 ±.005	0.84
580C-125	1/8	.134 ±.006	.134 ±.006	1.05
580C-187	3/16	.203 ±.007	.203 ±.007	1.29
580C-250	1/4	.266 ±.007	.266 ±.007	1.56

STYLE 568, 90 DURO BUNA-N O-RINGS



Reduced prices are available for large quantity purchases of 70 & 90 Durometer O-Rings.



SEAL INFORMATION	
MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/32" C/S							
568-001-90D	1/32	3/32	1/32	.029 ±.004	.040 ±.003	50	\$0.22
3/64" C/S							
568-002-90D	3/64	9/64	3/64	.042 ±.004	.050 ±.003	50	\$0.14
1/16" C/S							
568-003-90D	1/16	3/16	1/16	.056 ±.004	.060 ±.003	50	\$0.14
568-004-90D	5/64	13/64	1/16	.070 ±.005	.070 ±.003	50	0.14
568-005-90D	3/32	7/32	1/16	.101 ±.005	.070 ±.003	50	0.10
568-006-90D	1/8	1/4	1/16	.114 ±.005	.070 ±.003	50	0.07
568-007-90D	5/32	9/32	1/16	.145 ±.005	.070 ±.003	50	0.10
568-008-90D	3/16	5/16	1/16	.176 ±.005	.070 ±.003	50	0.10
568-009-90D	7/32	11/32	1/16	.208 ±.005	.070 ±.003	50	0.10
568-010-90D	1/4	3/8	1/16	.239 ±.005	.070 ±.003	50	0.10
568-011-90D	5/16	7/16	1/16	.301 ±.005	.070 ±.003	50	0.10
568-012-90D	3/8	1/2	1/16	.364 ±.005	.070 ±.003	50	0.10
568-013-90D	7/16	9/16	1/16	.426 ±.005	.070 ±.003	50	0.11
568-014-90D	1/2	5/8	1/16	.489 ±.005	.070 ±.003	50	0.11
568-015-90D	9/16	11/16	1/16	.551 ±.007	.070 ±.003	50	0.14
568-016-90D	5/8	3/4	1/16	.614 ±.009	.070 ±.003	50	0.14
568-017-90D	11/16	13/16	1/16	.676 ±.009	.070 ±.003	50	0.16
568-018-90D	3/4	7/8	1/16	.739 ±.009	.070 ±.003	50	0.16
568-019-90D	13/16	15/16	1/16	.801 ±.009	.070 ±.003	50	0.22
568-020-90D	7/8	1	1/16	.864 ±.009	.070 ±.003	50	0.22
568-021-90D	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	50	0.26
568-022-90D	1	1-1/8	1/16	.989 ±.010	.070 ±.003	50	0.26
568-023-90D	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	50	0.26
568-024-90D	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	50	0.27
568-025-90D	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	50	0.29
568-026-90D	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	50	0.30
568-027-90D	1-5/16	1-7/16	1/16	1.301 ±.011	.070 ±.003	50	0.30
568-028-90D	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	20	0.30
568-029-90D	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	20	0.36
568-030-90D	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	20	0.36
568-031-90D	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	20	0.47
568-032-90D	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	20	0.50
568-033-90D	2	2-1/8	1/16	1.989 ±.018	.070 ±.003	20	0.66
568-034-90D	2-1/8	2-1/4	1/16	2.114 ±.018	.070 ±.003	20	0.68
568-035-90D	2-1/4	2-3/8	1/16	2.239 ±.018	.070 ±.003	20	0.68
568-036-90D	2-3/8	2-1/2	1/16	2.364 ±.018	.070 ±.003	20	0.73

STYLE 568, 90 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-037-90D	2-1/2	2-5/8	1/16	2.489 ±.018	.070 ±.003	20	0.77
568-038-90D	2-5/8	2-3/4	1/16	2.614 ±.020	.070 ±.003	20	0.79
568-039-90D	2-3/4	2-7/8	1/16	2.739 ±.020	.070 ±.003	20	0.83
568-040-90D	2-7/8	3	1/16	2.864 ±.020	.070 ±.003	20	0.85
568-041-90D	3	3-1/8	1/16	2.989 ±.024	.070 ±.003	20	0.98
568-042-90D	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	10	1.07
568-043-90D	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	10	1.15
568-044-90D	3-3/4	3-7/8	1/16	3.739 ±.027	.070 ±.003	10	1.29
568-045-90D	4	4-1/8	1/16	3.989 ±.027	.070 ±.003	10	1.45
568-046-90D	4-1/4	4-3/8	1/16	4.239 ±.030	.070 ±.003	10	1.83
568-047-90D	4-1/2	4-5/8	1/16	4.489 ±.030	.070 ±.003	5	1.90
568-048-90D	4-3/4	4-7/8	1/16	4.739 ±.030	.070 ±.003	5	7.22
568-049-90D	5	5-1/8	1/16	4.989 ±.037	.070 ±.003	5	2.33
568-050-90D	5-1/4	5-3/8	1/16	5.239 ±.037	.070 ±.003	5	2.57
3/32" C/S							
568-102-90D	1/16	1/4	3/32	.049 ±.005	.103 ±.003	50	\$0.16
568-103-90D	3/32	9/32	3/32	.081 ±.005	.103 ±.003	50	0.14
568-104-90D	1/8	5/16	3/32	.112 ±.005	.103 ±.003	50	0.10
568-105-90D	5/32	11/32	3/32	.143 ±.005	.103 ±.003	50	0.11
568-106-90D	3/16	3/8	3/32	.174 ±.005	.103 ±.003	50	0.11
568-107-90D	7/32	13/32	3/32	.206 ±.005	.103 ±.003	50	0.11
568-108-90D	1/4	7/16	3/32	.237 ±.005	.103 ±.003	50	0.11
568-109-90D	5/16	1/2	3/32	.299 ±.005	.103 ±.003	50	0.11
568-110-90D	3/8	9/16	3/32	.362 ±.005	.103 ±.003	50	0.11
568-111-90D	7/16	5/8	3/32	.424 ±.005	.103 ±.003	50	0.11
568-112-90D	1/2	11/16	3/32	.487 ±.005	.103 ±.003	50	0.14
568-113-90D	9/16	3/4	3/32	.549 ±.005	.103 ±.003	50	0.14
568-114-90D	5/8	13/16	3/32	.612 ±.009	.103 ±.003	50	0.14
568-115-90D	11/16	7/8	3/32	.674 ±.009	.103 ±.003	50	0.14
568-116-90D	3/4	15/16	3/32	.737 ±.009	.103 ±.003	50	0.16
568-117-90D	13/16	1	3/32	.799 ±.010	.103 ±.003	50	0.22
568-118-90D	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	50	0.22
568-119-90D	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	50	0.26
568-120-90D	1	1-3/16	3/32	.987 ±.010	.103 ±.003	50	0.26
568-121-90D	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	50	0.27
568-122-90D	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	50	0.27
568-123-90D	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	50	0.29
568-124-90D	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	50	0.30
568-125-90D	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	50	0.30
568-126-90D	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	20	0.33
568-127-90D	1-7/16	1-5/8	3/32	1.424 ±.012	.103 ±.003	20	0.34
568-128-90D	1-1/2	1-11/16	3/32	1.487 ±.012	.103 ±.003	20	0.41
568-129-90D	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	20	0.41
568-130-90D	1-5/8	1-13/16	3/32	1.612 ±.015	.103 ±.003	20	0.47
568-131-90D	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	20	0.49
568-132-90D	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	20	0.49
568-133-90D	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	20	0.50
568-134-90D	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	20	0.55
568-135-90D	1-15/16	2-1/8	3/32	1.925 ±.017	.103 ±.003	20	0.61
568-136-90D	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	20	0.62

STYLE 568, 90 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-137-90D	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	20	0.62
568-138-90D	2-1/8	2-5/16	3/32	2.112 ±.017	.103 ±.003	20	0.66
568-139-90D	2-3/16	2-3/8	3/32	2.175 ±.017	.103 ±.003	20	0.68
568-140-90D	2-1/4	2-7/16	3/32	2.237 ±.017	.103 ±.003	20	0.68
568-141-90D	2-5/16	2-1/2	3/32	2.300 ±.020	.103 ±.003	20	0.68
568-142-90D	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	20	0.72
568-143-90D	2-7/16	2-5/8	3/32	2.425 ±.020	.103 ±.003	20	0.77
568-144-90D	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	20	0.77
568-145-90D	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	20	0.77
568-146-90D	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	20	0.80
568-147-90D	2-11/16	2-7/8	3/32	2.675 ±.022	.103 ±.003	20	0.80
568-148-90D	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	20	0.80
568-149-90D	2-13/16	3	3/32	2.800 ±.022	.103 ±.003	20	0.83
568-150-90D	2-7/8	3-1/16	3/32	2.862 ±.022	.103 ±.003	20	0.92
568-151-90D	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	20	0.94
568-152-90D	3-1/4	3-7/16	3/32	3.237 ±.024	.103 ±.003	10	1.12
568-153-90D	3-1/2	3-11/16	3/32	3.487 ±.024	.103 ±.003	10	1.15
568-154-90D	3-3/4	3-15/16	3/32	3.737 ±.028	.103 ±.003	10	1.38
568-155-90D	4	4-3/16	3/32	3.987 ±.028	.103 ±.003	10	1.67
568-156-90D	4-1/4	4-7/16	3/32	4.237 ±.030	.103 ±.003	10	1.86
568-157-90D	4-1/2	4-11/16	3/32	4.487 ±.030	.103 ±.003	5	2.28
568-158-90D	4-3/4	4-15/16	3/32	4.737 ±.030	.103 ±.003	5	2.28
568-159-90D	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	5	2.67
568-160-90D	5-1/4	5-7/16	3/32	5.237 ±.035	.103 ±.003	5	2.82
568-161-90D	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	5	3.05
568-162-90D	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	5	3.14
568-163-90D	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	5	3.31
568-164-90D	6-1/4	6-7/16	3/32	6.237 ±.040	.103 ±.003	5	3.44
568-165-90D	6-1/2	6-11/16	3/32	6.487 ±.040	.103 ±.003	5	3.61
568-166-90D	6-3/4	6-15/16	3/32	6.737 ±.040	.103 ±.003	5	3.82
568-167-90D	7	7-3/16	3/32	6.987 ±.040	.103 ±.003	5	3.96
568-171-90D	8	8-3/16	3/32	7.987 ±.045	.103 ±.003	1	4.69
568-173-90D	8-1/2	8-11/16	3/32	8.487 ±.050	.103 ±.003	1	4.99
568-178-90D	9-3/4	9-15/16	3/32	9.737 ±.055	.103 ±.003	1	5.61
1/8" C/S							
568-201-90D	3/16	7/16	1/8	.171 ±.005	.139 ±.004	50	\$0.14
568-202-90D	1/4	1/2	1/8	.234 ±.005	.139 ±.004	50	0.14
568-203-90D	5/16	9/16	1/8	.296 ±.005	.139 ±.004	50	0.14
568-204-90D	3/8	5/8	1/8	.359 ±.005	.139 ±.004	50	0.14
568-205-90D	7/16	11/16	1/8	.421 ±.005	.139 ±.004	50	0.14
568-206-90D	1/2	3/4	1/8	.484 ±.005	.139 ±.004	50	0.22
568-207-90D	9/16	13/16	1/8	.546 ±.007	.139 ±.004	50	0.22
568-208-90D	5/8	7/8	1/8	.609 ±.009	.139 ±.004	50	0.26
568-209-90D	11/16	15/16	1/8	.671 ±.009	.139 ±.004	50	0.26
568-210-90D	3/4	1	1/8	.734 ±.010	.139 ±.004	50	0.27
568-211-90D	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	50	0.27
568-212-90D	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	50	0.29
568-213-90D	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	50	0.30
568-214-90D	1	1-1/4	1/8	.984 ±.010	.139 ±.004	50	0.30
568-215-90D	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	50	0.34

STYLE 568, 90 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-216-90D	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	50	0.34
568-217-90D	1-3/16	1-7/16	1/8	1.171 ±.012	.139 ±.004	50	0.36
568-218-90D	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	20	0.41
568-219-90D	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	20	0.43
568-220-90D	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	20	0.47
568-221-90D	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	20	0.47
568-222-90D	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	20	0.53
568-223-90D	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	20	0.61
568-224-90D	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	20	0.64
568-225-90D	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	20	0.66
568-226-90D	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	20	0.68
568-227-90D	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	20	0.77
568-228-90D	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	20	0.80
568-229-90D	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	20	0.83
568-230-90D	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	20	0.88
568-231-90D	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	20	0.92
568-232-90D	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	10	1.02
568-233-90D	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	10	1.04
568-234-90D	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	10	1.04
568-235-90D	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	10	1.19
568-236-90D	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	10	1.22
568-237-90D	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	10	1.27
568-238-90D	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	10	1.29
568-239-90D	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	10	1.41
568-240-90D	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	10	1.41
568-241-90D	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	10	1.45
568-242-90D	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	10	1.50
568-243-90D	4-1/8	4-3/8	1/8	4.109 ±.028	.139 ±.004	10	1.60
568-244-90D	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	10	1.67
568-245-90D	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	10	1.86
568-246-90D	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	5	2.17
568-247-90D	4-5/8	4-7/8	1/8	4.609 ±.030	.139 ±.004	5	2.28
568-248-90D	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	5	2.29
568-249-90D	4-7/8	5-1/8	1/8	4.859 ±.035	.139 ±.004	5	2.29
568-250-90D	5	5-1/4	1/8	4.984 ±.035	.139 ±.004	5	2.40
568-251-90D	5-1/8	5-3/8	1/8	5.109 ±.035	.139 ±.004	5	2.43
568-252-90D	5-1/4	5-1/2	1/8	5.234 ±.035	.139 ±.004	5	2.68
568-253-90D	5-3/8	5-5/8	1/8	5.359 ±.035	.139 ±.004	5	2.82
568-254-90D	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	5	3.05
568-255-90D	5-5/8	5-7/8	1/8	5.609 ±.035	.139 ±.004	5	3.06
568-256-90D	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	5	3.29
568-257-90D	5-7/8	6-1/8	1/8	5.859 ±.035	.139 ±.004	5	3.78
568-258-90D	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	5	3.82
568-259-90D	6-1/4	6-1/2	1/8	6.234 ±.040	.139 ±.004	5	3.90
568-260-90D	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	1	4.08
568-261-90D	6-3/4	7	1/8	6.734 ±.040	.139 ±.004	1	4.21
568-262-90D	7	7-1/4	1/8	6.984 ±.040	.139 ±.004	1	4.62
568-263-90D	7-1/4	7-1/2	1/8	7.234 ±.045	.139 ±.004	1	4.99
568-264-90D	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	1	5.30
568-265-90D	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	1	5.57

STYLE 568, 90 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-266-90D	8	8-1/4	1/8	7.984 ±.045	.139 ±.004	1	5.71
568-267-90D	8-1/4	8-1/2	1/8	8.234 ±.050	.139 ±.004	1	6.45
568-268-90D	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	1	6.62
568-269-90D	8-3/4	9	1/8	8.734 ±.050	.139 ±.004	1	7.02
568-270-90D	9	9-1/4	1/8	8.984 ±.050	.139 ±.004	1	7.38
568-271-90D	9-1/4	9-1/2	1/8	9.234 ±.055	.139 ±.004	1	7.71
568-272-90D	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	1	8.01
568-273-90D	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	1	8.25
568-274-90D	10	10-1/4	1/8	9.984 ±.055	.139 ±.004	1	8.52
568-275-90D	10-1/2	10-3/4	1/8	10.484 ±.055	.139 ±.004	1	8.35
568-276-90D	11	11-1/4	1/8	10.984 ±.065	.139 ±.004	1	8.42
568-277-90D	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	1	8.59
568-278-90D	12	12-1/4	1/8	11.984 ±.065	.139 ±.004	1	8.67
568-279-90D	13	13-1/4	1/8	12.984 ±.065	.139 ±.004	1	8.85
568-280-90D	14	14-1/4	1/8	13.984 ±.065	.139 ±.004	1	8.96
568-281-90D	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	1	9.08
568-282-90D	16	16-1/4	1/8	15.955 ±.075	.139 ±.004	1	9.34
568-283-90D	17	17-1/4	1/8	16.955 ±.080	.139 ±.004	1	21.61
568-284-90D	18	18-1/4	1/8	17.955 ±.085	.139 ±.004	1	9.59
3/16" C/S							
568-310-90D	1/2	7/8	3/16	.475 ±.005	.210 ±.005	50	\$0.33
568-312-90D	5/8	1	3/16	.600 ±.009	.210 ±.005	50	0.36
568-313-90D	11/16	1-1/16	3/16	.662 ±.009	.210 ±.005	20	0.41
568-315-90D	13/16	1-3/16	3/16	.787 ±.010	.210 ±.005	20	0.43
568-316-90D	7/8	1-1/4	3/16	.850 ±.010	.210 ±.005	20	0.47
568-317-90D	15/16	1-5/16	3/16	.912 ±.010	.210 ±.005	20	0.47
568-318-90D	1	1-3/8	3/16	.975 ±.010	.210 ±.005	20	0.49
568-319-90D	1-1/16	1-7/16	3/16	1.037 ±.010	.210 ±.005	20	0.50
568-320-90D	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	20	0.53
568-321-90D	1-3/16	1-9/16	3/16	1.162 ±.012	.210 ±.005	20	0.62
568-322-90D	1-1/4	1-5/8	3/16	1.225 ±.012	.210 ±.005	20	0.62
568-323-90D	1-5/16	1-11/16	3/16	1.287 ±.012	.210 ±.005	20	0.68
568-324-90D	1-3/8	1-3/4	3/16	1.350 ±.012	.210 ±.005	20	0.68
568-325-90D	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	20	0.68
568-326-90D	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	20	0.68
568-327-90D	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	20	0.72
568-328-90D	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	20	0.77
568-329-90D	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	20	0.92
568-330-90D	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	20	0.98
568-331-90D	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	10	1.02
568-332-90D	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	10	1.11
568-333-90D	2-1/2	2-7/8	3/16	2.475 ±.020	.210 ±.005	10	1.22
568-334-90D	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	10	1.27
568-335-90D	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	10	1.39
568-336-90D	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	10	1.45
568-337-90D	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	10	1.50
568-338-90D	3-1/8	3-1/2	3/16	3.100 ±.024	.210 ±.005	10	1.65
568-339-90D	3-1/4	3-5/8	3/16	3.225 ±.024	.210 ±.005	10	1.74
568-340-90D	3-3/8	3-3/4	3/16	3.350 ±.024	.210 ±.005	10	1.79
568-341-90D	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	10	1.88

STYLE 568, 90 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-342-90D	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	10	1.98
568-343-90D	3-3/4	4-1/8	3/16	3.725 ±.028	.210 ±.005	10	2.00
568-344-90D	3-7/8	4-1/4	3/16	3.850 ±.028	.210 ±.005	5	2.03
568-345-90D	4	4-3/8	3/16	3.975 ±.028	.210 ±.005	5	2.13
568-346-90D	4-1/8	4-1/2	3/16	4.100 ±.028	.210 ±.005	5	2.14
568-347-90D	4-1/4	4-5/8	3/16	4.225 ±.030	.210 ±.005	5	2.32
568-348-90D	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	5	2.57
568-349-90D	4-1/2	4-7/8	3/16	4.475 ±.030	.210 ±.005	5	2.59
568-350-90D	4-5/8	5	3/16	4.600 ±.030	.210 ±.005	5	2.67
568-351-90D	4-3/4	5-1/8	3/16	4.725 ±.030	.210 ±.005	5	2.82
568-352-90D	4-7/8	5-1/4	3/16	4.850 ±.030	.210 ±.005	5	2.90
568-353-90D	5	5-3/8	3/16	4.975 ±.037	.210 ±.005	5	3.04
568-354-90D	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	5	3.06
568-355-90D	5-1/4	5-5/8	3/16	5.225 ±.037	.210 ±.005	5	3.32
568-356-90D	5-3/8	5-3/4	3/16	5.350 ±.037	.210 ±.005	5	3.54
568-357-90D	5-1/2	5-7/8	3/16	5.475 ±.037	.210 ±.005	5	3.56
568-358-90D	5-5/8	6	3/16	5.600 ±.037	.210 ±.005	5	3.84
568-359-90D	5-3/4	6-1/8	3/16	5.725 ±.037	.210 ±.005	5	3.89
568-360-90D	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	5	3.96
568-361-90D	6	6-3/8	3/16	5.975 ±.037	.210 ±.005	1	4.10
568-362-90D	6-1/4	6-5/8	3/16	6.225 ±.040	.210 ±.005	1	4.19
568-363-90D	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	1	4.34
568-364-90D	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	1	4.49
568-365-90D	7	7-3/8	3/16	6.975 ±.040	.210 ±.005	1	5.18
568-366-90D	7-1/4	7-5/8	3/16	7.225 ±.045	.210 ±.005	1	5.22
568-367-90D	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	1	5.24
568-368-90D	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	1	5.61
568-368.5-90D	7-7/8	8-1/4	3/16	7.850 ±.045	.210 ±.005	1	5.53
568-369-90D	8	8-3/8	3/16	7.975 ±.045	.210 ±.005	1	6.19
568-370-90D	8-1/4	8-5/8	3/16	8.225 ±.050	.210 ±.005	1	6.25
568-371-90D	8-1/2	8-7/8	3/16	8.475 ±.050	.210 ±.005	1	6.34
568-372-90D	8-3/4	9-1/8	3/16	8.725 ±.050	.210 ±.005	1	6.45
568-373-90D	9	9-3/8	3/16	8.975 ±.050	.210 ±.005	1	6.73
568-374-90D	9-1/4	9-5/8	3/16	9.225 ±.055	.210 ±.005	1	6.96
568-375-90D	9-1/2	9-7/8	3/16	9.475 ±.055	.210 ±.005	1	7.18
568-376-90D	9-3/4	10-1/8	3/16	9.725 ±.055	.210 ±.005	1	7.87
568-377-90D	10	10-3/8	3/16	9.975 ±.055	.210 ±.005	1	8.12
568-378-90D	10-1/2	10-7/8	3/16	10.475 ±.060	.210 ±.005	1	8.87
568-379-90D	11	11-3/8	3/16	10.975 ±.060	.210 ±.005	1	9.39
568-380-90D	11-1/2	11-7/8	3/16	11.475 ±.065	.210 ±.005	1	9.51
568-381-90D	12	12-3/8	3/16	11.975 ±.065	.210 ±.005	1	10.00
568-382-90D	13	13-3/8	3/16	12.975 ±.065	.210 ±.005	1	10.23
568-383-90D	14	14-3/8	3/16	13.975 ±.070	.210 ±.005	1	10.55
568-384-90D	15	15-3/8	3/16	14.975 ±.070	.210 ±.005	1	10.66
568-385-90D	16	16-3/8	3/16	15.955 ±.075	.210 ±.005	1	10.96
1/4" C/S							
568-401-90D	1-1/2	2	1/4	1.475 ±.014	.275 ±.006	5	\$1.07
568-402-90D	1-5/8	2-1/8	1/4	1.600 ±.015	.275 ±.006	5	1.14
568-403-90D	1-3/4	2-1/4	1/4	1.725 ±.016	.275 ±.006	5	1.30
568-404-90D	1-7/8	2-3/8	1/4	1.850 ±.016	.275 ±.006	5	1.39

STYLE 568, 90 DURO BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-405-90D	2	2-1/2	1/4	1.975 ±.017	.275 ±.006	5	1.46
568-406-90D	2-1/8	2-5/8	1/4	2.100 ±.018	.275 ±.006	5	1.52
568-407-90D	2-1/4	2-3/4	1/4	2.225 ±.018	.275 ±.006	5	1.52
568-408-90D	2-3/8	2-7/8	1/4	2.350 ±.020	.275 ±.006	5	1.64
568-409-90D	2-1/2	3	1/4	2.475 ±.020	.275 ±.006	5	1.80
568-410-90D	2-5/8	3-1/8	1/4	2.600 ±.020	.275 ±.006	5	1.84
568-411-90D	2-3/4	3-1/4	1/4	2.725 ±.022	.275 ±.006	5	1.90
568-412-90D	2-7/8	3-3/8	1/4	2.850 ±.022	.275 ±.006	5	2.00
568-413-90D	3	3-1/2	1/4	2.975 ±.024	.275 ±.006	5	2.03
568-414-90D	3-1/8	3-5/8	1/4	3.100 ±.024	.275 ±.006	5	2.18
568-415-90D	3-1/4	3-3/4	1/4	3.225 ±.024	.275 ±.006	5	2.28
568-416-90D	3-3/8	3-7/8	1/4	3.350 ±.026	.275 ±.006	5	2.33
568-417-90D	3-1/2	4	1/4	3.475 ±.026	.275 ±.006	5	2.40
568-418-90D	3-5/8	4-1/8	1/4	3.600 ±.026	.275 ±.006	5	2.48
568-419-90D	3-3/4	4-1/4	1/4	3.725 ±.028	.275 ±.006	5	2.53
568-420-90D	3-7/8	4-3/8	1/4	3.850 ±.028	.275 ±.006	5	2.91
568-421-90D	4	4-1/2	1/4	3.975 ±.028	.275 ±.006	5	2.97
568-422-90D	4-1/8	4-5/8	1/4	4.100 ±.030	.275 ±.006	5	3.05
568-423-90D	4-1/4	4-3/4	1/4	4.225 ±.030	.275 ±.006	5	3.09
568-424-90D	4-3/8	4-7/8	1/4	4.350 ±.030	.275 ±.006	5	3.12
568-425-90D	4-1/2	5	1/4	4.475 ±.033	.275 ±.006	5	3.13
568-426-90D	4-5/8	5-1/8	1/4	4.600 ±.033	.275 ±.006	5	3.20
568-427-90D	4-3/4	5-1/4	1/4	4.725 ±.033	.275 ±.006	5	3.28
568-428-90D	4-7/8	5-3/8	1/4	4.850 ±.033	.275 ±.006	5	3.39
568-429-90D	5	5-1/2	1/4	4.975 ±.037	.275 ±.006	5	3.44
568-430-90D	5-1/8	5-5/8	1/4	5.100 ±.037	.275 ±.006	5	3.55
568-431-90D	5-1/4	5-3/4	1/4	5.225 ±.037	.275 ±.006	5	3.56
568-432-90D	5-3/8	5-7/8	1/4	5.350 ±.037	.275 ±.006	5	3.82
568-433-90D	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	5	3.86
568-434-90D	5-5/8	6-1/8	1/4	5.600 ±.037	.275 ±.006	5	3.96
568-435-90D	5-3/4	6-1/4	1/4	5.725 ±.037	.275 ±.006	1	4.02
568-436-90D	5-7/8	6-3/8	1/4	5.850 ±.037	.275 ±.006	1	4.16
568-437-90D	6	6-1/2	1/4	5.975 ±.037	.275 ±.006	1	4.59
568-438-90D	6-1/4	6-3/4	1/4	6.225 ±.040	.275 ±.006	1	4.69
568-439-90D	6-1/2	7	1/4	6.475 ±.040	.275 ±.006	1	4.92
568-440-90D	6-3/4	7-1/4	1/4	6.725 ±.040	.275 ±.006	1	4.96
568-441-90D	7	7-1/2	1/4	6.975 ±.040	.275 ±.006	1	5.41
568-442-90D	7-1/4	7-3/4	1/4	7.225 ±.045	.275 ±.006	1	5.71
568-443-90D	7-1/2	8	1/4	7.475 ±.045	.275 ±.006	1	6.08
568-444-90D	7-3/4	8-1/4	1/4	7.725 ±.045	.275 ±.006	1	6.32
568-445-90D	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	6.62
568-446-90D	8-1/2	9	1/4	8.475 ±.055	.275 ±.006	1	6.91
568-447-90D	9	9-1/2	1/4	8.975 ±.055	.275 ±.006	1	7.07
568-448-90D	9-1/2	10	1/4	9.475 ±.055	.275 ±.006	1	7.25
568-449-90D	10	10-1/2	1/4	9.975 ±.055	.275 ±.006	1	8.37
568-450-90D	10-1/2	11	1/4	10.475 ±.060	.275 ±.006	1	10.18
568-451-90D	11	11-1/2	1/4	10.975 ±.060	.275 ±.006	1	10.93
568-452-90D	11-1/2	12	1/4	11.475 ±.060	.275 ±.006	1	14.31
568-453-90D	12	12-1/2	1/4	11.975 ±.060	.275 ±.006	1	14.82
568-454-90D	12-1/2	13	1/4	12.475 ±.060	.275 ±.006	1	20.05

STYLE 568, 90 DURO BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-455-90D	13	13-1/2	1/4	12.975 ±.060	.275 ±.006	1	15.56
568-456-90D	13-1/2	14	1/4	13.475 ±.070	.275 ±.006	1	15.24
568-457-90D	14	14-1/2	1/4	13.975 ±.070	.275 ±.006	1	15.50
568-458-90D	14-1/2	15	1/4	14.475 ±.070	.275 ±.006	1	15.77
568-459-90D	15	15-1/2	1/4	14.975 ±.070	.275 ±.006	1	15.91
568-460-90D	15-1/2	16	1/4	15.475 ±.070	.275 ±.006	1	16.30
568-461-90D	16	16-1/2	1/4	15.955 ±.075	.275 ±.006	1	18.68
568-462-90D	16-1/2	17	1/4	16.455 ±.075	.275 ±.006	1	18.90
568-463-90D	17	17-1/2	1/4	16.955 ±.080	.275 ±.006	1	19.20
568-464-90D	17-1/2	18	1/4	17.455 ±.085	.275 ±.006	1	19.46
568-466-90D	18-1/2	19	1/4	18.455 ±.085	.275 ±.006	1	21.08
568-468-90D	19-1/2	20	1/4	19.455 ±.090	.275 ±.006	1	22.79
568-469-90D	20	20-1/2	1/4	19.955 ±.090	.275 ±.006	1	23.62
568-471-90D	22	22-1/2	1/4	21.955 ±.100	.275 ±.006	1	26.23
568-472-90D	23	23-1/2	1/4	22.940 ±.105	.275 ±.006	1	32.10
568-473-90D	24	24-1/2	1/4	23.940 ±.110	.275 ±.006	1	34.55

STYLE 568, 90 DURO BUNA-N O-RING BOSS GASKETS FOR STRAIGHT THREAD FITTINGS



AS-568A UNIVERSAL SERIES DASH NO.	TUBE SIZE (OD) INCHES	ACTUAL SIZE	
		ID	W.
-901	3/32	.185 ±.005	.056 ±.003
-902	1/8	.239 ±.005	.064 ±.003
-903	3/16	.301 ±.005	.064 ±.003
-904	1/4	.351 ±.005	.072 ±.003
-905	5/16	.414 ±.005	.072 ±.003
-906	3/8	.468 ±.005	.078 ±.003
-907	7/16	.530 ±.005	.082 ±.003
-908	1/2	.644 ±.009	.087 ±.003
-909	9/16	.706 ±.009	.097 ±.003
-910	5/8	.755 ±.009	.097 ±.003
-911	11/16	.863 ±.009	.116 ±.004
-912	3/4	.924 ±.009	.116 ±.004
-913	13/16	.986 ±.010	.116 ±.004
-914	7/8	1.047 ±.010	.116 ±.004
-916	1	1.171 ±.010	.116 ±.004
-918	1-1/8	1.355 ±.012	.116 ±.004
-920	1-1/4	1.475 ±.012	.118 ±.004
-924	1-1/2	1.720 ±.014	.118 ±.004
-928	1-3/4	2.090 ±.018	.118 ±.004
-932	2	2.337 ±.018	.118 ±.004


SEAL INFORMATION	
MATERIAL	90 DUROMETER BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PART NUMBER	(Prefix) - (Dash No.)

Part Number	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-901	.185 ±.005	.056 ±.003	50	\$0.16
568-902	.239 ±.005	.064 ±.003	50	0.16
568-903	.301 ±.005	.064 ±.003	50	0.16
568-903-70D	.301 ±.005	.064 ±.003	29	0.08
568-904	.351 ±.005	.072 ±.003	50	0.22
568-905	.414 ±.005	.072 ±.003	50	0.22
568-906	.468 ±.005	.078 ±.003	50	0.22
568-907	.530 ±.005	.082 ±.003	50	0.22
568-908	.644 ±.009	.087 ±.003	50	0.25
568-909	.706 ±.009	.097 ±.003	50	0.25
568-910	.755 ±.009	.097 ±.003	50	0.26

STYLE 568, 90 DURO BUNA-N O-RING BOSS GASKETS FOR STRAIGHT THREAD FITTINGS

Part Number	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-911	.863 ±.009	.116 ±.004	50	0.28
568-911-70D	.863 ±.009	.116 ±.004	20	0.16
568-912	.924 ±.009	.116 ±.004	50	0.32
568-913	.986 ±.010	.116 ±.004	20	0.34
568-914	1.047 ±.010	.116 ±.004	20	0.38
568-916	1.171 ±.010	.116 ±.004	20	0.42
568-918	1.355 ±.012	.116 ±.004	20	0.48
568-918-70D	1.355 ±.012	.116 ±.004	10	0.32
568-920	1.475 ±.012	.118 ±.004	20	0.53
568-924	1.720 ±.014	.118 ±.004	10	0.77
568-928	2.090 ±.018	.118 ±.004	10	0.93
568-928-70D	2.090 ±.018	.118 ±.004	9	0.57
568-932	2.337 ±.018	.118 ±.004	10	1.01
568-932-70D	2.337 ±.018	.118 ±.004	8	0.60

STYLE 568, 50 & 60 DURO BUNA-N O-RINGS



SEAL INFORMATION	
MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) - (90 Duro.)


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
3/16" C/S							
568-335-60D	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	8	\$1.47
568-336-50D	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	10	1.18
568-341-60D	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	8	1.58
568-348-60D	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	5	2.06

Seal color may vary. Special order sizes are available.

STYLE 568, 70 DURO HNBR O-RINGS



Hydrogenated Nitrile Rubber (HNBR), also known as Highly Saturated Nitrile (HSN), is a compound with superior heat, ozone, chemical resistance, tensile strength and abrasion resistance over natural rubber. HNBR provides excellent service life in most sealing applications such as oilfield, automotive and refrigerants.



SEAL INFORMATION

MATERIAL	HIGHLY SATURATED NITRILE
TEMPERATURE RANGE	-40° TO +300° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S								
568-004H	5/64	13/64	1/16	-004	.070 ±.005	.070 ±.003	50	\$0.04
568-005H	3/32	7/32	1/16	-005	.101 ±.005	.070 ±.003	50	0.04
568-006H	1/8	1/4	1/16	-006	.114 ±.005	.070 ±.003	50	0.04
568-007H	5/32	9/32	1/16	-007	.145 ±.005	.070 ±.003	50	0.05
568-008H	3/16	5/16	1/16	-008	.176 ±.005	.070 ±.003	50	0.05
568-009H	7/32	11/32	1/16	-009	.208 ±.005	.070 ±.003	50	0.05
568-010H	1/4	3/8	1/16	-010	.239 ±.005	.070 ±.003	50	0.06
568-011H	5/16	7/16	1/16	-011	.301 ±.005	.070 ±.003	50	0.07
568-012H	3/8	1/2	1/16	-012	.364 ±.005	.070 ±.003	50	0.08
568-013H	7/16	9/16	1/16	-013	.426 ±.005	.070 ±.003	50	0.08
568-014H	1/2	5/8	1/16	-014	.489 ±.005	.070 ±.003	50	0.09
568-015H	9/16	11/16	1/16	-015	.551 ±.007	.070 ±.003	50	0.11
568-016H	5/8	3/4	1/16	-016	.614 ±.009	.070 ±.003	50	0.12
568-017H	11/16	13/16	1/16	-017	.676 ±.009	.070 ±.003	50	0.13
568-018H	3/4	7/8	1/16	-018	.739 ±.009	.070 ±.003	50	0.16
568-019H	13/16	15/16	1/16	-019	.801 ±.009	.070 ±.003	50	0.17
568-020H	7/8	1	1/16	-020	.864 ±.009	.070 ±.003	50	0.19
568-021H	15/16	1-1/16	1/16	-021	.926 ±.009	.070 ±.003	50	0.21
568-022H	1	1-1/8	1/16	-022	.989 ±.010	.070 ±.003	50	0.22
568-023H	1-1/16	1-3/16	1/16	-023	1.051 ±.010	.070 ±.003	50	0.23
568-024H	1-1/8	1-1/4	1/16	-024	1.114 ±.010	.070 ±.003	50	0.26
568-025H	1-3/16	1-5/16	1/16	-025	1.176 ±.011	.070 ±.003	50	0.30
568-026H	1-1/4	1-3/8	1/16	-026	1.239 ±.011	.070 ±.003	50	0.30
568-027H	1-5/16	1-7/16	1/16	-027	1.301 ±.011	.070 ±.003	50	0.30
568-028H	1-3/8	1-1/2	1/16	-028	1.364 ±.013	.070 ±.003	20	0.34
568-031H	1-3/4	1-7/8	1/16	-031	1.739 ±.015	.070 ±.003	20	0.41
568-033H	2	2-1/8	1/16	-033	1.989 ±.018	.070 ±.003	10	0.60
568-037H	2-1/2	2-5/8	1/16	-037	2.489 ±.018	.070 ±.003	10	0.70
568-046H	4-1/4	4-3/8	1/16	-046	4.239 ±.030	.070 ±.003	5	1.34
3/32" C/S								
568-106H	3/16	3/8	3/32	-106	.174 ±.005	.103 ±.003	50	\$0.08
568-108H	1/4	7/16	3/32	-108	.237 ±.005	.103 ±.003	50	0.11
568-109H	5/16	1/2	3/32	-109	.299 ±.005	.103 ±.003	50	0.11

STYLE 568, 70 DURO HNBR O-RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-110H	3/8	9/16	3/32	-110	.362 ±.005	.103 ±.003	50	0.13
568-111H	7/16	5/8	3/32	-111	.424 ±.005	.103 ±.003	50	0.16
568-112H	1/2	11/16	3/32	-112	.487 ±.005	.103 ±.003	50	0.17
568-113H	9/16	3/4	3/32	-113	.549 ±.005	.103 ±.003	50	0.20
568-114H	5/8	13/16	3/32	-114	.612 ±.009	.103 ±.003	50	0.20
568-115H	11/16	7/8	3/32	-115	.674 ±.009	.103 ±.003	25	0.22
568-116H	3/4	15/16	3/32	-116	.737 ±.009	.103 ±.003	25	0.25
568-117H	13/16	1	3/32	-117	.799 ±.010	.103 ±.003	25	0.26
568-118H	7/8	1-1/16	3/32	-118	.862 ±.010	.103 ±.003	25	0.28
568-119H	15/16	1-1/8	3/32	-119	.924 ±.010	.103 ±.003	25	0.30
568-120H	1	1-3/16	3/32	-120	.987 ±.010	.103 ±.003	25	0.30
568-121H	1-1/16	1-1/4	3/32	-121	1.049 ±.010	.103 ±.003	25	0.34
568-123H	1-3/16	1-3/8	3/32	-123	1.174 ±.012	.103 ±.003	25	0.39
568-124H	1-1/4	1-7/16	3/32	-124	1.237 ±.012	.103 ±.003	25	0.41
568-125H	1-5/16	1-1/2	3/32	-125	1.299 ±.012	.103 ±.003	20	0.46
568-126H	1-3/8	1-9/16	3/32	-126	1.362 ±.012	.103 ±.003	20	0.48
568-127H	1-7/16	1-5/8	3/32	-127	1.424 ±.012	.103 ±.003	20	0.53
568-128H	1-1/2	1-11/16	3/32	-128	1.487 ±.012	.103 ±.003	20	0.53
568-129H	1-9/16	1-3/4	3/32	-129	1.549 ±.015	.103 ±.003	20	0.54
568-131H	1-11/16	1-7/8	3/32	-131	1.674 ±.015	.103 ±.003	15	0.58
568-132H	1-3/4	1-15/16	3/32	-132	1.737 ±.015	.103 ±.003	15	0.59
568-136H	2	2-3/16	3/32	-136	1.987 ±.017	.103 ±.003	10	0.78
568-137H	2-1/16	2-1/4	3/32	-137	2.050 ±.017	.103 ±.003	10	0.78
568-138H	2-1/8	2-5/16	3/32	-138	2.112 ±.017	.103 ±.003	10	0.83
568-141H	2-5/16	2-1/2	3/32	-141	2.300 ±.020	.103 ±.003	10	0.91
568-144H	2-1/2	2-11/16	3/32	-144	2.487 ±.020	.103 ±.003	10	1.09
568-146H	2-5/8	2-13/16	3/32	-146	2.612 ±.020	.103 ±.003	10	1.00
568-151H	3	3-3/16	3/32	-151	2.987 ±.024	.103 ±.003	5	1.31
568-155H	4	4-3/16	3/32	-155	3.987 ±.028	.103 ±.003	5	1.74
568-159H	5	5-3/16	3/32	-159	4.987 ±.035	.103 ±.003	3	2.43
568-165H	6-1/2	6-11/16	3/32	-165	6.487 ±.040	.103 ±.003	3	2.72
1/8" C/S								
568-204H	3/8	5/8	1/8	-204	.359 ±.005	.139 ±.004	25	\$0.25
568-209H	11/16	15/16	1/8	-209	.671 ±.009	.139 ±.004	25	0.41
568-210H	3/4	1	1/8	-210	.734 ±.010	.139 ±.004	25	0.45
568-211H	13/16	1-1/16	1/8	-211	.796 ±.010	.139 ±.004	25	0.45
568-212H	7/8	1-1/8	1/8	-212	.859 ±.010	.139 ±.004	25	0.48
568-213H	15/16	1-3/16	1/8	-213	.921 ±.010	.139 ±.004	25	0.53
568-214H	1	1-1/4	1/8	-214	.984 ±.010	.139 ±.004	25	0.54
568-215H	1-1/16	1-5/16	1/8	-215	1.046 ±.010	.139 ±.004	15	0.55
568-216H	1-1/8	1-3/8	1/8	-216	1.109 ±.012	.139 ±.004	15	0.59
568-217H	1-3/16	1-7/16	1/8	-217	1.171 ±.012	.139 ±.004	15	0.61
568-218H	1-1/4	1-1/2	1/8	-218	1.234 ±.012	.139 ±.004	15	0.68
568-219H	1-5/16	1-9/16	1/8	-219	1.296 ±.012	.139 ±.004	15	0.71
568-220H	1-3/8	1-5/8	1/8	-220	1.359 ±.012	.139 ±.004	15	0.75
568-221H	1-7/16	1-11/16	1/8	-221	1.421 ±.012	.139 ±.004	15	0.77
568-222H	1-1/2	1-3/4	1/8	-222	1.484 ±.015	.139 ±.004	10	0.80
568-223H	1-5/8	1-7/8	1/8	-223	1.609 ±.015	.139 ±.004	10	0.87
568-224H	1-3/4	2	1/8	-224	1.734 ±.015	.139 ±.004	10	0.91
568-225H	1-7/8	2-1/8	1/8	-225	1.859 ±.018	.139 ±.004	10	1.01

STYLE 568, 70 DURO HNBR O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-226H	2	2-1/4	1/8	-226	1.984 ±.018	.139 ±.004	10	1.11
568-227H	2-1/8	2-3/8	1/8	-227	2.109 ±.018	.139 ±.004	10	1.18
568-228H	2-1/4	2-1/2	1/8	-228	2.234 ±.020	.139 ±.004	10	1.45
568-229H	2-3/8	2-5/8	1/8	-229	2.359 ±.020	.139 ±.004	10	1.30
568-230H	2-1/2	2-3/4	1/8	-230	2.484 ±.020	.139 ±.004	10	1.44
568-231H	2-5/8	2-7/8	1/8	-231	2.609 ±.020	.139 ±.004	5	1.48
568-232H	2-3/4	3	1/8	-232	2.734 ±.024	.139 ±.004	5	1.65
568-234H	3	3-1/4	1/8	-234	2.984 ±.024	.139 ±.004	5	1.65
568-236H	3-1/4	3-1/2	1/8	-236	3.234 ±.024	.139 ±.004	5	1.69
568-237H	3-3/8	3-5/8	1/8	-237	3.359 ±.024	.139 ±.004	5	1.72
568-238H	3-1/2	3-3/4	1/8	-238	3.484 ±.024	.139 ±.004	5	1.94
568-239H	3-5/8	3-7/8	1/8	-239	3.609 ±.028	.139 ±.004	5	1.98
568-240H	3-3/4	4	1/8	-240	3.734 ±.028	.139 ±.004	5	2.02
568-242H	4	4-1/4	1/8	-242	3.984 ±.028	.139 ±.004	5	2.11
568-244H	4-1/4	4-1/2	1/8	-244	4.234 ±.030	.139 ±.004	5	2.32
568-245H	4-3/8	4-5/8	1/8	-245	4.359 ±.030	.139 ±.004	5	2.66
568-246H	4-1/2	4-3/4	1/8	-246	4.484 ±.030	.139 ±.004	3	2.76
568-247H	4-5/8	4-7/8	1/8	-247	4.609 ±.030	.139 ±.004	3	2.87
568-248H	4-3/4	5	1/8	-248	4.734 ±.030	.139 ±.004	3	2.92
568-249H	4-7/8	5-1/8	1/8	-249	4.859 ±.035	.139 ±.004	3	3.08
568-251H	5-1/8	5-3/8	1/8	-251	5.109 ±.035	.139 ±.004	3	3.14
568-254H	5-1/2	5-3/4	1/8	-254	5.484 ±.035	.139 ±.004	3	3.23
568-255H	5-5/8	5-7/8	1/8	-255	5.609 ±.035	.139 ±.004	3	3.26
568-256H	5-3/4	6	1/8	-256	5.734 ±.035	.139 ±.004	3	3.35
568-258H	6	6-1/4	1/8	-258	5.984 ±.035	.139 ±.004	3	3.55
3/16" C/S								
568-322H	1-1/4	1-5/8	3/16	-322	1.225 ±.012	.210 ±.005	10	\$1.40
568-328H	1-7/8	2-1/4	3/16	-328	1.850 ±.015	.210 ±.005	5	2.08
568-331H	2-1/4	2-5/8	3/16	-331	2.225 ±.018	.210 ±.005	5	2.41
568-333H	2-1/2	2-7/8	3/16	-333	2.475 ±.020	.210 ±.005	5	2.63
568-338H	3-1/8	3-1/2	3/16	-338	3.100 ±.024	.210 ±.005	3	3.24
568-340H	3-3/8	3-3/4	3/16	-340	3.350 ±.024	.210 ±.005	3	3.56
568-343H	3-3/4	4-1/8	3/16	-343	3.725 ±.028	.210 ±.005	3	3.87
568-346H	4-1/8	4-1/2	3/16	-346	4.100 ±.028	.210 ±.005	2	4.45
568-348H	4-3/8	4-3/4	3/16	-348	4.350 ±.030	.210 ±.005	2	4.69
568-350H	4-5/8	5	3/16	-350	4.600 ±.030	.210 ±.005	2	4.93
568-353H	5	5-3/8	3/16	-353	4.975 ±.037	.210 ±.005	2	5.29
568-356H	5-3/8	5-3/4	3/16	-356	5.350 ±.037	.210 ±.005	2	5.64
568-363H	6-1/2	6-7/8	3/16	-363	6.475 ±.040	.210 ±.005	1	7.48
1/4" C/S								
568-439H	6-1/2	7	1/4	-439	6.475 ±.040	.275 ±.006	1	\$11.12

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



SEAL INFORMATION

MATERIAL	BROWN FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix)-(Dash No.)-(Fluorocarbon)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/32" C/S							
568-001V	1/32	3/32	1/32	.029 ±.004	.040 ±.003	56	\$0.36
3/64" C/S							
568-002V	3/64	9/64	3/64	.042 ±.004	.050 ±.003	50	\$0.36
1/16" C/S							
568-003V	1/16	3/16	1/16	.056 ±.004	.060 ±.003	14	\$0.36
568-004V	5/64	13/64	1/16	.070 ±.005	.070 ±.003	14	0.36
568-005V	3/32	7/32	1/16	.101 ±.005	.070 ±.003	9	0.36
568-006V	1/8	1/4	1/16	.114 ±.005	.070 ±.003	40	0.36
568-007V	5/32	9/32	1/16	.145 ±.005	.070 ±.003	40	0.36
568-008V	3/16	5/16	1/16	.176 ±.005	.070 ±.003	40	0.36
568-009V	7/32	11/32	1/16	.208 ±.005	.070 ±.003	30	0.36
568-010V	1/4	3/8	1/16	.239 ±.005	.070 ±.003	30	0.36
568-011V	5/16	7/16	1/16	.301 ±.005	.070 ±.003	30	0.36
568-012V	3/8	1/2	1/16	.364 ±.005	.070 ±.003	20	0.38
568-013V	7/16	9/16	1/16	.426 ±.005	.070 ±.003	20	0.41
568-014V	1/2	5/8	1/16	.489 ±.005	.070 ±.003	20	0.41
568-015V	9/16	11/16	1/16	.551 ±.007	.070 ±.003	20	0.48
568-016V	5/8	3/4	1/16	.614 ±.009	.070 ±.003	20	0.48
568-017V	11/16	13/16	1/16	.676 ±.009	.070 ±.003	15	0.48
568-018V	3/4	7/8	1/16	.739 ±.009	.070 ±.003	15	0.48
568-019V	13/16	15/16	1/16	.801 ±.009	.070 ±.003	15	0.53
568-020V	7/8	1	1/16	.864 ±.009	.070 ±.003	15	0.57
568-021V	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	15	0.60
568-022V	1	1-1/8	1/16	.989 ±.010	.070 ±.003	15	0.66
568-023V	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	15	0.66
568-024V	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	15	0.81
568-025V	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	8	0.81
568-026V	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	10	0.88
568-027V	1-5/16	1-7/16	1/16	1.301 ±.011	.070 ±.003	10	0.90
568-028V	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	10	1.01
568-029V	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	10	1.15
568-030V	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	5	1.22
568-031V	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	5	1.39
568-032V	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	5	1.64
568-033V	2	2-1/8	1/16	1.989 ±.018	.070 ±.003	5	1.77
568-034V	2-1/8	2-1/4	1/16	2.114 ±.018	.070 ±.003	3	1.77

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-035V	2-1/4	2-3/8	1/16	2.239 ±.018	.070 ±.003	3	1.81
568-036V	2-3/8	2-1/2	1/16	2.364 ±.018	.070 ±.003	3	2.09
568-037V	2-1/2	2-5/8	1/16	2.489 ±.018	.070 ±.003	3	2.12
568-038V	2-5/8	2-3/4	1/16	2.614 ±.020	.070 ±.003	3	2.19
568-039V	2-3/4	2-7/8	1/16	2.739 ±.020	.070 ±.003	3	2.33
568-040V	2-7/8	3	1/16	2.864 ±.020	.070 ±.003	3	2.40
568-041V	3	3-1/8	1/16	2.989 ±.024	.070 ±.003	3	2.76
568-042V	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	3	3.24
568-043V	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	3	3.50
568-044V	3-3/4	3-7/8	1/16	3.739 ±.027	.070 ±.003	3	3.74
568-045V	4	4-1/8	1/16	3.989 ±.027	.070 ±.003	2	4.08
568-046V	4-1/4	4-3/8	1/16	4.239 ±.030	.070 ±.003	2	4.26
568-047V	4-1/2	4-5/8	1/16	4.489 ±.030	.070 ±.003	2	4.75
568-048V	4-3/4	4-7/8	1/16	4.739 ±.030	.070 ±.003	2	4.93
568-049V	5	5-1/8	1/16	4.989 ±.037	.070 ±.003	2	6.43
568-050V	5-1/4	5-3/8	1/16	5.239 ±.037	.070 ±.003	1	6.88
3/32" C/S							
568-102V	1/16	1/4	3/32	.049 ±.005	.103 ±.003	50	\$0.43
568-104V	1/8	5/16	3/32	.112 ±.005	.103 ±.003	15	0.46
568-105V	5/32	11/32	3/32	.143 ±.005	.103 ±.003	27	0.48
568-106V	3/16	3/8	3/32	.174 ±.005	.103 ±.003	15	0.46
568-107V	7/32	13/32	3/32	.206 ±.005	.103 ±.003	15	0.46
568-108V	1/4	7/16	3/32	.237 ±.005	.103 ±.003	15	0.48
568-109V	5/16	1/2	3/32	.299 ±.005	.103 ±.003	15	0.51
568-110V	3/8	9/16	3/32	.362 ±.005	.103 ±.003	15	0.53
568-111V	7/16	5/8	3/32	.424 ±.005	.103 ±.003	15	0.57
568-112V	1/2	11/16	3/32	.487 ±.005	.103 ±.003	15	0.66
568-113V	9/16	3/4	3/32	.549 ±.005	.103 ±.003	15	0.66
568-114V	5/8	13/16	3/32	.612 ±.009	.103 ±.003	15	0.66
568-115V	11/16	7/8	3/32	.674 ±.009	.103 ±.003	10	0.77
568-116V	3/4	15/16	3/32	.737 ±.009	.103 ±.003	10	0.81
568-117V	13/16	1	3/32	.799 ±.010	.103 ±.003	10	0.86
568-118V	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	10	0.88
568-119V	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	10	0.95
568-120V	1	1-3/16	3/32	.987 ±.010	.103 ±.003	10	1.01
568-121V	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	10	1.12
568-122V	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	10	1.22
568-123V	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	10	1.29
568-124V	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	10	1.29
568-125V	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	5	1.36
568-126V	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	5	1.43
568-127V	1-7/16	1-5/8	3/32	1.424 ±.012	.103 ±.003	5	1.47
568-128V	1-1/2	1-11/16	3/32	1.487 ±.012	.103 ±.003	5	1.55
568-129V	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	5	1.65
568-130V	1-5/8	1-13/16	3/32	1.612 ±.015	.103 ±.003	5	1.74
568-131V	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	3	1.74
568-132V	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	4	1.79
568-133V	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	4	1.88
568-134V	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	3	1.88
568-135V	1-15/16	2-1/8	3/32	1.925 ±.017	.103 ±.003	3	1.96

STYLE 568, 75 DURO FLUOROCARBON O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-136V	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	3	2.10
568-137V	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	4	2.14
568-138V	2-1/8	2-5/16	3/32	2.112 ±.017	.103 ±.003	3	2.24
568-139V	2-3/16	2-3/8	3/32	2.175 ±.017	.103 ±.003	2	2.31
568-140V	2-1/4	2-7/16	3/32	2.237 ±.017	.103 ±.003	2	2.38
568-141V	2-5/16	2-1/2	3/32	2.300 ±.020	.103 ±.003	3	2.44
568-142V	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	3	2.44
568-143V	2-7/16	2-5/8	3/32	2.425 ±.020	.103 ±.003	2	2.56
568-144V	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	3	2.56
568-145V	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	2	2.65
568-146V	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	2	2.74
568-147V	2-11/16	2-7/8	3/32	2.675 ±.022	.103 ±.003	3	2.78
568-148V	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	3	2.89
568-149V	2-13/16	3	3/32	2.800 ±.022	.103 ±.003	2	2.97
568-150V	2-7/8	3-1/16	3/32	2.862 ±.022	.103 ±.003	2	3.16
568-151V	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	2	3.46
568-152V	3-1/4	3-7/16	3/32	3.237 ±.024	.103 ±.003	2	3.83
568-153V	3-1/2	3-11/16	3/32	3.487 ±.024	.103 ±.003	5	4.19
568-154V	3-3/4	3-15/16	3/32	3.737 ±.028	.103 ±.003	2	4.59
568-155V	4	4-3/16	3/32	3.987 ±.028	.103 ±.003	2	4.77
568-156V	4-1/4	4-7/16	3/32	4.237 ±.030	.103 ±.003	2	5.32
568-157V	4-1/2	4-11/16	3/32	4.487 ±.030	.103 ±.003	1	5.84
568-158V	4-3/4	4-15/16	3/32	4.737 ±.030	.103 ±.003	2	6.18
568-159V	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	1	6.77
568-160V	5-1/4	5-7/16	3/32	5.237 ±.035	.103 ±.003	1	7.74
568-161V	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	1	8.53
568-162V	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	1	9.17
568-163V	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	1	9.90
568-164V	6-1/4	6-7/16	3/32	6.237 ±.040	.103 ±.003	1	10.48
568-165V	6-1/2	6-11/16	3/32	6.487 ±.040	.103 ±.003	1	11.53
568-166V	6-3/4	6-15/16	3/32	6.737 ±.040	.103 ±.003	1	11.75
568-167V	7	7-3/16	3/32	6.987 ±.040	.103 ±.003	1	11.89
568-168V	7-1/4	7-7/16	3/32	7.237 ±.045	.103 ±.003	1	12.48
568-169V	7-1/2	7-11/16	3/32	7.487 ±.045	.103 ±.003	1	13.21
568-170V	7-3/4	7-15/16	3/32	7.737 ±.045	.103 ±.003	1	15.41
568-171V	8	8-3/16	3/32	7.987 ±.045	.103 ±.003	1	16.13
568-172V	8-1/4	8-7/16	3/32	8.237 ±.050	.103 ±.003	1	16.87
568-173V	8-1/2	8-11/16	3/32	8.487 ±.050	.103 ±.003	1	15.97
568-174V	8-3/4	8-15/16	3/32	8.737 ±.050	.103 ±.003	1	17.25
568-175V	9	9-3/16	3/32	8.987 ±.050	.103 ±.003	1	17.91
568-176V	9-1/4	9-7/16	3/32	9.237 ±.055	.103 ±.003	1	19.09
568-177V	9-1/2	9-11/16	3/32	9.487 ±.055	.103 ±.003	1	19.45
568-178V	9-3/4	9-15/16	3/32	9.737 ±.055	.103 ±.003	1	20.40
1/8" C/S							
568-201V	3/16	7/16	1/8	.171 ±.005	.139 ±.004	15	\$0.79
568-202V	1/4	1/2	1/8	.234 ±.005	.139 ±.004	15	0.83
568-203V	5/16	9/16	1/8	.296 ±.005	.139 ±.004	10	0.88
568-204V	3/8	5/8	1/8	.359 ±.005	.139 ±.004	10	0.90
568-205V	7/16	11/16	1/8	.421 ±.005	.139 ±.004	8	0.90
568-206V	1/2	3/4	1/8	.484 ±.005	.139 ±.004	8	0.92

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-207V	9/16	13/16	1/8	.546 ±.007	.139 ±.004	10	0.99
568-208V	5/8	7/8	1/8	.609 ±.009	.139 ±.004	7	0.99
568-209V	11/16	15/16	1/8	.671 ±.009	.139 ±.004	6	1.06
568-210V	3/4	1	1/8	.734 ±.010	.139 ±.004	5	1.12
568-211V	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	5	1.22
568-212V	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	5	1.29
568-213V	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	5	1.43
568-214V	1	1-1/4	1/8	.984 ±.010	.139 ±.004	5	1.55
568-215V	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	4	1.65
568-216V	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	5	1.74
568-217V	1-3/16	1-7/16	1/8	1.171 ±.012	.139 ±.004	3	1.74
568-218V	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	3	1.88
568-219V	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	3	2.00
568-220V	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	3	2.12
568-221V	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	3	2.19
568-222V	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	3	2.33
568-223V	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	3	2.46
568-224V	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	3	2.72
568-225V	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	3	2.95
568-226V	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	3	3.31
568-227V	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	2	3.50
568-228V	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	3	3.64
568-229V	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	2	3.86
568-230V	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	2	4.05
568-231V	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	2	4.28
568-232V	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	2	4.41
568-233V	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	2	4.63
568-234V	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	2	4.94
568-235V	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	2	5.16
568-236V	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	2	5.38
568-237V	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	2	5.60
568-238V	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	2	5.84
568-239V	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	2	6.03
568-240V	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	2	6.18
568-241V	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	1	6.52
568-242V	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	1	6.59
568-243V	4-1/8	4-3/8	1/8	4.109 ±.028	.139 ±.004	1	6.99
568-244V	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	1	7.29
568-245V	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	1	7.41
568-246V	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	1	7.74
568-247V	4-5/8	4-7/8	1/8	4.609 ±.030	.139 ±.004	1	7.86
568-248V	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	1	8.02
568-249V	4-7/8	5-1/8	1/8	4.859 ±.035	.139 ±.004	1	8.23
568-250V	5	5-1/4	1/8	4.984 ±.035	.139 ±.004	1	8.71
568-251V	5-1/8	5-3/8	1/8	5.109 ±.035	.139 ±.004	1	9.11
568-252V	5-1/4	5-1/2	1/8	5.234 ±.035	.139 ±.004	1	9.70
568-253V	5-3/8	5-5/8	1/8	5.359 ±.035	.139 ±.004	1	9.86
568-254V	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	1	10.21
568-255V	5-5/8	5-7/8	1/8	5.609 ±.035	.139 ±.004	1	10.65
568-256V	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	1	11.01

STYLE 568, 75 DURO FLUOROCARBON O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-257V	5-7/8	6-1/8	1/8	5.859 ±.035	.139 ±.004	1	11.34
568-258V	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	1	11.69
568-259V	6-1/4	6-1/2	1/8	6.234 ±.040	.139 ±.004	1	11.89
568-260V	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	1	12.10
568-261V	6-3/4	7	1/8	6.734 ±.040	.139 ±.004	1	12.48
568-262V	7	7-1/4	1/8	6.984 ±.040	.139 ±.004	1	13.21
568-263V	7-1/4	7-1/2	1/8	7.234 ±.045	.139 ±.004	1	14.54
568-264V	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	1	16.47
568-265V	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	1	17.58
568-266V	8	8-1/4	1/8	7.984 ±.045	.139 ±.004	1	18.32
568-267V	8-1/4	8-1/2	1/8	8.234 ±.050	.139 ±.004	1	19.22
568-268V	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	1	19.93
568-269V	8-3/4	9	1/8	8.734 ±.050	.139 ±.004	1	20.65
568-270V	9	9-1/4	1/8	8.984 ±.050	.139 ±.004	1	21.45
568-271V	9-1/4	9-1/2	1/8	9.234 ±.055	.139 ±.004	1	22.21
568-272V	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	1	22.95
568-273V	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	1	23.18
568-274V	10	10-1/4	1/8	9.984 ±.055	.139 ±.004	1	24.54
568-275V	10-1/2	10-3/4	1/8	10.484 ±.055	.139 ±.004	1	25.47
568-276V	11	11-1/4	1/8	10.984 ±.065	.139 ±.004	1	25.81
568-277V	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	1	26.66
568-278V	12	12-1/4	1/8	11.984 ±.065	.139 ±.004	1	27.43
568-279V	13	13-1/4	1/8	12.984 ±.065	.139 ±.004	1	28.80
568-280V	14	14-1/4	1/8	13.984 ±.065	.139 ±.004	1	29.31
568-281V	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	1	30.93
568-282V	16	16-1/4	1/8	15.955 ±.075	.139 ±.004	1	33.72
568-284V	18	18-1/4	1/8	17.955 ±.085	.139 ±.004	1	38.42
3/16" C/S							
568-309V	7/16	13/16	3/16	.412 ±.005	.210 ±.005	3	\$2.62
568-310V	1/2	7/8	3/16	.475 ±.005	.210 ±.005	3	2.74
568-311V	9/16	15/16	3/16	.537 ±.007	.210 ±.005	3	2.97
568-312V	5/8	1	3/16	.600 ±.009	.210 ±.005	3	3.07
568-313V	11/16	1-1/16	3/16	.662 ±.009	.210 ±.005	3	3.16
568-314V	3/4	1-1/8	3/16	.725 ±.010	.210 ±.005	3	3.29
568-315V	13/16	1-3/16	3/16	.787 ±.010	.210 ±.005	3	3.41
568-316V	7/8	1-1/4	3/16	.850 ±.010	.210 ±.005	3	3.22
568-317V	15/16	1-5/16	3/16	.912 ±.010	.210 ±.005	3	3.46
568-318V	1	1-3/8	3/16	.975 ±.010	.210 ±.005	2	3.51
568-319V	1-1/16	1-7/16	3/16	1.037 ±.010	.210 ±.005	2	3.62
568-320V	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	2	3.72
568-321V	1-3/16	1-9/16	3/16	1.162 ±.012	.210 ±.005	2	3.76
568-322V	1-1/4	1-5/8	3/16	1.225 ±.012	.210 ±.005	2	3.76
568-323V	1-5/16	1-11/16	3/16	1.287 ±.012	.210 ±.005	2	4.19
568-324V	1-3/8	1-3/4	3/16	1.350 ±.012	.210 ±.005	2	4.41
568-325V	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	2	4.74
568-326V	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	1	5.02
568-327V	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	1	5.16
568-328V	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	1	5.51
568-329V	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	1	6.29
568-330V	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	1	6.84

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-331V	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	1	6.99
568-332V	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	1	7.89
568-333V	2-1/2	2-7/8	3/16	2.475 ±.020	.210 ±.005	1	8.23
568-334V	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	1	8.62
568-335V	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	1	9.11
568-336V	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	1	9.77
568-337V	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	1	10.32
568-338V	3-1/8	3-1/2	3/16	3.100 ±.024	.210 ±.005	1	10.87
568-339V	3-1/4	3-5/8	3/16	3.225 ±.024	.210 ±.005	1	11.61
568-340V	3-3/8	3-3/4	3/16	3.350 ±.024	.210 ±.005	1	12.17
568-341V	3-1/2	3-7/8	3/16	3.475 ±.024	.210 ±.005	1	12.48
568-342V	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	1	12.91
568-343V	3-3/4	4-1/8	3/16	3.725 ±.028	.210 ±.005	1	13.15
568-344V	3-7/8	4-1/4	3/16	3.850 ±.028	.210 ±.005	1	13.60
568-345V	4	4-3/8	3/16	3.975 ±.028	.210 ±.005	1	13.90
568-346V	4-1/8	4-1/2	3/16	4.100 ±.028	.210 ±.005	1	14.54
568-347V	4-1/4	4-5/8	3/16	4.225 ±.030	.210 ±.005	1	14.60
568-348V	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	1	14.97
568-349V	4-1/2	4-7/8	3/16	4.475 ±.030	.210 ±.005	1	15.41
568-350V	4-5/8	5	3/16	4.600 ±.030	.210 ±.005	1	15.80
568-351V	4-3/4	5-1/8	3/16	4.725 ±.030	.210 ±.005	1	16.50
568-352V	4-7/8	5-1/4	3/16	4.850 ±.030	.210 ±.005	1	15.85
568-353V	5	5-3/8	3/16	4.975 ±.037	.210 ±.005	1	17.25
568-354V	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	1	17.28
568-355V	5-1/4	5-5/8	3/16	5.225 ±.037	.210 ±.005	1	17.46
568-356V	5-3/8	5-3/4	3/16	5.350 ±.037	.210 ±.005	1	19.45
568-357V	5-1/2	5-7/8	3/16	5.475 ±.037	.210 ±.005	1	20.18
568-358V	5-5/8	6	3/16	5.600 ±.037	.210 ±.005	1	20.92
568-359V	5-3/4	6-1/8	3/16	5.725 ±.037	.210 ±.005	1	22.54
568-360V	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	1	24.04
568-361V	6	6-3/8	3/16	5.975 ±.037	.210 ±.005	1	25.71
568-362V	6-1/4	6-5/8	3/16	6.225 ±.040	.210 ±.005	1	26.90
568-363V	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	1	27.00
568-364V	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	1	27.10
568-365V	7	7-3/8	3/16	6.975 ±.040	.210 ±.005	1	27.86
568-366V	7-1/4	7-5/8	3/16	7.225 ±.045	.210 ±.005	1	30.76
568-367V	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	1	33.05
568-368V	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	1	34.42
568-369V	8	8-3/8	3/16	7.975 ±.045	.210 ±.005	1	35.36
568-370V	8-1/4	8-5/8	3/16	8.225 ±.050	.210 ±.005	1	35.86
568-371V	8-1/2	8-7/8	3/16	8.475 ±.050	.210 ±.005	1	37.82
568-373V	9	9-3/8	3/16	8.975 ±.050	.210 ±.005	1	39.20
568-374V	9-1/4	9-5/8	3/16	9.225 ±.055	.210 ±.005	1	39.55
568-375V	9-1/2	9-7/8	3/16	9.475 ±.055	.210 ±.005	1	42.15
568-376V	9-3/4	10-1/8	3/16	9.725 ±.055	.210 ±.005	1	44.39
568-377V	10	10-3/8	3/16	9.975 ±.055	.210 ±.005	1	46.25
568-378V	10-1/2	10-7/8	3/16	10.475 ±.060	.210 ±.005	1	48.44
568-379V	11	11-3/8	3/16	10.975 ±.060	.210 ±.005	1	51.89
568-380V	11-1/2	11-7/8	3/16	11.475 ±.065	.210 ±.005	1	54.92
568-381V	12	12-3/8	3/16	11.975 ±.065	.210 ±.005	1	57.73


STYLE 568, 75 DURO FLUOROCARBON O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-382V	13	13-3/8	3/16	12.975 ±.065	.210 ±.005	1	59.52
568-383V	14	14-3/8	3/16	13.975 ±.070	.210 ±.005	1	62.62
568-384V	15	15-3/8	3/16	14.975 ±.070	.210 ±.005	1	65.76
568-385V	16	16-3/8	3/16	15.955 ±.075	.210 ±.005	1	69.01
568-386V	17	17-3/8	3/16	16.955 ±.080	.210 ±.005	1	73.06
568-388V	19	19-3/8	3/16	18.955 ±.090	.210 ±.005	1	85.73
568-389V	20	20-3/8	3/16	19.955 ±.095	.210 ±.005	1	87.57
568-390V	21	21-3/8	3/16	20.955 ±.095	.210 ±.005	1	89.48
568-392V	23	23-3/8	3/16	22.940 ±.105	.210 ±.005	1	95.93
1/4" C/S							
568-425V	4-1/2	5	1/4	4.475 ±.033	.275 ±.006	1	\$21.09
568-426V	4-5/8	5-1/8	1/4	4.600 ±.033	.275 ±.006	1	21.21
568-427V	4-3/4	5-1/4	1/4	4.725 ±.033	.275 ±.006	1	20.51
568-428V	4-7/8	5-3/8	1/4	4.850 ±.033	.275 ±.006	1	23.32
568-429V	5	5-1/2	1/4	4.975 ±.037	.275 ±.006	1	23.83
568-430V	5-1/8	5-5/8	1/4	5.100 ±.037	.275 ±.006	1	23.97
568-431V	5-1/4	5-3/4	1/4	5.225 ±.037	.275 ±.006	1	24.54
568-432V	5-3/8	5-7/8	1/4	5.350 ±.037	.275 ±.006	1	24.85
568-433V	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	1	25.95
568-434V	5-5/8	6-1/8	1/4	5.600 ±.037	.275 ±.006	1	26.43
568-435V	5-3/4	6-1/4	1/4	5.725 ±.037	.275 ±.006	1	26.78
568-436V	5-7/8	6-3/8	1/4	5.850 ±.037	.275 ±.006	1	29.26
568-437V	6	6-1/2	1/4	5.975 ±.037	.275 ±.006	1	28.12
568-438V	6-1/4	6-3/4	1/4	6.225 ±.040	.275 ±.006	1	29.20
568-439V	6-1/2	7	1/4	6.475 ±.040	.275 ±.006	1	30.55
568-440V	6-3/4	7-1/4	1/4	6.725 ±.040	.275 ±.006	1	31.50
568-441V	7	7-1/2	1/4	6.975 ±.040	.275 ±.006	1	33.72
568-442V	7-1/4	7-3/4	1/4	7.225 ±.045	.275 ±.006	1	36.69
568-443V	7-1/2	8	1/4	7.475 ±.045	.275 ±.006	1	38.85
568-444V	7-3/4	8-1/4	1/4	7.725 ±.045	.275 ±.006	1	38.15
568-445V	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	41.37
568-446V	8-1/2	9	1/4	8.475 ±.055	.275 ±.006	1	43.51
568-447V	9	9-1/2	1/4	8.975 ±.055	.275 ±.006	1	45.44
568-448V	9-1/2	10	1/4	9.475 ±.055	.275 ±.006	1	47.42
568-449V	10	10-1/2	1/4	9.975 ±.055	.275 ±.006	1	51.14
568-450V	10-1/2	11	1/4	10.475 ±.060	.275 ±.006	1	55.24
568-451V	11	11-1/2	1/4	10.975 ±.060	.275 ±.006	1	56.25
568-452V	11-1/2	12	1/4	11.475 ±.060	.275 ±.006	1	58.66
568-453V	12	12-1/2	1/4	11.975 ±.060	.275 ±.006	1	60.72
568-454V	12-1/2	13	1/4	12.475 ±.060	.275 ±.006	1	63.05
568-455V	13	13-1/2	1/4	12.975 ±.060	.275 ±.006	1	65.25
568-456V	13-1/2	14	1/4	13.475 ±.070	.275 ±.006	1	65.45
568-457V	14	14-1/2	1/4	13.975 ±.070	.275 ±.006	1	69.60
568-458V	14-1/2	15	1/4	14.475 ±.070	.275 ±.006	1	70.44
568-459V	15	15-1/2	1/4	14.975 ±.070	.275 ±.006	1	73.06
568-460V	15-1/2	16	1/4	15.475 ±.070	.275 ±.006	1	74.23
568-464V	17-1/2	18	1/4	17.455 ±.085	.275 ±.006	1	103.08
568-465V	18	18-1/2	1/4	17.955 ±.085	.275 ±.006	1	106.51
568-466V	18-1/2	19	1/4	18.455 ±.085	.275 ±.006	1	107.98
568-468V	19-1/2	20	1/4	19.455 ±.090	.275 ±.006	1	114.95

STYLE 568, 75 DURO FLUOROCARBON O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-473V	24	24-1/2	1/4	23.940 ±.110	.275 ±.006	1	140.95
568-475V	26	26-1/2	1/4	25.940 ±.120	.275 ±.006	1	164.57

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



SEAL INFORMATION

MATERIAL	BLACK FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) - (Black)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-007V-BLACK	5/32	9/32	1/16	.145 ±.005	.070 ±.003	40	\$0.38
568-008V-BLACK	3/16	5/16	1/16	.176 ±.005	.070 ±.003	40	0.36
568-010V-BLACK	1/4	3/8	1/16	.239 ±.005	.070 ±.003	30	0.36
568-011V-BLACK	5/16	7/16	1/16	.301 ±.005	.070 ±.003	30	0.36
568-012V-BLACK	3/8	1/2	1/16	.364 ±.005	.070 ±.003	20	0.38
568-014V-BLACK	1/2	5/8	1/16	.489 ±.005	.070 ±.003	20	0.41
568-015V-BLACK	9/16	11/16	1/16	.551 ±.007	.070 ±.003	20	0.48
568-016V-BLACK	5/8	3/4	1/16	.614 ±.009	.070 ±.003	20	0.48
568-020V-BLACK	7/8	1	1/16	.864 ±.009	.070 ±.003	20	0.29
568-021V-BLACK	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	20	0.31
568-032V-BLACK	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	10	1.64
3/32" C/S							
568-110V-BLACK	3/8	9/16	3/32	.362 ±.005	.103 ±.003	15	\$0.41
568-111V-BLACK	7/16	5/8	3/32	.424 ±.005	.103 ±.003	15	0.43
568-112V-BLACK	1/2	11/16	3/32	.487 ±.005	.103 ±.003	15	0.51
568-113V-BLACK	9/16	3/4	3/32	.549 ±.005	.103 ±.003	15	0.51
568-114V-BLACK	5/8	13/16	3/32	.612 ±.009	.103 ±.003	15	0.60
568-115V-BLACK	11/16	7/8	3/32	.674 ±.009	.103 ±.003	15	0.62
568-116V-BLACK	3/4	15/16	3/32	.737 ±.009	.103 ±.003	10	0.69
568-119V-BLACK	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	10	0.95
568-125V-BLACK	1-5/16	1-1/2	3/32	1.299 ±.012	.103 ±.003	5	0.95
568-129V-BLACK	1-9/16	1-3/4	3/32	1.549 ±.015	.103 ±.003	5	1.65
568-136V-BLACK	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	3	2.10
568-145V-BLACK	2-9/16	2-3/4	3/32	2.550 ±.020	.103 ±.003	2	2.74
568-146V-BLACK	2-5/8	2-13/16	3/32	2.612 ±.020	.103 ±.003	2	4.12
568-151V-BLACK	3	3-3/16	3/32	2.987 ±.024	.103 ±.003	2	4.45
568-161V-BLACK	5-1/2	5-11/16	3/32	5.487 ±.035	.103 ±.003	2	9.51
568-162V-BLACK	5-3/4	5-15/16	3/32	5.737 ±.035	.103 ±.003	2	9.10
568-163V-BLACK	6	6-3/16	3/32	5.987 ±.035	.103 ±.003	2	10.44
1/8" C/S							
568-206V-BLACK	1/2	3/4	1/8	.484 ±.005	.139 ±.004	5	\$1.54
568-208V-BLACK	5/8	7/8	1/8	.609 ±.009	.139 ±.004	5	0.99
568-210V-BLACK	3/4	1	1/8	.734 ±.010	.139 ±.004	5	1.02
568-211V-BLACK	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	5	1.81
568-213V-BLACK	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	5	1.29
568-214V-BLACK	1	1-1/4	1/8	.984 ±.010	.139 ±.004	5	1.38

STYLE 568, 75 DURO FLUOROCARBON O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-218V-BLACK	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	5	1.77
568-220V-BLACK	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	3	1.82
568-222V-BLACK	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	3	2.29
568-228V-BLACK	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	3	3.34
568-231V-BLACK	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	2	4.52
568-233V-BLACK	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	2	6.46
568-236V-BLACK	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	2	5.38
568-237V-BLACK	3-3/8	3-5/8	1/8	3.359 ±.024	.139 ±.004	2	5.60
568-238V-BLACK	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	2	5.84
568-240V-BLACK	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	1	6.18
568-241V-BLACK	3-7/8	4-1/8	1/8	3.859 ±.028	.139 ±.004	1	6.52
568-245V-BLACK	4-3/8	4-5/8	1/8	4.359 ±.030	.139 ±.004	1	11.39
568-248V-BLACK	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	1	10.56
3/16" C/S							
568-331V-BLACK	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	1	\$10.60
568-334V-BLACK	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	1	11.69
568-335V-BLACK	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	1	12.35
568-336V-BLACK	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	1	12.91
568-354V-BLACK	5-1/8	5-1/2	3/16	5.100 ±.037	.210 ±.005	1	17.03
568-360V-BLACK	5-7/8	6-1/4	3/16	5.850 ±.037	.210 ±.005	1	24.04
568-368V-BLACK	7-3/4	8-1/8	3/16	7.725 ±.045	.210 ±.005	1	34.42
1/4" C/S							
568-445V-BLACK	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	\$41.37


STYLE 568, 75 DURO FLUOROCARBON O-RING CORD

NOTE: Cord is Black fluorocarbon.
 See O-Ring Kit section for splicing Information.
 Sold by the foot.

SEAL INFORMATION	
MATERIAL	BLACK FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) (Cord) - (Nom. Size) (Fluorocarbon)

Part Number	Nom. Cross Section	CROSS SECTION	List Price
568C-062V	1/16	.070 ±.006	\$3.09
568C-093V	3/32	.103 ±.007	3.67
568C-125V	1/8	.139 ±.007	5.65
568C-187V	3/16	.210 ±.008	9.41
568C-250V	1/4	.275 ±.008	15.99

STYLE 568, 90 DURO FLUOROCARBON O-RINGS



SEAL INFORMATION

MATERIAL	FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) - (90 Duro Fluorocarbon)


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-011-90DV	5/16	7/16	1/16	.301 ±.005	.070 ±.003	15	\$0.73
568-012-90DV	3/8	1/2	1/16	.364 ±.005	.070 ±.003	15	0.78
568-014-90DV	1/2	5/8	1/16	.489 ±.005	.070 ±.003	10	0.88
568-015-90DV	9/16	11/16	1/16	.551 ±.007	.070 ±.003	15	0.80
568-016-90DV	5/8	3/4	1/16	.614 ±.009	.070 ±.003	15	0.80
568-017-90DV	11/16	13/16	1/16	.676 ±.009	.070 ±.003	15	0.79
568-018-90DV	3/4	7/8	1/16	.739 ±.009	.070 ±.003	15	0.80
568-019-90DV	13/16	15/16	1/16	.801 ±.009	.070 ±.003	15	0.80
568-020-90DV	7/8	1	1/16	.864 ±.009	.070 ±.003	15	0.82
568-021-90DV	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	15	0.88
568-022-90DV	1	1-1/8	1/16	.989 ±.010	.070 ±.003	15	0.88
568-025-90DV	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	15	1.07
3/32" C/S							
568-113-90DV	9/16	3/4	3/32	.549 ±.005	.103 ±.003	15	\$0.94
568-121-90DV	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	1	8.24
568-131-90DV	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	1	1.94
568-159-90DV	5	5-3/16	3/32	4.987 ±.035	.103 ±.003	1	7.76
1/8" C/S							
568-214-90DV	1	1-1/4	1/8	.984 ±.010	.139 ±.004	3	\$2.44
568-215-90DV-BLACK	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	1	1.47
568-218-90DV	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	2	3.45
568-223-90DV	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	2	3.63
568-224-90DV	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	2	4.94
568-226-90DV	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	2	6.15
568-227-90DV	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	2	6.15
568-232-90DV	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	3	2.63
568-233-90DV	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	3	5.92
568-239-90DV	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	2	6.26
568-240-90DV	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	1	9.30
568-246-90DV	4-1/2	4-3/4	1/8	4.484 ±.030	.139 ±.004	1	8.20
568-254-90DV	5-1/2	5-3/4	1/8	5.484 ±.035	.139 ±.004	1	10.13
568-260-90DV	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	1	12.46
568-264-90DV	7-1/2	7-3/4	1/8	7.484 ±.045	.139 ±.004	1	14.01
568-272-90DV	9-1/2	9-3/4	1/8	9.484 ±.055	.139 ±.004	1	27.93
568-277-90DV	11-1/2	11-3/4	1/8	11.484 ±.065	.139 ±.004	1	30.53
3/16" C/S							

STYLE 568, 90 DURO FLUOROCARBON O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-334-90DV	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	1	\$9.77
568-363-90DV	6-1/2	6-7/8	3/16	6.475 ±.040	.210 ±.005	1	27.14
568-364-90DV	6-3/4	7-1/8	3/16	6.725 ±.040	.210 ±.005	1	27.29
1/4" C/S							
568-433-90DV	5-1/2	6	1/4	5.475 ±.037	.275 ±.006	1	\$25.65

STYLE 568, 90 DURO FLUOROCARBON BOSS O-RINGS




SEAL INFORMATION	
MATERIAL	FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (90 Duro Fluorocarbon)

Part Number	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-901V	.185 ±.005	.056 ±.003	10	\$0.89
568-902V	.239 ±.005	.064 ±.003	10	1.00
568-903V	.301 ±.005	.064 ±.003	10	1.01
568-904V	.351 ±.005	.072 ±.003	10	1.08
568-905V	.414 ±.005	.072 ±.003	10	1.10
568-906V	.468 ±.005	.078 ±.003	10	1.15
568-907V	.530 ±.005	.082 ±.003	10	1.22
568-908V	.644 ±.009	.087 ±.003	10	1.35
568-909V	.706 ±.009	.097 ±.003	10	1.70
568-910V	.755 ±.009	.097 ±.003	10	1.83
568-911V	.863 ±.009	.116 ±.004	5	2.13
568-912V	.924 ±.009	.116 ±.004	5	2.42
568-913V	.986 ±.010	.116 ±.004	5	2.29
568-914V	1.047 ±.010	.116 ±.004	3	3.05
568-916V	1.171 ±.010	.116 ±.004	3	3.27
568-918V	1.355 ±.012	.116 ±.004	3	3.41
568-920V	1.475 ±.012	.118 ±.004	3	4.00
568-924V	1.720 ±.014	.118 ±.004	2	5.61
568-924V-BLACK	1.720 ±.014	.118 ±.004	2	5.61
568-928V	2.090 ±.018	.118 ±.004	2	6.85
568-932V	2.337 ±.018	.118 ±.004	2	7.56

STYLE 568 70A & 90A DURO ETHYLENE PROPYLENE O-RINGS

NOTE: This compound is NOT D.O.T. certified for brake system use.




SEAL INFORMATION

MATERIAL	ETHYLENE PROPYLENE
TEMPERATURE RANGE	-65° TO +300° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) - (Ethylene Propylene)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-008EP	3/16	5/16	1/16	.176 ±.005	.070 ±.003	14	\$0.55
568-010EP	1/4	3/8	1/16	.239 ±.005	.070 ±.003	12	0.60
568-011EP	5/16	7/16	1/16	.301 ±.005	.070 ±.003	12	0.65
568-012EP	3/8	1/2	1/16	.364 ±.005	.070 ±.003	12	0.69
568-013EP	7/16	9/16	1/16	.426 ±.005	.070 ±.003	8	0.93
568-014EP	1/2	5/8	1/16	.489 ±.005	.070 ±.003	6	0.94
568-015EP	9/16	11/16	1/16	.551 ±.007	.070 ±.003	10	0.94
568-018EP	3/4	7/8	1/16	.739 ±.009	.070 ±.003	6	1.08
568-043EP	3-1/2	3-5/8	1/16	3.489 ±.024	.070 ±.003	2	4.21
3/32" C/S							
568-110EP	3/8	9/16	3/32	.362 ±.005	.103 ±.003	10	\$0.72
568-111EP	7/16	5/8	3/32	.424 ±.005	.103 ±.003	10	0.77
568-112EP	1/2	11/16	3/32	.487 ±.005	.103 ±.003	8	0.80
568-113EP	9/16	3/4	3/32	.549 ±.005	.103 ±.003	8	0.83
568-114EP	5/8	13/16	3/32	.612 ±.009	.103 ±.003	8	0.89
568-115EP	11/16	7/8	3/32	.674 ±.009	.103 ±.003	8	0.90
568-116EP	3/4	15/16	3/32	.737 ±.009	.103 ±.003	8	0.94
568-126-90DEP	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	5	0.63
568-144-90DEP	2-1/2	2-11/16	3/32	2.487 ±.020	.103 ±.003	3	0.95
1/8" C/S							
568-210EP	3/4	1	1/8	.734 ±.010	.139 ±.004	8	\$0.97
568-212EP	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	5	1.08
568-214EP	1	1-1/4	1/8	.984 ±.010	.139 ±.004	6	1.20
568-215EP	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	6	1.23
568-218EP	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	5	1.34
568-220EP	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	5	1.41
568-222EP	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	5	1.47
568-238EP	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	1	2.44
568-248EP	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	3	2.97
568-281-90DEP	15	15-1/4	1/8	14.984 ±.065	.139 ±.004	1	5.66
3/16" C/S							
568-327EP	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	5	\$1.55

STYLE 568, 70A DURO SILICONE O-RINGS



SEAL INFORMATION


MATERIAL	SILICONE
TEMPERATURE RANGE	-70° TO +400° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Silicone)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-008S	3/16	5/16	1/16	.176 ±.005	.070 ±.003	50	\$0.51
568-010S	1/4	3/8	1/16	.239 ±.005	.070 ±.003	20	0.57
568-011S	5/16	7/16	1/16	.301 ±.005	.070 ±.003	20	0.59
568-012S	3/8	1/2	1/16	.364 ±.005	.070 ±.003	20	0.59
568-013S	7/16	9/16	1/16	.426 ±.005	.070 ±.003	20	0.59
568-014S	1/2	5/8	1/16	.489 ±.005	.070 ±.003	12	0.58
568-015S	9/16	11/16	1/16	.551 ±.007	.070 ±.003	20	0.60
568-016S	5/8	3/4	1/16	.614 ±.009	.070 ±.003	12	0.62
568-018S	3/4	7/8	1/16	.739 ±.009	.070 ±.003	12	0.62
568-025S	1-3/16	1-5/16	1/16	1.176 ±.011	.070 ±.003	11	0.62
568-028S	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	11	1.26
568-042S	3-1/4	3-3/8	1/16	3.239 ±.024	.070 ±.003	10	0.80
3/32" C/S							
568-108S	1/4	7/16	3/32	.237 ±.005	.103 ±.003	12	\$0.51
568-110S	3/8	9/16	3/32	.362 ±.005	.103 ±.003	12	0.55
568-111S	7/16	5/8	3/32	.424 ±.005	.103 ±.003	12	0.57
568-112S	1/2	11/16	3/32	.487 ±.005	.103 ±.003	12	0.77
568-113S	9/16	3/4	3/32	.549 ±.005	.103 ±.003	14	0.51
568-115S	11/16	7/8	3/32	.674 ±.009	.103 ±.003	13	0.57
568-116S	3/4	15/16	3/32	.737 ±.009	.103 ±.003	12	0.59
568-117S	13/16	1	3/32	.799 ±.010	.103 ±.003	11	0.62
568-118S	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	10	0.69
568-120S	1	1-3/16	3/32	.987 ±.010	.103 ±.003	8	0.72
1/8" C/S							
568-210S	3/4	1	1/8	.734 ±.010	.139 ±.004	10	\$0.78
568-211S	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	9	0.79
568-212S	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	8	0.94
568-213S	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	7	1.01
568-214S	1	1-1/4	1/8	.984 ±.010	.139 ±.004	7	1.10
568-215S	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	6	1.23
568-216S	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	6	1.23
568-218S	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	6	1.34
568-219S	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	6	1.37
568-220S	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	5	1.41
568-222S	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	8	1.73
568-223S	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	5	1.79

STYLE 568, 70A DURO SILICONE O-RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-224S	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	5	1.89
568-226S	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	4	2.00
568-227S	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	4	2.07
568-228S	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	4	2.13
568-231S	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	3	2.59
568-232S	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	3	2.67
568-238S	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	3	3.13
568-239S	3-5/8	3-7/8	1/8	3.609 ±.028	.139 ±.004	2	3.63
568-240S	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	2	3.72
568-248S	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	2	5.67
568-265S	7-3/4	8	1/8	7.734 ±.045	.139 ±.004	1	4.71
3/16" C/S							
568-312S	5/8	1	3/16	.600 ±.009	.210 ±.005	7	\$0.51
568-320S	1-1/8	1-1/2	3/16	1.100 ±.012	.210 ±.005	5	1.46
568-325S	1-1/2	1-7/8	3/16	1.475 ±.015	.210 ±.005	4	1.89
568-326S	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	4	2.03
568-329S	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	3	2.46
568-334S	2-5/8	3	3/16	2.600 ±.020	.210 ±.005	3	2.77
568-367S	7-1/2	7-7/8	3/16	7.475 ±.045	.210 ±.005	1	8.63
1/4" C/S							
568-445S	8	8-1/2	1/4	7.975 ±.045	.275 ±.006	1	\$29.21

STYLE 568, 55 - 58 SHORE D PTFE O-RING



SEAL INFORMATION

MATERIAL

55 - 58 SHORE D PTFE

TEMPERATURE RANGE

-100° TO +500° F

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-006T	1/8	1/4	1/16	.114 ±.005	.070 ±.003	7	\$1.90
568-009T	7/32	11/32	1/16	.208 ±.005	.070 ±.003	6	2.32
568-010T	1/4	3/8	1/16	.239 ±.005	.070 ±.003	5	2.32
568-011T	5/16	7/16	1/16	.301 ±.005	.070 ±.003	5	2.32
568-012T	3/8	1/2	1/16	.364 ±.005	.070 ±.003	5	3.15
568-013T	7/16	9/16	1/16	.426 ±.005	.070 ±.003	6	2.47
568-014T	1/2	5/8	1/16	.489 ±.005	.070 ±.003	5	2.65
568-015T	9/16	11/16	1/16	.551 ±.007	.070 ±.003	5	2.80
568-016T	5/8	3/4	1/16	.614 ±.009	.070 ±.003	4	3.75
568-018T	3/4	7/8	1/16	.739 ±.009	.070 ±.003	4	3.57
568-020T	7/8	1	1/16	.864 ±.009	.070 ±.003	4	3.80
568-021T	15/16	1-1/16	1/16	.926 ±.009	.070 ±.003	3	4.45
568-022T	1	1-1/8	1/16	.989 ±.010	.070 ±.003	3	4.45
568-023T	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	3	4.50
568-024T	1-1/8	1-1/4	1/16	1.114 ±.010	.070 ±.003	3	4.50
568-026T	1-1/4	1-3/8	1/16	1.239 ±.011	.070 ±.003	3	5.80
568-028T	1-3/8	1-1/2	1/16	1.364 ±.013	.070 ±.003	2	6.52
568-029T	1-1/2	1-5/8	1/16	1.489 ±.013	.070 ±.003	2	7.07


STYLE 568, 55 - 58 SHORE D PTFE O-RING



568-030T	1-5/8	1-3/4	1/16	1.614 ±.013	.070 ±.003	2	7.07
568-032T	1-7/8	2	1/16	1.864 ±.015	.070 ±.003	2	7.42
3/32" C/S							
568-109T	5/16	1/2	3/32	.299 ±.005	.103 ±.003	5	\$2.98
568-110T	3/8	9/16	3/32	.362 ±.005	.103 ±.003	5	2.98
568-111T	7/16	5/8	3/32	.424 ±.005	.103 ±.003	5	2.98
568-112T	1/2	11/16	3/32	.487 ±.005	.103 ±.003	4	3.27
568-114T	5/8	13/16	3/32	.612 ±.009	.103 ±.003	4	3.30
568-115T	11/16	7/8	3/32	.674 ±.009	.103 ±.003	4	3.30
568-116T	3/4	15/16	3/32	.737 ±.009	.103 ±.003	4	3.75
568-117T	13/16	1	3/32	.799 ±.010	.103 ±.003	4	4.37
568-121T	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	4	6.92
568-122T	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	4	6.92
568-126T	1-3/8	1-9/16	3/32	1.362 ±.012	.103 ±.003	3	5.63
568-132T	1-3/4	1-15/16	3/32	1.737 ±.015	.103 ±.003	2	6.68
568-133T	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	2	6.85
568-137T	2-1/16	2-1/4	3/32	2.050 ±.017	.103 ±.003	2	9.20
568-142T	2-3/8	2-9/16	3/32	2.362 ±.020	.103 ±.003	2	11.27
1/8" C/S							
568-210T	3/4	1	1/8	.734 ±.010	.139 ±.004	3	\$3.94
568-212T	7/8	1-1/8	1/8	.859 ±.010	.139 ±.004	2	7.56
568-213T	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	3	4.90
568-214T	1	1-1/4	1/8	.984 ±.010	.139 ±.004	3	4.90
568-215T	1-1/16	1-5/16	1/8	1.046 ±.010	.139 ±.004	3	5.05
568-218T	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	1	7.63
568-219T	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	2	7.63
568-220T	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	2	8.48
568-223T	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	2	10.69
568-224T	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	2	10.69
568-225T	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	2	11.27
568-226T	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	2	11.27
568-228T	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	1	12.47
568-229T	2-3/8	2-5/8	1/8	2.359 ±.020	.139 ±.004	1	12.47
568-231T	2-5/8	2-7/8	1/8	2.609 ±.020	.139 ±.004	1	12.74
568-232T	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	1	13.37
568-234T	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	1	13.92
568-235T	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	1	14.37
568-236T	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	1	14.52
568-240T	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	1	15.88
568-242T	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	1	17.35
568-248T	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	1	29.67
568-258T	6	6-1/4	1/8	5.984 ±.035	.139 ±.004	1	65.29
568-268T	8-1/2	8-3/4	1/8	8.484 ±.050	.139 ±.004	1	92.35
568-273T	9-3/4	10	1/8	9.734 ±.055	.139 ±.004	1	105.05
3/16" C/S							
568-326T	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	1	\$14.85
568-327T	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	1	14.85
568-330T	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	1	16.78
568-342T	3-5/8	4	3/16	3.600 ±.028	.210 ±.005	1	26.32

Seal color may vary. Special order sizes are available.

STYLE 568, 90 DURO URETHANE O-RINGS



SEAL INFORMATION

MATERIAL	90A URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Urethane)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
568-006U	1/8	1/4	1/16	.114 ±.005	.070 ±.003	4	\$2.44
568-008U	3/16	5/16	1/16	.176 ±.005	.070 ±.003	3	3.03
568-009U	7/32	11/32	1/16	.208 ±.005	.070 ±.003	3	3.07
568-010U	1/4	3/8	1/16	.239 ±.005	.070 ±.003	3	3.06
568-011U	5/16	7/16	1/16	.301 ±.005	.070 ±.003	3	3.15
568-012U	3/8	1/2	1/16	.364 ±.005	.070 ±.003	3	3.20
568-013U	7/16	9/16	1/16	.426 ±.005	.070 ±.003	3	3.22
568-014U	1/2	5/8	1/16	.489 ±.005	.070 ±.003	3	3.22
568-014U-70D	1/2	5/8	1/16	.489 ±.005	.070 ±.003	3	3.22
568-015U	9/16	11/16	1/16	.551 ±.007	.070 ±.003	1	3.24
568-016U	5/8	3/4	1/16	.614 ±.009	.070 ±.003	3	3.24
568-016U-70D	5/8	3/4	1/16	.614 ±.009	.070 ±.003	3	4.46
568-017U	11/16	13/16	1/16	.676 ±.009	.070 ±.003	3	3.34
568-018U	3/4	7/8	1/16	.739 ±.009	.070 ±.003	3	3.41
568-020U	7/8	1	1/16	.864 ±.009	.070 ±.003	3	3.44
568-022U	1	1-1/8	1/16	.989 ±.010	.070 ±.003	3	4.55
568-023U	1-1/16	1-3/16	1/16	1.051 ±.010	.070 ±.003	3	4.55
568-031U	1-3/4	1-7/8	1/16	1.739 ±.015	.070 ±.003	2	6.44
3/32" C/S							
568-110U	3/8	9/16	3/32	.362 ±.005	.103 ±.003	2	\$4.00
568-111U	7/16	5/8	3/32	.424 ±.005	.103 ±.003	2	4.00
568-112U	1/2	11/16	3/32	.487 ±.005	.103 ±.003	3	4.00
568-113U	9/16	3/4	3/32	.549 ±.005	.103 ±.003	2	5.57
568-114U	5/8	13/16	3/32	.612 ±.009	.103 ±.003	2	5.00
568-115U	11/16	7/8	3/32	.674 ±.009	.103 ±.003	2	5.00
568-116U	3/4	15/16	3/32	.737 ±.009	.103 ±.003	2	6.09
568-117U	13/16	1	3/32	.799 ±.010	.103 ±.003	2	6.43
568-118U	7/8	1-1/16	3/32	.862 ±.010	.103 ±.003	2	7.29
568-119U	15/16	1-1/8	3/32	.924 ±.010	.103 ±.003	2	7.29
568-120U	1	1-3/16	3/32	.987 ±.010	.103 ±.003	2	7.77
568-121U	1-1/16	1-1/4	3/32	1.049 ±.010	.103 ±.003	2	7.77
568-122U	1-1/8	1-5/16	3/32	1.112 ±.010	.103 ±.003	2	7.77
568-123U	1-3/16	1-3/8	3/32	1.174 ±.012	.103 ±.003	2	8.49
568-124U	1-1/4	1-7/16	3/32	1.237 ±.012	.103 ±.003	2	8.49
568-131U	1-11/16	1-7/8	3/32	1.674 ±.015	.103 ±.003	2	11.23
568-133U	1-13/16	2	3/32	1.799 ±.015	.103 ±.003	2	11.23


Seal color may vary. Special order sizes are available.

STYLE 568, 90 DURO URETHANE O-RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
568-134U	1-7/8	2-1/16	3/32	1.862 ±.015	.103 ±.003	1	11.23
568-136U-70D	2	2-3/16	3/32	1.987 ±.017	.103 ±.003	2	7.31
568-148U	2-3/4	2-15/16	3/32	2.737 ±.022	.103 ±.003	1	12.07
1/8" C/S							
568-206U	1/2	3/4	1/8	.484 ±.005	.139 ±.004	3	\$4.02
568-210U	3/4	1	1/8	.734 ±.010	.139 ±.004	3	5.17
568-211U	13/16	1-1/16	1/8	.796 ±.010	.139 ±.004	2	5.17
568-213U	15/16	1-3/16	1/8	.921 ±.010	.139 ±.004	2	5.27
568-216U	1-1/8	1-3/8	1/8	1.109 ±.012	.139 ±.004	2	5.59
568-218U	1-1/4	1-1/2	1/8	1.234 ±.012	.139 ±.004	2	5.59
568-219U	1-5/16	1-9/16	1/8	1.296 ±.012	.139 ±.004	2	6.67
568-220U	1-3/8	1-5/8	1/8	1.359 ±.012	.139 ±.004	2	9.72
568-221U	1-7/16	1-11/16	1/8	1.421 ±.012	.139 ±.004	2	7.09
568-222U	1-1/2	1-3/4	1/8	1.484 ±.015	.139 ±.004	2	7.09
568-223U	1-5/8	1-7/8	1/8	1.609 ±.015	.139 ±.004	2	10.34
568-224U	1-3/4	2	1/8	1.734 ±.015	.139 ±.004	2	10.34
568-225U	1-7/8	2-1/8	1/8	1.859 ±.018	.139 ±.004	1	11.06
568-226U	2	2-1/4	1/8	1.984 ±.018	.139 ±.004	2	11.06
568-227U	2-1/8	2-3/8	1/8	2.109 ±.018	.139 ±.004	2	11.06
568-228U	2-1/4	2-1/2	1/8	2.234 ±.020	.139 ±.004	2	11.06
568-230U	2-1/2	2-3/4	1/8	2.484 ±.020	.139 ±.004	2	11.34
568-232U	2-3/4	3	1/8	2.734 ±.024	.139 ±.004	2	11.95
568-233U	2-7/8	3-1/8	1/8	2.859 ±.024	.139 ±.004	1	11.95
568-234U	3	3-1/4	1/8	2.984 ±.024	.139 ±.004	1	11.95
568-235U	3-1/8	3-3/8	1/8	3.109 ±.024	.139 ±.004	1	14.59
568-236U	3-1/4	3-1/2	1/8	3.234 ±.024	.139 ±.004	1	14.94
568-238U	3-1/2	3-3/4	1/8	3.484 ±.024	.139 ±.004	1	18.54
568-240U	3-3/4	4	1/8	3.734 ±.028	.139 ±.004	1	18.54
568-242U	4	4-1/4	1/8	3.984 ±.028	.139 ±.004	1	22.17
568-244U	4-1/4	4-1/2	1/8	4.234 ±.030	.139 ±.004	1	33.63
568-248U	4-3/4	5	1/8	4.734 ±.030	.139 ±.004	1	36.04
568-256U	5-3/4	6	1/8	5.734 ±.035	.139 ±.004	1	52.28
568-260U	6-1/2	6-3/4	1/8	6.484 ±.040	.139 ±.004	1	62.74
3/16" C/S							
568-326U	1-5/8	2	3/16	1.600 ±.015	.210 ±.005	1	\$11.56
568-327U	1-3/4	2-1/8	3/16	1.725 ±.015	.210 ±.005	1	8.10
568-328U	1-7/8	2-1/4	3/16	1.850 ±.015	.210 ±.005	1	8.73
568-329U	2	2-3/8	3/16	1.975 ±.018	.210 ±.005	1	15.71
568-330U	2-1/8	2-1/2	3/16	2.100 ±.018	.210 ±.005	1	10.16
568-331U	2-1/4	2-5/8	3/16	2.225 ±.018	.210 ±.005	1	11.63
568-332U	2-3/8	2-3/4	3/16	2.350 ±.018	.210 ±.005	1	11.63
568-335U	2-3/4	3-1/8	3/16	2.725 ±.020	.210 ±.005	1	19.11
568-336U	2-7/8	3-1/4	3/16	2.850 ±.020	.210 ±.005	1	22.25
568-337U	3	3-3/8	3/16	2.975 ±.024	.210 ±.005	1	22.67
568-348U	4-3/8	4-3/4	3/16	4.350 ±.030	.210 ±.005	1	22.35

STYLE 580, SQUARE BUNA-N O-RINGS



SEAL INFORMATION

MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
SPEED	3 FT/SEC
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
1/16" C/S							
580-008	3/16	5/16	.176 ±.005	.066 ±.005	.066 ±.005	10	\$0.80
580-012	3/8	1/2	.364 ±.005	.066 ±.005	.066 ±.005	50	0.23
580-014	1/2	5/8	.489 ±.005	.066 ±.005	.066 ±.005	38	0.22
580-015	9/16	11/16	.551 ±.007	.066 ±.005	.066 ±.005	50	0.22
580-016	5/8	3/4	.614 ±.009	.066 ±.005	.066 ±.005	38	0.22
580-017	11/16	13/16	.676 ±.009	.066 ±.005	.066 ±.005	30	0.25
580-019	13/16	15/16	.801 ±.009	.066 ±.005	.066 ±.005	30	0.26
580-021	15/16	1-1/16	.926 ±.009	.066 ±.005	.066 ±.005	25	0.28
580-022	1	1-1/8	.989 ±.010	.066 ±.005	.066 ±.005	29	0.28
580-025	1-3/16	1-5/16	1.176 ±.011	.066 ±.005	.066 ±.005	25	0.32
580-026	1-1/4	1-3/8	1.239 ±.011	.066 ±.005	.066 ±.005	24	0.32
580-028	1-3/8	1-1/2	1.364 ±.013	.066 ±.005	.066 ±.005	25	0.32
580-029	1-1/2	1-5/8	1.489 ±.013	.066 ±.005	.066 ±.005	25	0.32
580-032	1-7/8	2	1.864 ±.015	.066 ±.005	.066 ±.005	15	0.60
580-033	2	2-1/8	1.989 ±.018	.066 ±.005	.066 ±.005	15	0.60
580-034	2-1/8	2-1/4	2.114 ±.018	.066 ±.005	.066 ±.005	15	0.60
580-035	2-1/4	2-3/8	2.239 ±.018	.066 ±.005	.066 ±.005	15	0.68
580-036	2-3/8	2-1/2	2.364 ±.018	.066 ±.005	.066 ±.005	13	0.68
580-037	2-1/2	2-5/8	2.489 ±.018	.066 ±.005	.066 ±.005	13	0.68
580-038	2-5/8	2-3/4	2.614 ±.020	.066 ±.005	.066 ±.005	13	0.68
580-039	2-3/4	2-7/8	2.739 ±.020	.066 ±.005	.066 ±.005	12	0.71
580-040	2-7/8	3	2.864 ±.020	.066 ±.005	.066 ±.005	12	0.77
580-041	3	3-1/8	2.989 ±.024	.066 ±.005	.066 ±.005	9	0.92
580-042	3-1/4	3-3/8	3.239 ±.024	.066 ±.005	.066 ±.005	9	0.92
580-043	3-1/2	3-5/8	3.489 ±.024	.066 ±.005	.066 ±.005	9	0.97
580-044	3-3/4	3-7/8	3.739 ±.027	.066 ±.005	.066 ±.005	9	0.97
580-045	4	4-1/8	3.989 ±.027	.066 ±.005	.066 ±.005	8	1.09
580-046	4-1/4	4-3/8	4.239 ±.030	.066 ±.005	.066 ±.005	7	1.21
580-047	4-1/2	4-5/8	4.489 ±.030	.066 ±.005	.066 ±.005	7	1.29
3/32" C/S							
580-110	3/8	9/16	.362 ±.005	.099 ±.005	.099 ±.005	23	\$0.32
580-113	9/16	3/4	.549 ±.005	.099 ±.005	.099 ±.005	13	0.63
580-115	11/16	7/8	.674 ±.009	.099 ±.005	.099 ±.005	14	0.63

STYLE 580, SQUARE BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-116	3/4	15/16	.737 ±.009	.099 ±.005	.099 ±.005	35	0.48
580-117	13/16	1	.799 ±.010	.099 ±.005	.099 ±.005	30	0.27
580-118	7/8	1-1/16	.862 ±.010	.099 ±.005	.099 ±.005	30	0.26
580-119	15/16	1-1/8	.924 ±.010	.099 ±.005	.099 ±.005	13	0.28
580-120	1	1-3/16	.987 ±.010	.099 ±.005	.099 ±.005	27	0.29
580-121	1-1/16	1-1/4	1.049 ±.010	.099 ±.005	.099 ±.005	25	0.29
580-122	1-1/8	1-5/16	1.112 ±.010	.099 ±.005	.099 ±.005	25	0.60
580-123	1-3/16	1-3/8	1.174 ±.012	.099 ±.005	.099 ±.005	12	0.71
580-124	1-1/4	1-7/16	1.237 ±.012	.099 ±.005	.099 ±.005	12	0.77
580-125	1-5/16	1-1/2	1.299 ±.012	.099 ±.005	.099 ±.005	12	0.77
580-125-90D	1-5/16	1-1/2	1.299 ±.012	.099 ±.005	.099 ±.005	5	2.06
580-126	1-3/8	1-9/16	1.362 ±.012	.099 ±.005	.099 ±.005	27	0.77
580-127	1-7/16	1-5/8	1.424 ±.012	.099 ±.005	.099 ±.005	12	0.77
580-128	1-1/2	1-11/16	1.487 ±.012	.099 ±.005	.099 ±.005	12	0.77
580-129	1-9/16	1-3/4	1.549 ±.015	.099 ±.005	.099 ±.005	12	0.77
580-130	1-5/8	1-13/16	1.612 ±.015	.099 ±.005	.099 ±.005	12	0.77
580-131	1-11/16	1-7/8	1.674 ±.015	.099 ±.005	.099 ±.005	12	0.77
580-132	1-3/4	1-15/16	1.737 ±.015	.099 ±.005	.099 ±.005	11	0.81
580-133	1-13/16	2	1.799 ±.015	.099 ±.005	.099 ±.005	11	0.81
580-134	1-7/8	2-1/16	1.862 ±.015	.099 ±.005	.099 ±.005	11	0.81
580-135	1-15/16	2-1/8	1.925 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-136	2	2-3/16	1.987 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-137	2-1/16	2-1/4	2.050 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-138	2-1/8	2-5/16	2.112 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-139	2-3/16	2-3/8	2.175 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-140	2-1/4	2-7/16	2.237 ±.017	.099 ±.005	.099 ±.005	11	0.81
580-141	2-5/16	2-1/2	2.300 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-142	2-3/8	2-9/16	2.362 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-143	2-7/16	2-5/8	2.425 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-144	2-1/2	2-11/16	2.487 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-145	2-9/16	2-3/4	2.550 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-146	2-5/8	2-13/16	2.612 ±.020	.099 ±.005	.099 ±.005	11	0.81
580-147	2-11/16	2-7/8	2.675 ±.022	.099 ±.005	.099 ±.005	10	0.85
580-148	2-3/4	2-15/16	2.737 ±.022	.099 ±.005	.099 ±.005	10	0.85
580-149	2-13/16	3	2.800 ±.022	.099 ±.005	.099 ±.005	10	0.85
580-150	2-7/8	3-1/16	2.862 ±.022	.099 ±.005	.099 ±.005	10	0.85
580-151	3	3-3/16	2.987 ±.024	.099 ±.005	.099 ±.005	10	0.87
580-152	3-1/4	3-7/16	3.237 ±.024	.099 ±.005	.099 ±.005	10	0.87
580-153	3-1/2	3-11/16	3.487 ±.024	.099 ±.005	.099 ±.005	9	0.92
580-154	3-3/4	3-15/16	3.737 ±.028	.099 ±.005	.099 ±.005	9	0.97
580-155	4	4-3/16	3.987 ±.028	.099 ±.005	.099 ±.005	7	1.21
580-156	4-1/4	4-7/16	4.237 ±.030	.099 ±.005	.099 ±.005	6	1.46
580-157	4-1/2	4-11/16	4.487 ±.030	.099 ±.005	.099 ±.005	5	1.79
580-158	4-3/4	4-15/16	4.737 ±.030	.099 ±.005	.099 ±.005	5	1.94
580-159	5	5-3/16	4.987 ±.035	.099 ±.005	.099 ±.005	4	2.12
580-160	5-1/4	5-7/16	5.237 ±.035	.099 ±.005	.099 ±.005	4	2.26
580-161	5-1/2	5-11/16	5.487 ±.035	.099 ±.005	.099 ±.005	4	2.53
580-163	6	6-3/16	5.987 ±.035	.099 ±.005	.099 ±.005	3	2.86
580-164	6-1/4	6-7/16	6.237 ±.040	.099 ±.005	.099 ±.005	3	2.95
580-170	7-3/4	7-15/16	7.737 ±.045	.099 ±.005	.099 ±.005	3	3.37

STYLE 580, SQUARE BUNA-N O-RINGS

Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
1/8" C/S							
580-206	1/2	3/4	.484 ±.005	.134 ±.005	.134 ±.005	15	\$0.42
580-209	11/16	15/16	.671 ±.009	.134 ±.005	.134 ±.005	15	0.42
580-210	3/4	1	.734 ±.010	.134 ±.005	.134 ±.005	15	0.42
580-211	13/16	1-1/16	.796 ±.010	.134 ±.005	.134 ±.005	15	0.45
580-213	15/16	1-3/16	.921 ±.010	.134 ±.005	.134 ±.005	15	0.45
580-214	1	1-1/4	.984 ±.010	.134 ±.005	.134 ±.005	15	0.45
580-215	1-1/16	1-5/16	1.046 ±.010	.134 ±.005	.134 ±.005	15	0.45
580-216	1-1/8	1-3/8	1.109 ±.012	.134 ±.005	.134 ±.005	15	0.45
580-217	1-3/16	1-7/16	1.171 ±.012	.134 ±.005	.134 ±.005	15	0.56
580-218	1-1/4	1-1/2	1.234 ±.012	.134 ±.005	.134 ±.005	15	0.54
580-220	1-3/8	1-5/8	1.359 ±.012	.134 ±.005	.134 ±.005	15	0.54
580-221	1-7/16	1-11/16	1.421 ±.012	.134 ±.005	.134 ±.005	15	0.58
580-222	1-1/2	1-3/4	1.484 ±.015	.134 ±.005	.134 ±.005	15	0.58
580-223	1-5/8	1-7/8	1.609 ±.015	.134 ±.005	.134 ±.005	15	0.58
580-224	1-3/4	2	1.734 ±.015	.134 ±.005	.134 ±.005	15	0.58
580-225	1-7/8	2-1/8	1.859 ±.018	.134 ±.005	.134 ±.005	15	0.58
580-226	2	2-1/4	1.984 ±.018	.134 ±.005	.134 ±.005	15	0.60
580-227	2-1/8	2-3/8	2.109 ±.018	.134 ±.005	.134 ±.005	15	0.60
580-229	2-3/8	2-5/8	2.359 ±.020	.134 ±.005	.134 ±.005	15	0.60
580-230	2-1/2	2-3/4	2.484 ±.020	.134 ±.005	.134 ±.005	15	0.60
580-231	2-5/8	2-7/8	2.609 ±.020	.134 ±.005	.134 ±.005	15	0.60
580-232	2-3/4	3	2.734 ±.024	.134 ±.005	.134 ±.005	15	0.60
580-233	2-7/8	3-1/8	2.859 ±.024	.134 ±.005	.134 ±.005	15	0.60
580-234	3	3-1/4	2.984 ±.024	.134 ±.005	.134 ±.005	14	0.63
580-235	3-1/8	3-3/8	3.109 ±.024	.134 ±.005	.134 ±.005	13	0.68
580-236	3-1/4	3-1/2	3.234 ±.024	.134 ±.005	.134 ±.005	12	0.71
580-237	3-3/8	3-5/8	3.359 ±.024	.134 ±.005	.134 ±.005	12	0.77
580-238	3-1/2	3-3/4	3.484 ±.024	.134 ±.005	.134 ±.005	12	0.77
580-239	3-5/8	3-7/8	3.609 ±.028	.134 ±.005	.134 ±.005	10	0.85
580-240	3-3/4	4	3.734 ±.028	.134 ±.005	.134 ±.005	10	0.87
580-241	3-7/8	4-1/8	3.859 ±.028	.134 ±.005	.134 ±.005	10	0.87
580-242	4	4-1/4	3.984 ±.028	.134 ±.005	.134 ±.005	10	0.87
580-243	4-1/8	4-3/8	4.109 ±.028	.134 ±.005	.134 ±.005	9	0.92
580-244	4-1/4	4-1/2	4.234 ±.030	.134 ±.005	.134 ±.005	9	0.92
580-245	4-3/8	4-5/8	4.359 ±.030	.134 ±.005	.134 ±.005	8	1.09
580-246	4-1/2	4-3/4	4.484 ±.030	.134 ±.005	.134 ±.005	7	1.29
580-247	4-5/8	4-7/8	4.609 ±.030	.134 ±.005	.134 ±.005	6	1.64
580-248	4-3/4	5	4.734 ±.030	.134 ±.005	.134 ±.005	5	1.66
580-249	4-7/8	5-1/8	4.859 ±.035	.134 ±.005	.134 ±.005	5	1.74
580-250	5	5-1/4	4.984 ±.035	.134 ±.005	.134 ±.005	5	1.85
580-251	5-1/8	5-3/8	5.109 ±.035	.134 ±.005	.134 ±.005	5	1.88
580-252	5-1/4	5-1/2	5.234 ±.035	.134 ±.005	.134 ±.005	5	2.05
580-253	5-3/8	5-5/8	5.359 ±.035	.134 ±.005	.134 ±.005	4	2.08
580-254	5-1/2	5-3/4	5.484 ±.035	.134 ±.005	.134 ±.005	4	2.12
580-255	5-5/8	5-7/8	5.609 ±.035	.134 ±.005	.134 ±.005	4	2.17
580-256	5-3/4	6	5.734 ±.035	.134 ±.005	.134 ±.005	4	2.30
580-257	5-7/8	6-1/8	5.859 ±.035	.134 ±.005	.134 ±.005	4	2.37
580-258	6	6-1/4	5.984 ±.035	.134 ±.005	.134 ±.005	4	2.53
580-259	6-1/4	6-1/2	6.234 ±.040	.134 ±.005	.134 ±.005	4	2.73

STYLE 580, SQUARE BUNA-N O-RINGS



Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-260	6-1/2	6-3/4	6.484 ±.040	.134 ±.005	.134 ±.005	3	2.83
580-261	6-3/4	7	6.734 ±.040	.134 ±.005	.134 ±.005	3	2.83
580-262	7	7-1/4	6.984 ±.040	.134 ±.005	.134 ±.005	3	2.86
580-263	7-1/4	7-1/2	7.234 ±.045	.134 ±.005	.134 ±.005	3	3.02
580-264	7-1/2	7-3/4	7.484 ±.045	.134 ±.005	.134 ±.005	3	3.06
580-265	7-3/4	8	7.734 ±.045	.134 ±.005	.134 ±.005	3	3.16
580-266	8	8-1/4	7.984 ±.045	.134 ±.005	.134 ±.005	3	3.36
580-267	8-1/4	8-1/2	8.234 ±.050	.134 ±.005	.134 ±.005	3	3.53
580-268	8-1/2	8-3/4	8.484 ±.050	.134 ±.005	.134 ±.005	3	3.53
580-269	8-3/4	9	8.734 ±.050	.134 ±.005	.134 ±.005	3	7.77
580-271	9-1/4	9-1/2	9.234 ±.055	.134 ±.005	.134 ±.005	3	16.60
580-273	9-3/4	10	9.734 ±.055	.134 ±.005	.134 ±.005	3	24.26
580-274	10	10-1/4	9.984 ±.055	.134 ±.005	.134 ±.005	3	8.31
580-278	12	12-1/4	11.984 ±.065	.134 ±.005	.134 ±.005	1	27.97
3/16" C/S							
580-322	1-1/4	1-5/8	1.225 ±.012	.203 ±.006	.203 ±.006	5	\$0.83
580-324	1-3/8	1-3/4	1.350 ±.012	.203 ±.006	.203 ±.006	8	0.98
580-325	1-1/2	1-7/8	1.475 ±.015	.203 ±.006	.203 ±.006	15	0.98
580-326	1-5/8	2	1.600 ±.015	.203 ±.006	.203 ±.006	15	0.98
580-327	1-3/4	2-1/8	1.725 ±.015	.203 ±.006	.203 ±.006	35	0.50
580-328	1-7/8	2-1/4	1.850 ±.015	.203 ±.006	.203 ±.006	15	0.98
580-329	2	2-3/8	1.975 ±.018	.203 ±.006	.203 ±.006	13	0.98
580-330	2-1/8	2-1/2	2.100 ±.018	.203 ±.006	.203 ±.006	13	1.12
580-331	2-1/4	2-5/8	2.225 ±.018	.203 ±.006	.203 ±.006	13	1.12
580-332	2-3/8	2-3/4	2.350 ±.018	.203 ±.006	.203 ±.006	13	1.12
580-333	2-1/2	2-7/8	2.475 ±.020	.203 ±.006	.203 ±.006	13	1.12
580-334	2-5/8	3	2.600 ±.020	.203 ±.006	.203 ±.006	13	1.29
580-335	2-3/4	3-1/8	2.725 ±.020	.203 ±.006	.203 ±.006	12	1.29
580-336	2-7/8	3-1/4	2.850 ±.020	.203 ±.006	.203 ±.006	11	1.29
580-337	3	3-3/8	2.975 ±.024	.203 ±.006	.203 ±.006	10	1.29
580-338	3-1/8	3-1/2	3.100 ±.024	.203 ±.006	.203 ±.006	10	1.39
580-339	3-1/4	3-5/8	3.225 ±.024	.203 ±.006	.203 ±.006	10	1.39
580-340	3-3/8	3-3/4	3.350 ±.024	.203 ±.006	.203 ±.006	10	1.39
580-341	3-1/2	3-7/8	3.475 ±.024	.203 ±.006	.203 ±.006	9	1.39
580-342	3-5/8	4	3.600 ±.028	.203 ±.006	.203 ±.006	9	1.48
580-343	3-3/4	4-1/8	3.725 ±.028	.203 ±.006	.203 ±.006	8	1.48
580-344	3-7/8	4-1/4	3.850 ±.028	.203 ±.006	.203 ±.006	7	1.48
580-345	4	4-3/8	3.975 ±.028	.203 ±.006	.203 ±.006	7	1.48
580-346	4-1/8	4-1/2	4.100 ±.028	.203 ±.006	.203 ±.006	7	1.64
580-347	4-1/4	4-5/8	4.225 ±.030	.203 ±.006	.203 ±.006	7	1.74
580-348	4-3/8	4-3/4	4.350 ±.030	.203 ±.006	.203 ±.006	7	1.74
580-349	4-1/2	4-7/8	4.475 ±.030	.203 ±.006	.203 ±.006	6	1.74
580-350	4-5/8	5	4.600 ±.030	.203 ±.006	.203 ±.006	6	1.94
580-351	4-3/4	5-1/8	4.725 ±.030	.203 ±.006	.203 ±.006	6	1.94
580-352	4-7/8	5-1/4	4.850 ±.030	.203 ±.006	.203 ±.006	6	1.94
580-353	5	5-3/8	4.975 ±.037	.203 ±.006	.203 ±.006	5	2.32
580-354	5-1/8	5-1/2	5.100 ±.037	.203 ±.006	.203 ±.006	4	2.32
580-355	5-1/4	5-5/8	5.225 ±.037	.203 ±.006	.203 ±.006	4	2.32
580-356	5-3/8	5-3/4	5.350 ±.037	.203 ±.006	.203 ±.006	4	2.32
580-357	5-1/2	5-7/8	5.475 ±.037	.203 ±.006	.203 ±.006	4	2.32

STYLE 580, SQUARE BUNA-N O-RINGS


Part Number	A Nom. ID	B Nom. OD	INSIDE DIAMETER	C HEIGHT	CROSS SECTION	Package Quantity	List Price
580-358	5-5/8	6	5.600 ±.037	.203 ±.006	.203 ±.006	4	2.32
580-366	7-1/4	7-5/8	7.225 ±.045	.203 ±.006	.203 ±.006	4	2.77
1/4" C/S							
580-414	3-1/8	3-5/8	3.100 ±.024	.266 ±.007	.266 ±.007	2	\$5.22
580-423	4-1/4	4-3/4	4.225 ±.030	.266 ±.007	.266 ±.007	2	4.92
580-425	4-1/2	5	4.475 ±.033	.266 ±.007	.266 ±.007	3	2.78
580-426	4-5/8	5-1/8	4.600 ±.033	.266 ±.007	.266 ±.007	3	2.78
580-427	4-3/4	5-1/4	4.725 ±.033	.266 ±.007	.266 ±.007	3	2.78
580-428	4-7/8	5-3/8	4.850 ±.033	.266 ±.007	.266 ±.007	3	2.78
580-429	5	5-1/2	4.975 ±.037	.266 ±.007	.266 ±.007	3	2.78
580-430	5-1/8	5-5/8	5.100 ±.037	.266 ±.007	.266 ±.007	3	2.78
580-431	5-1/4	5-3/4	5.225 ±.037	.266 ±.007	.266 ±.007	3	2.78
580-433	5-1/2	6	5.475 ±.037	.266 ±.007	.266 ±.007	3	2.83
580-434	5-5/8	6-1/8	5.600 ±.037	.266 ±.007	.266 ±.007	3	2.83
580-435	5-3/4	6-1/4	5.725 ±.037	.266 ±.007	.266 ±.007	3	3.02
580-436	5-7/8	6-3/8	5.850 ±.037	.266 ±.007	.266 ±.007	3	3.43
580-437	6	6-1/2	5.975 ±.037	.266 ±.007	.266 ±.007	3	3.41
580-438	6-1/4	6-3/4	6.225 ±.040	.266 ±.007	.266 ±.007	3	3.54
580-439	6-1/2	7	6.475 ±.040	.266 ±.007	.266 ±.007	3	3.76
580-440	6-3/4	7-1/4	6.725 ±.040	.266 ±.007	.266 ±.007	3	4.01
580-441	7	7-1/2	6.975 ±.040	.266 ±.007	.266 ±.007	2	4.26
580-442	7-1/4	7-3/4	7.225 ±.045	.266 ±.007	.266 ±.007	2	4.36
580-443	7-1/2	8	7.475 ±.045	.266 ±.007	.266 ±.007	2	4.48
580-444	7-3/4	8-1/4	7.725 ±.045	.266 ±.007	.266 ±.007	2	4.57
580-445	8	8-1/2	7.975 ±.045	.266 ±.007	.266 ±.007	2	4.57
580-446	8-1/2	9	8.475 ±.055	.266 ±.007	.266 ±.007	2	4.96
580-447	9	9-1/2	8.975 ±.055	.266 ±.007	.266 ±.007	2	5.49
580-448	9-1/2	10	9.475 ±.055	.266 ±.007	.266 ±.007	2	6.50
580-449	10	10-1/2	9.975 ±.055	.266 ±.007	.266 ±.007	2	15.83
580-450	10-1/2	11	10.475 ±.060	.266 ±.007	.266 ±.007	1	28.62
580-451	11	11-1/2	10.975 ±.060	.266 ±.007	.266 ±.007	1	35.54

STYLE QR, BUNA-N QUAD® RINGS



Quad® Rings provide improved stability and lubricity over conventional o-rings, reducing the tendency to spiral in the groove. They interchange standard o-rings in a variety of static and dynamic sealing applications including rotary, reciprocating or oscillating motion.

NOTE: Last three digits of part number corresponds to standard o-ring dash numbers (568-218 = QR-4218)



SEAL INFORMATION

MATERIAL	BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
SPEED	3 FT/SEC
PART NUMBER	(Prefix) - (Dash No.)

V = FLUOROCARBON

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
1/16" C/S								
QR-4004	5/64	13/64	1/16	-004	.070 ±.005	.070 ±.003	6	\$1.29
QR-4005	3/32	7/32	1/16	-005	.101 ±.005	.070 ±.003	6	1.29
QR-4006	1/8	1/4	1/16	-006	.114 ±.005	.070 ±.003	6	1.29
QR-4007	5/32	9/32	1/16	-007	.145 ±.005	.070 ±.003	6	1.29
QR-4008	3/16	5/16	1/16	-008	.176 ±.005	.070 ±.003	6	1.29
QR-4009	7/32	11/32	1/16	-009	.208 ±.005	.070 ±.003	6	1.29
QR-4010	1/4	3/8	1/16	-010	.239 ±.005	.070 ±.003	6	1.29
QR-4011	5/16	7/16	1/16	-011	.301 ±.005	.070 ±.003	6	1.29
QR-4012	3/8	1/2	1/16	-012	.364 ±.005	.070 ±.003	6	1.29
QR-4013	7/16	9/16	1/16	-013	.426 ±.005	.070 ±.003	6	1.29
QR-4014	1/2	5/8	1/16	-014	.489 ±.005	.070 ±.003	6	1.29
QR-4015	9/16	11/16	1/16	-015	.551 ±.007	.070 ±.003	6	1.29
QR-4016	5/8	3/4	1/16	-016	.614 ±.009	.070 ±.003	5	1.64
QR-4017	11/16	13/16	1/16	-017	.676 ±.009	.070 ±.003	5	1.64
QR-4018	3/4	7/8	1/16	-018	.739 ±.009	.070 ±.003	5	1.64
QR-4019	13/16	15/16	1/16	-019	.801 ±.009	.070 ±.003	5	1.64
QR-4020	7/8	1	1/16	-020	.864 ±.009	.070 ±.003	5	1.64
QR-4021	15/16	1-1/16	1/16	-021	.926 ±.009	.070 ±.003	5	1.64
QR-4022	1	1-1/8	1/16	-022	.989 ±.010	.070 ±.003	4	2.00
QR-4023	1-1/16	1-3/16	1/16	-023	1.051 ±.010	.070 ±.003	4	2.00
QR-4024	1-1/8	1-1/4	1/16	-024	1.114 ±.010	.070 ±.003	4	2.00
QR-4025	1-3/16	1-5/16	1/16	-025	1.176 ±.011	.070 ±.003	3	2.30
QR-4026	1-1/4	1-3/8	1/16	-026	1.239 ±.011	.070 ±.003	3	2.30
QR-4027	1-5/16	1-7/16	1/16	-027	1.301 ±.011	.070 ±.003	3	2.40
QR-4028	1-3/8	1-1/2	1/16	-028	1.364 ±.013	.070 ±.003	3	2.48
QR-4029	1-1/2	1-5/8	1/16	-029	1.489 ±.013	.070 ±.003	3	2.48
QR-4030	1-5/8	1-3/4	1/16	-030	1.614 ±.013	.070 ±.003	3	2.78
QR-4031	1-3/4	1-7/8	1/16	-031	1.739 ±.015	.070 ±.003	3	2.69
QR-4032	1-7/8	2	1/16	-032	1.864 ±.015	.070 ±.003	2	2.89
QR-4033	2	2-1/8	1/16	-033	1.989 ±.018	.070 ±.003	3	2.14
QR-4034	2-1/8	2-1/4	1/16	-034	2.114 ±.018	.070 ±.003	3	2.21
QR-4035	2-1/4	2-3/8	1/16	-035	2.239 ±.018	.070 ±.003	3	2.28
QR-4036	2-3/8	2-1/2	1/16	-036	2.364 ±.018	.070 ±.003	3	3.93

STYLE QR, BUNA-N QUAD® RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
QR-4037	2-1/2	2-5/8	1/16	-037	2.489 ±.018	.070 ±.003	2	2.87
QR-4038	2-5/8	2-3/4	1/16	-038	2.614 ±.020	.070 ±.003	2	3.61
QR-4039	2-3/4	2-7/8	1/16	-039	2.739 ±.020	.070 ±.003	2	3.24
QR-4040	2-7/8	3	1/16	-040	2.864 ±.020	.070 ±.003	2	3.31
QR-4041	3	3-1/8	1/16	-041	2.989 ±.024	.070 ±.003	2	3.39
QR-4042	3-1/4	3-3/8	1/16	-042	3.239 ±.024	.070 ±.003	2	3.53
QR-4043	3-1/2	3-5/8	1/16	-043	3.489 ±.024	.070 ±.003	2	3.93
QR-4044	3-3/4	3-7/8	1/16	-044	3.739 ±.027	.070 ±.003	2	13.47
QR-4045	4	4-1/8	1/16	-045	3.989 ±.027	.070 ±.003	2	3.98
QR-4046	4-1/4	4-3/8	1/16	-046	4.239 ±.030	.070 ±.003	2	4.02
QR-4047	4-1/2	4-5/8	1/16	-047	4.489 ±.030	.070 ±.003	2	4.87
QR-4048	4-3/4	4-7/8	1/16	-048	4.739 ±.030	.070 ±.003	2	5.02
QR-4050	5-1/4	5-3/8	1/16	-050	5.239 ±.037	.070 ±.003	2	6.93
3/32" C/S								
QR-4108	1/4	7/16	3/32	-108	.237 ±.005	.103 ±.003	5	\$1.28
QR-4109	5/16	1/2	3/32	-109	.299 ±.005	.103 ±.003	5	1.49
QR-4110	3/8	9/16	3/32	-110	.362 ±.005	.103 ±.003	5	1.49
QR-4111	7/16	5/8	3/32	-111	.424 ±.005	.103 ±.003	5	1.49
QR-4112	1/2	11/16	3/32	-112	.487 ±.005	.103 ±.003	5	1.49
QR-4113	9/16	3/4	3/32	-113	.549 ±.005	.103 ±.003	5	1.49
QR-4113V	9/16	3/4	3/32	-113	.549 ±.005	.103 ±.003	1	5.10
QR-4114	5/8	13/16	3/32	-114	.612 ±.009	.103 ±.003	5	1.49
QR-4115	11/16	7/8	3/32	-115	.674 ±.009	.103 ±.003	5	1.49
QR-4116	3/4	15/16	3/32	-116	.737 ±.009	.103 ±.003	5	1.64
QR-4117	13/16	1	3/32	-117	.799 ±.010	.103 ±.003	5	1.64
QR-4118	7/8	1-1/16	3/32	-118	.862 ±.010	.103 ±.003	5	1.79
QR-4119	15/16	1-1/8	3/32	-119	.924 ±.010	.103 ±.003	5	1.79
QR-4120	1	1-3/16	3/32	-120	.987 ±.010	.103 ±.003	5	1.79
QR-4121	1-1/16	1-1/4	3/32	-121	1.049 ±.010	.103 ±.003	5	1.79
QR-4122	1-1/8	1-5/16	3/32	-122	1.112 ±.010	.103 ±.003	5	1.79
QR-4123	1-3/16	1-3/8	3/32	-123	1.174 ±.012	.103 ±.003	5	1.79
QR-4124	1-1/4	1-7/16	3/32	-124	1.237 ±.012	.103 ±.003	5	1.79
QR-4125	1-5/16	1-1/2	3/32	-125	1.299 ±.012	.103 ±.003	4	1.87
QR-4126	1-3/8	1-9/16	3/32	-126	1.362 ±.012	.103 ±.003	4	1.87
QR-4127	1-7/16	1-5/8	3/32	-127	1.424 ±.012	.103 ±.003	4	1.87
QR-4128	1-1/2	1-11/16	3/32	-128	1.487 ±.012	.103 ±.003	4	1.87
QR-4129	1-9/16	1-3/4	3/32	-129	1.549 ±.015	.103 ±.003	4	1.87
QR-4130	1-5/8	1-13/16	3/32	-130	1.612 ±.015	.103 ±.003	4	1.87
QR-4131	1-11/16	1-7/8	3/32	-131	1.674 ±.015	.103 ±.003	4	2.18
QR-4132	1-3/4	1-15/16	3/32	-132	1.737 ±.015	.103 ±.003	4	2.18
QR-4133	1-13/16	2	3/32	-133	1.799 ±.015	.103 ±.003	4	2.18
QR-4134	1-7/8	2-1/16	3/32	-134	1.862 ±.015	.103 ±.003	4	2.18
QR-4135	1-15/16	2-1/8	3/32	-135	1.925 ±.017	.103 ±.003	3	2.97
QR-4136	2	2-3/16	3/32	-136	1.987 ±.017	.103 ±.003	3	3.05
QR-4137	2-1/16	2-1/4	3/32	-137	2.050 ±.017	.103 ±.003	3	3.16
QR-4138	2-1/8	2-5/16	3/32	-138	2.112 ±.017	.103 ±.003	3	3.43
QR-4139	2-3/16	2-3/8	3/32	-139	2.175 ±.017	.103 ±.003	3	3.43
QR-4140	2-1/4	2-7/16	3/32	-140	2.237 ±.017	.103 ±.003	3	3.60
QR-4141	2-5/16	2-1/2	3/32	-141	2.300 ±.020	.103 ±.003	3	3.74
QR-4142	2-3/8	2-9/16	3/32	-142	2.362 ±.020	.103 ±.003	3	3.90

STYLE QR, BUNA-N QUAD® RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
QR-4143	2-7/16	2-5/8	3/32	-143	2.425 ±.020	.103 ±.003	2	3.21
QR-4144	2-1/2	2-11/16	3/32	-144	2.487 ±.020	.103 ±.003	2	4.06
QR-4145	2-9/16	2-3/4	3/32	-145	2.550 ±.020	.103 ±.003	2	4.11
QR-4146	2-5/8	2-13/16	3/32	-146	2.612 ±.020	.103 ±.003	2	4.11
QR-4147	2-11/16	2-7/8	3/32	-147	2.675 ±.022	.103 ±.003	2	4.17
QR-4148	2-3/4	2-15/16	3/32	-148	2.737 ±.022	.103 ±.003	2	4.18
QR-4149	2-13/16	3	3/32	-149	2.800 ±.022	.103 ±.003	2	4.21
QR-4151	3	3-3/16	3/32	-151	2.987 ±.024	.103 ±.003	2	4.31
QR-4152	3-1/4	3-7/16	3/32	-152	3.237 ±.024	.103 ±.003	2	4.35
QR-4153	3-1/2	3-11/16	3/32	-153	3.487 ±.024	.103 ±.003	2	4.57
QR-4154	3-3/4	3-15/16	3/32	-154	3.737 ±.028	.103 ±.003	2	4.42
QR-4156	4-1/4	4-7/16	3/32	-156	4.237 ±.030	.103 ±.003	2	4.42
QR-4157	4-1/2	4-11/16	3/32	-157	4.487 ±.030	.103 ±.003	2	4.50
QR-4158	4-3/4	4-15/16	3/32	-158	4.737 ±.030	.103 ±.003	2	5.31
QR-4159	5	5-3/16	3/32	-159	4.987 ±.035	.103 ±.003	2	5.46
QR-4161	5-1/2	5-11/16	3/32	-161	5.487 ±.035	.103 ±.003	2	5.63
QR-4164	6-1/4	6-7/16	3/32	-164	6.237 ±.040	.103 ±.003	1	4.23
1/8" C/S								
QR-4202	1/4	1/2	1/8	-202	.234 ±.005	.139 ±.004	5	\$1.60
QR-4204	3/8	5/8	1/8	-204	.359 ±.005	.139 ±.004	5	1.64
QR-4205	7/16	11/16	1/8	-205	.421 ±.005	.139 ±.004	5	1.64
QR-4206	1/2	3/4	1/8	-206	.484 ±.005	.139 ±.004	5	1.64
QR-4207	9/16	13/16	1/8	-207	.546 ±.007	.139 ±.004	5	1.64
QR-4208	5/8	7/8	1/8	-208	.609 ±.009	.139 ±.004	5	1.64
QR-4209	11/16	15/16	1/8	-209	.671 ±.009	.139 ±.004	5	1.64
QR-4210	3/4	1	1/8	-210	.734 ±.010	.139 ±.004	5	1.64
QR-4211	13/16	1-1/16	1/8	-211	.796 ±.010	.139 ±.004	5	1.64
QR-4212	7/8	1-1/8	1/8	-212	.859 ±.010	.139 ±.004	5	1.64
QR-4213	15/16	1-3/16	1/8	-213	.921 ±.010	.139 ±.004	5	1.65
QR-4214	1	1-1/4	1/8	-214	.984 ±.010	.139 ±.004	5	1.79
QR-4215	1-1/16	1-5/16	1/8	-215	1.046 ±.010	.139 ±.004	5	1.79
QR-4216	1-1/8	1-3/8	1/8	-216	1.109 ±.012	.139 ±.004	4	1.96
QR-4217	1-3/16	1-7/16	1/8	-217	1.171 ±.012	.139 ±.004	4	1.96
QR-4218	1-1/4	1-1/2	1/8	-218	1.234 ±.012	.139 ±.004	4	1.96
QR-4219	1-5/16	1-9/16	1/8	-219	1.296 ±.012	.139 ±.004	4	1.96
QR-4220	1-3/8	1-5/8	1/8	-220	1.359 ±.012	.139 ±.004	4	2.18
QR-4221	1-7/16	1-11/16	1/8	-221	1.421 ±.012	.139 ±.004	4	2.18
QR-4222	1-1/2	1-3/4	1/8	-222	1.484 ±.015	.139 ±.004	4	2.18
QR-4223	1-5/8	1-7/8	1/8	-223	1.609 ±.015	.139 ±.004	3	2.61
QR-4224	1-3/4	2	1/8	-224	1.734 ±.015	.139 ±.004	3	2.61
QR-4225	1-7/8	2-1/8	1/8	-225	1.859 ±.018	.139 ±.004	3	2.61
QR-4226	2	2-1/4	1/8	-226	1.984 ±.018	.139 ±.004	3	2.61
QR-4227	2-1/8	2-3/8	1/8	-227	2.109 ±.018	.139 ±.004	3	2.61
QR-4228	2-1/4	2-1/2	1/8	-228	2.234 ±.020	.139 ±.004	3	2.95
QR-4229	2-3/8	2-5/8	1/8	-229	2.359 ±.020	.139 ±.004	3	2.95
QR-4230	2-1/2	2-3/4	1/8	-230	2.484 ±.020	.139 ±.004	3	3.04
QR-4231	2-5/8	2-7/8	1/8	-231	2.609 ±.020	.139 ±.004	3	3.04
QR-4232	2-3/4	3	1/8	-232	2.734 ±.024	.139 ±.004	3	3.04
QR-4233	2-7/8	3-1/8	1/8	-233	2.859 ±.024	.139 ±.004	3	3.04
QR-4234	3	3-1/4	1/8	-234	2.984 ±.024	.139 ±.004	3	3.04

STYLE QR, BUNA-N QUAD® RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
QR-4235	3-1/8	3-3/8	1/8	-235	3.109 ±.024	.139 ±.004	3	3.04
QR-4236	3-1/4	3-1/2	1/8	-236	3.234 ±.024	.139 ±.004	3	3.04
QR-4237	3-3/8	3-5/8	1/8	-237	3.359 ±.024	.139 ±.004	3	3.04
QR-4238	3-1/2	3-3/4	1/8	-238	3.484 ±.024	.139 ±.004	2	5.32
QR-4239	3-5/8	3-7/8	1/8	-239	3.609 ±.028	.139 ±.004	2	5.32
QR-4240	3-3/4	4	1/8	-240	3.734 ±.028	.139 ±.004	2	5.32
QR-4241	3-7/8	4-1/8	1/8	-241	3.859 ±.028	.139 ±.004	2	5.32
QR-4242	4	4-1/4	1/8	-242	3.984 ±.028	.139 ±.004	2	5.32
QR-4243	4-1/8	4-3/8	1/8	-243	4.109 ±.028	.139 ±.004	2	5.45
QR-4244	4-1/4	4-1/2	1/8	-244	4.234 ±.030	.139 ±.004	2	5.45
QR-4245	4-3/8	4-5/8	1/8	-245	4.359 ±.030	.139 ±.004	2	5.45
QR-4246	4-1/2	4-3/4	1/8	-246	4.484 ±.030	.139 ±.004	2	5.45
QR-4247	4-5/8	4-7/8	1/8	-247	4.609 ±.030	.139 ±.004	2	5.45
QR-4248	4-3/4	5	1/8	-248	4.734 ±.030	.139 ±.004	2	5.73
QR-4249	4-7/8	5-1/8	1/8	-249	4.859 ±.035	.139 ±.004	2	5.73
QR-4250	5	5-1/4	1/8	-250	4.984 ±.035	.139 ±.004	2	5.73
QR-4251	5-1/8	5-3/8	1/8	-251	5.109 ±.035	.139 ±.004	2	5.73
QR-4252	5-1/4	5-1/2	1/8	-252	5.234 ±.035	.139 ±.004	1	8.11
QR-4253	5-3/8	5-5/8	1/8	-253	5.359 ±.035	.139 ±.004	1	19.41
QR-4254	5-1/2	5-3/4	1/8	-254	5.484 ±.035	.139 ±.004	1	8.85
QR-4255	5-5/8	5-7/8	1/8	-255	5.609 ±.035	.139 ±.004	1	9.55
QR-4256	5-3/4	6	1/8	-256	5.734 ±.035	.139 ±.004	1	9.55
QR-4257	5-7/8	6-1/8	1/8	-257	5.859 ±.035	.139 ±.004	1	10.93
QR-4258	6	6-1/4	1/8	-258	5.984 ±.035	.139 ±.004	1	10.93
QR-4259	6-1/4	6-1/2	1/8	-259	6.234 ±.040	.139 ±.004	1	11.32
QR-4260	6-1/2	6-3/4	1/8	-260	6.484 ±.040	.139 ±.004	1	10.48
QR-4261	6-3/4	7	1/8	-261	6.734 ±.040	.139 ±.004	1	13.24
QR-4263	7-1/4	7-1/2	1/8	-263	7.234 ±.045	.139 ±.004	1	13.24
QR-4265	7-3/4	8	1/8	-265	7.734 ±.045	.139 ±.004	1	13.24
QR-4266	8	8-1/4	1/8	-266	7.984 ±.045	.139 ±.004	1	14.37
QR-4268	8-1/2	8-3/4	1/8	-268	8.484 ±.050	.139 ±.004	1	21.94
QR-4278	12	12-1/4	1/8	-278	11.984 ±.065	.139 ±.004	1	38.30
3/16" C/S								
QR-4314	3/4	1-1/8	3/16	-314	.725 ±.010	.210 ±.005	3	\$2.32
QR-4316	7/8	1-1/4	3/16	-316	.850 ±.010	.210 ±.005	3	2.35
QR-4318	1	1-3/8	3/16	-318	.975 ±.010	.210 ±.005	3	2.35
QR-4319	1-1/16	1-7/16	3/16	-319	1.037 ±.010	.210 ±.005	3	4.80
QR-4320	1-1/8	1-1/2	3/16	-320	1.100 ±.012	.210 ±.005	3	2.59
QR-4321	1-3/16	1-9/16	3/16	-321	1.162 ±.012	.210 ±.005	3	2.59
QR-4322	1-1/4	1-5/8	3/16	-322	1.225 ±.012	.210 ±.005	3	2.66
QR-4323	1-5/16	1-11/16	3/16	-323	1.287 ±.012	.210 ±.005	3	2.66
QR-4324	1-3/8	1-3/4	3/16	-324	1.350 ±.012	.210 ±.005	3	2.66
QR-4325	1-1/2	1-7/8	3/16	-325	1.475 ±.015	.210 ±.005	3	2.86
QR-4326	1-5/8	2	3/16	-326	1.600 ±.015	.210 ±.005	3	2.86
QR-4327	1-3/4	2-1/8	3/16	-327	1.725 ±.015	.210 ±.005	3	2.86
QR-4328	1-7/8	2-1/4	3/16	-328	1.850 ±.015	.210 ±.005	3	3.21
QR-4329	2	2-3/8	3/16	-329	1.975 ±.018	.210 ±.005	3	3.21
QR-4330	2-1/8	2-1/2	3/16	-330	2.100 ±.018	.210 ±.005	3	3.21
QR-4331	2-1/4	2-5/8	3/16	-331	2.225 ±.018	.210 ±.005	3	3.31
QR-4332	2-3/8	2-3/4	3/16	-332	2.350 ±.018	.210 ±.005	3	3.31

STYLE QR, BUNA-N QUAD® RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
QR-4333	2-1/2	2-7/8	3/16	-333	2.475 ±.020	.210 ±.005	3	3.63
QR-4334	2-5/8	3	3/16	-334	2.600 ±.020	.210 ±.005	3	3.63
QR-4335	2-3/4	3-1/8	3/16	-335	2.725 ±.020	.210 ±.005	2	3.96
QR-4336	2-7/8	3-1/4	3/16	-336	2.850 ±.020	.210 ±.005	2	3.96
QR-4337	3	3-3/8	3/16	-337	2.975 ±.024	.210 ±.005	2	4.14
QR-4338	3-1/8	3-1/2	3/16	-338	3.100 ±.024	.210 ±.005	2	4.14
QR-4339	3-1/4	3-5/8	3/16	-339	3.225 ±.024	.210 ±.005	2	4.14
QR-4340	3-3/8	3-3/4	3/16	-340	3.350 ±.024	.210 ±.005	2	5.63
QR-4341	3-1/2	3-7/8	3/16	-341	3.475 ±.024	.210 ±.005	2	5.97
QR-4342	3-5/8	4	3/16	-342	3.600 ±.028	.210 ±.005	2	6.29
QR-4343	3-3/4	4-1/8	3/16	-343	3.725 ±.028	.210 ±.005	2	6.29
QR-4344	3-7/8	4-1/4	3/16	-344	3.850 ±.028	.210 ±.005	1	7.21
QR-4345	4	4-3/8	3/16	-345	3.975 ±.028	.210 ±.005	1	8.28
QR-4346	4-1/8	4-1/2	3/16	-346	4.100 ±.028	.210 ±.005	1	9.56
QR-4347	4-1/4	4-5/8	3/16	-347	4.225 ±.030	.210 ±.005	1	9.56
QR-4348	4-3/8	4-3/4	3/16	-348	4.350 ±.030	.210 ±.005	1	9.56
QR-4349	4-1/2	4-7/8	3/16	-349	4.475 ±.030	.210 ±.005	1	9.56
QR-4350	4-5/8	5	3/16	-350	4.600 ±.030	.210 ±.005	1	9.56
QR-4351	4-3/4	5-1/8	3/16	-351	4.725 ±.030	.210 ±.005	1	11.74
QR-4352	4-7/8	5-1/4	3/16	-352	4.850 ±.030	.210 ±.005	1	11.74
QR-4353	5	5-3/8	3/16	-353	4.975 ±.037	.210 ±.005	1	11.74
QR-4354	5-1/8	5-1/2	3/16	-354	5.100 ±.037	.210 ±.005	1	15.44
QR-4355	5-1/4	5-5/8	3/16	-355	5.225 ±.037	.210 ±.005	1	15.44
QR-4356	5-3/8	5-3/4	3/16	-356	5.350 ±.037	.210 ±.005	1	15.44
QR-4357	5-1/2	5-7/8	3/16	-357	5.475 ±.037	.210 ±.005	1	16.78
QR-4358	5-5/8	6	3/16	-358	5.600 ±.037	.210 ±.005	1	16.78
QR-4361	6	6-3/8	3/16	-361	5.975 ±.037	.210 ±.005	1	17.17
QR-4362	6-1/4	6-5/8	3/16	-362	6.225 ±.040	.210 ±.005	1	17.50
QR-4363	6-1/2	6-7/8	3/16	-363	6.475 ±.040	.210 ±.005	1	17.50
QR-4366	7-1/4	7-5/8	3/16	-366	7.225 ±.045	.210 ±.005	1	26.01
QR-4367	7-1/2	7-7/8	3/16	-367	7.475 ±.045	.210 ±.005	1	26.01
QR-4368	7-3/4	8-1/8	3/16	-368	7.725 ±.045	.210 ±.005	1	26.50
QR-4369	8	8-3/8	3/16	-369	7.975 ±.045	.210 ±.005	1	27.25
QR-4374	9-1/4	9-5/8	3/16	-374	9.225 ±.055	.210 ±.005	1	34.74
1/4" C/S								
QR-4425	4-1/2	5	1/4	-425	4.475 ±.033	.275 ±.006	1	\$9.39
QR-4426	4-5/8	5-1/8	1/4	-426	4.600 ±.033	.275 ±.006	1	9.39
QR-4427	4-3/4	5-1/4	1/4	-427	4.725 ±.033	.275 ±.006	1	9.39
QR-4428	4-7/8	5-3/8	1/4	-428	4.850 ±.033	.275 ±.006	1	9.39
QR-4429	5	5-1/2	1/4	-429	4.975 ±.037	.275 ±.006	1	10.42
QR-4430	5-1/8	5-5/8	1/4	-430	5.100 ±.037	.275 ±.006	1	10.42
QR-4431	5-1/4	5-3/4	1/4	-431	5.225 ±.037	.275 ±.006	1	10.42
QR-4432	5-3/8	5-7/8	1/4	-432	5.350 ±.037	.275 ±.006	1	11.52
QR-4433	5-1/2	6	1/4	-433	5.475 ±.037	.275 ±.006	1	11.52
QR-4434	5-5/8	6-1/8	1/4	-434	5.600 ±.037	.275 ±.006	1	11.73
QR-4435	5-3/4	6-1/4	1/4	-435	5.725 ±.037	.275 ±.006	1	11.73
QR-4436	5-7/8	6-3/8	1/4	-436	5.850 ±.037	.275 ±.006	1	11.73
QR-4437	6	6-1/2	1/4	-437	5.975 ±.037	.275 ±.006	1	12.20
QR-4438	6-1/4	6-3/4	1/4	-438	6.225 ±.040	.275 ±.006	1	12.20
QR-4439	6-1/2	7	1/4	-439	6.475 ±.040	.275 ±.006	1	12.20

STYLE QR, BUNA-N QUAD® RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	O-RING DASH NUMBER	INSIDE DIAMETER	CROSS SECTION	Package Quantity	List Price
QR-4440	6-3/4	7-1/4	1/4	-440	6.725 ±.040	.275 ±.006	1	13.26
QR-4441	7	7-1/2	1/4	-441	6.975 ±.040	.275 ±.006	1	13.26
QR-4442	7-1/4	7-3/4	1/4	-442	7.225 ±.045	.275 ±.006	1	13.26
QR-4443	7-1/2	8	1/4	-443	7.475 ±.045	.275 ±.006	1	14.33
QR-4444	7-3/4	8-1/4	1/4	-444	7.725 ±.045	.275 ±.006	1	16.90
QR-4445	8	8-1/2	1/4	-445	7.975 ±.045	.275 ±.006	1	19.58
QR-4446	8-1/2	9	1/4	-446	8.475 ±.055	.275 ±.006	1	21.37
QR-4447	9	9-1/2	1/4	-447	8.975 ±.055	.275 ±.006	1	21.37
QR-4448	9-1/2	10	1/4	-448	9.475 ±.055	.275 ±.006	1	34.69
QR-4450	10-1/2	11	1/4	-450	10.475 ±.060	.275 ±.006	1	38.85
QR-4452	11-1/2	12	1/4	-452	11.475 ±.060	.275 ±.006	1	39.75
QR-4453	12	12-1/2	1/4	-453	11.975 ±.060	.275 ±.006	1	41.08
QR-4454	12-1/2	13	1/4	-454	12.475 ±.060	.275 ±.006	1	54.72
QR-4455	13	13-1/2	1/4	-455	12.975 ±.060	.275 ±.006	1	41.08
QR-4458	14-1/2	15	1/4	-458	14.475 ±.070	.275 ±.006	1	41.69
QR-4464	17-1/2	18	1/4	-464	17.455 ±.085	.275 ±.006	1	82.14

Seal color may vary.

STYLE SFS SPLIT FLANGE SEALS

FOR 4-BOLT SPLIT FLANGE CONNECTORS

Flange seals are a one piece dual durometer urethane static seal. The black outer part is a tough, extrusion-resistant 95 Durometer urethane, and the yellow inner layer is 57 Durometer with low compression set and excellent sealing properties. These seals are a direct replacement for o-rings and do not require modification to any split flange groove. **For SAE J518 4-bolt Code 61/62 Split Flanges.**



SEAL INFORMATION

MATERIAL	URETHANE
TEMPERATURE RANGE	-40° TO +200° F
PRESSURE RANGE	0 TO 6,000 PSI
SPEED	STATIC
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	Nom. Cross Section	O-RING DASH NUMBER	G HOUSING DIAMETER	AXIAL GROOVE WIDTH	RADIAL GROOVE WIDTH	C HEIGHT	CROSS SECTION	FLANGE SIZE	List Price
SFS-8	3/4	1	1/8	1/8	-210	1.000 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	.500	\$2.60
SFS-12	1	1-1/4	1/8	1/8	-214	1.250 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	.750	2.73
SFS-16	1-5/16	1-9/16	1/8	1/8	-219	1.565 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	1.000	3.09
SFS-20	1-1/2	1-3/4	1/8	1/8	-222	1.750 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	1.250	3.36
SFS-24	1-7/8	2-1/8	1/8	1/8	-225	2.115 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	1.500	3.58
SFS-32	2-1/4	2-1/2	1/8	1/8	-228	2.490 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	2.000	4.39
SFS-40	2-3/4	3	1/8	1/8	-232	2.995 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	2.500	5.39
SFS-48	3-3/8	3-5/8	1/8	1/8	-237	3.615 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.130 ±.005	.115 ±.005	3.000	6.88


**Split Flange Seal Kits Also Available -
See the Kits & Tools Section**

Seal color may vary.



STYLE PFS SPLIT FLANGE SEALS

Molded in 92A urethane, this seal was developed to replace an o-ring in SAE J518 code 61/62 split flange applications.



SEAL INFORMATION



MATERIAL	92A URETHANE
TEMPERATURE RANGE	-40 - +212° F
PRESSURE RANGE	0 TO 7200 PSI
SPEED	STATIC
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	Nom. Cross Section	O-RING DASH NUMBER	G HOUSING DIAMETER	AXIAL GROOVE WIDTH	RADIAL GROOVE WIDTH	FLANGE SIZE	List Price
PFS-08	3/4	1	1/8	1/8	-210	1.000 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.500	\$2.12
PFS-12	1	1-1/4	1/8	1/8	-214	1.250 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	.750	2.18
PFS-16	1-5/16	1-9/16	1/8	1/8	-219	1.565 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	1.000	2.74
PFS-20	1-1/2	1-3/4	1/8	1/8	-222	1.750 ^{+0.005} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	1.250	1.90
PFS-24	1-7/8	2-1/8	1/8	1/8	-225	2.115 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	1.500	2.01
PFS-32	2-1/4	2-1/2	1/8	1/8	-228	2.490 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	2.000	2.11
PFS-40	2-3/4	3	1/8	1/8	-232	2.995 ^{+0.010} / _{+0.000}	.110 ^{+0.005} / _{+0.000}	.165 ±.010	2.500	3.57

STYLE HS568 HEAD SEALS



Molded in 90A urethane, this seal was developed to be used as a head seal and to replace an o-ring and a back-up. Its symmetrical one-piece design reduces the risk of installation damage and back-up blow-out.



SEAL INFORMATION

MATERIAL	90A URETHANE
TEMPERATURE RANGE	-40 - +212° F
PRESSURE RANGE	0 TO 10000 PSI
SPEED	STATIC
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	H GROOVE DIAMETER	K HEAD DIAMETER	J BORE DIAMETER	List Price
1/16" C/S								
HS568-022	1	1-1/8	1/8	.138 ^{+.005} / _{+.000}	1.153 ^{+.000} / _{-.002}	1.122 ^{+.000} / _{-.001}	1.125 ^{+.002} / _{+.000}	\$2.62
1/8" C/S								
HS568-228	2-1/4	2-1/2	3/16	.208 ^{+.005} / _{+.000}	2.278 ^{+.000} / _{-.002}	2.497 ^{+.000} / _{-.001}	2.500 ^{+.002} / _{+.000}	\$11.70
HS568-230	2-1/2	2-3/4	3/16	.208 ^{+.005} / _{+.000}	2.528 ^{+.000} / _{-.002}	2.747 ^{+.000} / _{-.001}	2.750 ^{+.002} / _{+.000}	11.70
HS568-232	2-3/4	3	3/16	.208 ^{+.005} / _{+.000}	2.778 ^{+.000} / _{-.002}	2.997 ^{+.000} / _{-.001}	3.000 ^{+.002} / _{+.000}	13.35
HS568-234	3	3-1/4	3/16	.208 ^{+.005} / _{+.000}	3.028 ^{+.000} / _{-.002}	3.247 ^{+.000} / _{-.001}	3.250 ^{+.002} / _{+.000}	13.35
HS568-235	3-1/8	3-3/8	3/16	.208 ^{+.005} / _{+.000}	3.153 ^{+.000} / _{-.002}	3.372 ^{+.000} / _{-.001}	3.375 ^{+.002} / _{+.000}	13.35
HS568-236	3-1/4	3-1/2	3/16	.208 ^{+.005} / _{+.000}	3.278 ^{+.000} / _{-.002}	3.497 ^{+.000} / _{-.001}	3.500 ^{+.002} / _{+.000}	13.35
HS568-238	3-1/2	3-3/4	3/16	.208 ^{+.005} / _{+.000}	3.528 ^{+.000} / _{-.002}	3.747 ^{+.000} / _{-.001}	3.750 ^{+.002} / _{+.000}	13.64
HS568-240	3-3/4	4	3/16	.208 ^{+.005} / _{+.000}	3.778 ^{+.000} / _{-.002}	3.997 ^{+.000} / _{-.001}	4.000 ^{+.002} / _{+.000}	17.01
HS568-242	4	4-1/4	3/16	.208 ^{+.005} / _{+.000}	4.028 ^{+.000} / _{-.002}	4.247 ^{+.000} / _{-.001}	4.250 ^{+.002} / _{+.000}	17.01
HS568-244	4-1/4	4-1/2	3/16	.208 ^{+.005} / _{+.000}	4.278 ^{+.000} / _{-.002}	4.497 ^{+.000} / _{-.001}	4.500 ^{+.002} / _{+.000}	17.01
HS568-246	4-1/2	4-3/4	3/16	.208 ^{+.005} / _{+.000}	4.528 ^{+.000} / _{-.002}	4.747 ^{+.000} / _{-.001}	4.750 ^{+.002} / _{+.000}	18.90
HS568-248	4-3/4	5	3/16	.208 ^{+.005} / _{+.000}	4.778 ^{+.000} / _{-.002}	4.997 ^{+.000} / _{-.001}	5.000 ^{+.002} / _{+.000}	18.90
HS568-250	5	5-1/4	3/16	.208 ^{+.005} / _{+.000}	5.028 ^{+.000} / _{-.004}	5.247 ^{+.000} / _{-.001}	5.250 ^{+.002} / _{+.000}	18.90
HS568-251	5-1/8	5-3/8	3/16	.208 ^{+.005} / _{+.000}	5.153 ^{+.000} / _{-.004}	5.372 ^{+.000} / _{-.001}	5.375 ^{+.002} / _{+.000}	18.90
HS568-252	5-1/4	5-1/2	3/16	.208 ^{+.005} / _{+.000}	5.278 ^{+.000} / _{-.004}	5.497 ^{+.000} / _{-.001}	5.500 ^{+.002} / _{+.000}	18.90
HS568-254	5-1/2	5-3/4	3/16	.208 ^{+.005} / _{+.000}	5.528 ^{+.000} / _{-.004}	5.747 ^{+.000} / _{-.001}	5.750 ^{+.002} / _{+.000}	27.93
HS568-256	5-3/4	6	3/16	.208 ^{+.005} / _{+.000}	5.778 ^{+.000} / _{-.004}	5.997 ^{+.000} / _{-.001}	6.000 ^{+.002} / _{+.000}	27.93
3/16" C/S								
HS568-338	3-1/8	3-1/2	9/32	.311 ^{+.005} / _{+.000}	3.160 ^{+.000} / _{-.004}	3.497 ^{+.000} / _{-.001}	3.500 ^{+.002} / _{+.000}	\$17.31




STYLE HS568 HEAD SEALS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	H GROOVE DIAMETER	K HEAD DIAMETER	J BORE DIAMETER	List Price
HS568-342	3-5/8	4	9/32	.311 ^{+0.005} / _{+0.000}	3.660 ^{+0.000} / _{-.004}	3.997 ^{+0.000} / _{-.001}	4.000 ^{+0.002} / _{+0.000}	18.37
HS568-344	3-7/8	4-1/4	9/32	.311 ^{+0.005} / _{+0.000}	3.910 ^{+0.000} / _{-.004}	4.247 ^{+0.000} / _{-.001}	4.250 ^{+0.002} / _{+0.000}	18.37
HS568-346	4-1/8	4-1/2	9/32	.311 ^{+0.005} / _{+0.000}	4.160 ^{+0.000} / _{-.004}	4.497 ^{+0.000} / _{-.001}	4.500 ^{+0.002} / _{+0.000}	18.37
HS568-348	4-3/8	4-3/4	9/32	.311 ^{+0.005} / _{+0.000}	4.410 ^{+0.000} / _{-.004}	4.747 ^{+0.000} / _{-.001}	4.750 ^{+0.002} / _{+0.000}	18.90
HS568-350	4-5/8	5	9/32	.311 ^{+0.005} / _{+0.000}	4.660 ^{+0.000} / _{-.004}	4.997 ^{+0.000} / _{-.001}	5.000 ^{+0.002} / _{+0.000}	18.90
HS568-352	4-7/8	5-1/4	9/32	.311 ^{+0.005} / _{+0.000}	4.910 ^{+0.000} / _{-.004}	5.247 ^{+0.000} / _{-.001}	5.250 ^{+0.002} / _{+0.000}	18.90
HS568-353	5	5-3/8	9/32	.311 ^{+0.005} / _{+0.000}	5.035 ^{+0.000} / _{-.004}	5.372 ^{+0.000} / _{-.001}	5.375 ^{+0.002} / _{+0.000}	18.90
HS568-354	5-1/8	5-1/2	9/32	.311 ^{+0.005} / _{+0.000}	5.160 ^{+0.000} / _{-.004}	5.497 ^{+0.000} / _{-.001}	5.500 ^{+0.002} / _{+0.000}	18.90
HS568-356	5-3/8	5-3/4	9/32	.311 ^{+0.005} / _{+0.000}	5.410 ^{+0.000} / _{-.004}	5.747 ^{+0.000} / _{-.001}	5.750 ^{+0.002} / _{+0.000}	27.93
HS568-358	5-5/8	6	9/32	.311 ^{+0.005} / _{+0.000}	5.660 ^{+0.000} / _{-.004}	5.997 ^{+0.000} / _{-.001}	6.000 ^{+0.002} / _{+0.000}	27.93
HS568-360	5-7/8	6-1/4	9/32	.311 ^{+0.005} / _{+0.000}	5.910 ^{+0.000} / _{-.004}	6.247 ^{+0.000} / _{-.001}	6.250 ^{+0.002} / _{+0.000}	27.93

STYLE VMG FIBER GASKETS

Our style VMG gaskets are used in moderate duty applications as tube end seals and o-ring back-ups. The gaskets are made of a protein and glycerin impregnated fiber.



SEAL INFORMATION


MATERIAL	IMPREGNATED FIBER
TEMPERATURE RANGE	MAX 250° F
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
VMG-128	1-1/2	1-11/16	.031	\$4.08
VMG-326	1-5/8	2	.031	2.52
VMG-136	2	2-3/16	.031	5.54
VMG-144	2-1/2	2-11/16	.031	5.60
VMG-2.62X3.87X.030	2-5/8	3-7/8	.031	7.17
VMG-334	2-5/8	3	.031	2.68
VMG-151	3	3-3/16	.031	6.01
VMG-238	3-1/2	3-3/4	.031	4.70
VMG-242	4	4-1/4	.031	4.76
VMG-247	4-5/8	4-7/8	.031	4.79
VMG-250	5	5-1/4	.031	4.80
VMG-258	6	6-1/4	.031	5.03
VMG-266	8	8-1/4	.031	5.30

STYLE 573 HYTREL BACK-UP RINGS

Molded of 55D Durometer Hytrel, these back-up rings provide excellent extrusion resistance and tolerance to fluids such as phosphate esters, hydraulic oil and water. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	55D HYTREL
TEMPERATURE RANGE	-65° TO +275° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
573-006	1/8	1/4	.05	.045 ±.005	10	\$1.11
573-009	7/32	11/32	.05	.045 ±.005	10	1.11
573-010	1/4	3/8	.05	.045 ±.005	10	1.11
573-011	5/16	7/16	.05	.045 ±.005	10	0.81
573-012	3/8	1/2	.05	.045 ±.005	10	0.81
573-014	1/2	5/8	.05	.050 ±.005	10	0.78
573-015	9/16	11/16	.05	.050 ±.005	10	0.78
573-016	5/8	3/4	.05	.050 ±.005	10	0.91
573-017	11/16	13/16	.05	.050 ±.005	10	0.91
573-018	3/4	7/8	.05	.050 ±.005	10	0.91
573-019	13/16	15/16	.05	.050 ±.005	10	0.91
573-020	7/8	1	.05	.050 ±.005	10	0.91
573-021	15/16	1-1/16	.05	.050 ±.005	10	0.91
573-022	1	1-1/8	.05	.050 ±.005	10	0.91
573-023	1-1/16	1-3/16	.05	.050 ±.005	10	0.91
573-024	1-1/8	1-1/4	.05	.050 ±.005	10	0.91
573-025	1-3/16	1-5/16	.05	.050 ±.005	10	0.91
573-026	1-1/4	1-3/8	.05	.050 ±.005	10	1.02
573-027	1-5/16	1-7/16	.05	.050 ±.005	10	1.02
573-028	1-3/8	1-1/2	.05	.050 ±.005	10	1.02
573-029	1-1/2	1-5/8	.05	.050 ±.005	10	1.02
573-030	1-5/8	1-3/4	.05	.050 ±.005	10	1.02
573-031	1-3/4	1-7/8	.05	.050 ±.005	10	1.02
573-032	1-7/8	2	.05	.050 ±.005	10	1.02
573-033	2	2-1/8	.05	.050 ±.005	10	1.08
573-034	2-1/8	2-1/4	.05	.050 ±.005	10	1.08
573-035	2-1/4	2-3/8	.05	.050 ±.005	10	1.08
573-036	2-3/8	2-1/2	.05	.050 ±.005	10	1.08
573-037	2-1/2	2-5/8	.05	.050 ±.005	10	1.08
573-038	2-5/8	2-3/4	.05	.050 ±.005	10	1.08
573-039	2-3/4	2-7/8	.05	.050 ±.005	10	1.16
573-040	2-7/8	3	.05	.050 ±.005	10	1.20
573-041	3	3-1/8	.05	.050 ±.005	10	1.41

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-042	3-1/4	3-3/8	.05	.050 ±.005	10	1.86
573-043	3-1/2	3-5/8	.05	.050 ±.005	10	1.24
573-044	3-3/4	3-7/8	.05	.050 ±.005	2	1.73
573-045	4	4-1/8	.05	.050 ±.005	2	4.44
573-047	4-1/2	4-5/8	.05	.050 ±.005	2	5.39
573-048	4-3/4	4-7/8	.05	.050 ±.005	2	5.81
573-049	5	5-1/8	.05	.050 ±.005	2	5.81
573-050	5-1/4	5-3/8	.05	.050 ±.005	2	2.11
3/32" C/S						
573-110	3/8	9/16	.05	.050 ±.005	10	\$1.20
573-111	7/16	5/8	.05	.050 ±.005	9	0.85
573-112	1/2	11/16	.05	.050 ±.005	9	0.85
573-113	9/16	3/4	.05	.050 ±.005	9	0.85
573-114	5/8	13/16	.05	.050 ±.005	9	0.78
573-115	11/16	7/8	.05	.050 ±.005	9	0.78
573-116	3/4	15/16	.05	.050 ±.005	9	0.78
573-117	13/16	1	.05	.050 ±.005	9	0.85
573-118	7/8	1-1/16	.05	.050 ±.005	9	0.85
573-119	15/16	1-1/8	.05	.050 ±.005	9	0.85
573-120	1	1-3/16	.05	.050 ±.005	8	0.89
573-122	1-1/8	1-5/16	.05	.050 ±.005	8	0.89
573-123	1-3/16	1-3/8	.05	.050 ±.005	8	0.89
573-124	1-1/4	1-7/16	.05	.050 ±.005	8	0.91
573-125	1-5/16	1-1/2	.05	.050 ±.005	8	0.91
573-126	1-3/8	1-9/16	.05	.050 ±.005	8	1.02
573-127	1-7/16	1-5/8	.05	.050 ±.005	8	1.02
573-128	1-1/2	1-11/16	.05	.050 ±.005	8	1.02
573-129	1-9/16	1-3/4	.05	.050 ±.005	8	1.02
573-131	1-11/16	1-7/8	.05	.050 ±.005	8	1.02
573-132	1-3/4	1-15/16	.05	.050 ±.005	8	1.02
573-133	1-13/16	2	.05	.050 ±.005	8	1.02
573-134	1-7/8	2-1/16	.05	.050 ±.005	8	1.02
573-135	1-15/16	2-1/8	.05	.050 ±.005	8	1.02
573-136	2	2-3/16	.05	.050 ±.005	8	1.02
573-137	2-1/16	2-1/4	.05	.050 ±.005	8	1.02
573-138	2-1/8	2-5/16	.05	.050 ±.005	8	1.02
573-139	2-3/16	2-3/8	.05	.050 ±.005	8	1.02
573-140	2-1/4	2-7/16	.05	.050 ±.005	7	1.05
573-141	2-5/16	2-1/2	.05	.050 ±.005	7	1.05
573-142	2-3/8	2-9/16	.05	.050 ±.005	7	1.05
573-143	2-7/16	2-5/8	.05	.050 ±.005	7	1.08
573-144	2-1/2	2-11/16	.05	.050 ±.005	6	1.16
573-145	2-9/16	2-3/4	.05	.050 ±.005	6	1.16
573-146	2-5/8	2-13/16	.05	.050 ±.005	6	1.16
573-147	2-11/16	2-7/8	.05	.050 ±.005	6	1.16
573-148	2-3/4	2-15/16	.05	.050 ±.005	6	1.16
573-149	2-13/16	3	.05	.050 ±.005	6	1.16
573-150	2-7/8	3-1/16	.05	.050 ±.005	6	3.13
573-151	3	3-3/16	.05	.050 ±.005	6	1.20
573-152	3-1/4	3-7/16	.05	.050 ±.005	5	2.00

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-153	3-1/2	3-11/16	.05	.050 ±.005	5	1.62
573-154	3-3/4	3-15/16	.05	.050 ±.005	3	2.50
573-155	4	4-3/16	.05	.050 ±.005	3	2.53
573-156	4-1/4	4-7/16	.05	.050 ±.005	5	2.64
573-158	4-3/4	4-15/16	.05	.050 ±.005	3	2.69
573-159	5	5-3/16	.05	.050 ±.005	3	2.75
573-160	5-1/4	5-7/16	.05	.050 ±.005	3	7.09
573-161	5-1/2	5-11/16	.05	.050 ±.005	3	7.09
573-162	5-3/4	5-15/16	.05	.050 ±.005	3	5.14
573-163	6	6-3/16	.05	.050 ±.005	3	3.67
1/8" C/S						
573-205	7/16	11/16	.05	.050 ±.005	10	\$0.78
573-206	1/2	3/4	.05	.050 ±.005	10	0.78
573-207	9/16	13/16	.05	.050 ±.005	10	0.78
573-208	5/8	7/8	.05	.050 ±.005	10	0.78
573-209	11/16	15/16	.05	.050 ±.005	10	0.78
573-210	3/4	1	.05	.050 ±.005	9	0.85
573-211	13/16	1-1/16	.05	.050 ±.005	9	0.85
573-212	7/8	1-1/8	.05	.050 ±.005	9	0.85
573-213	15/16	1-3/16	.05	.050 ±.005	9	0.85
573-214	1	1-1/4	.05	.050 ±.005	9	0.85
573-215	1-1/16	1-5/16	.05	.050 ±.005	9	0.89
573-216	1-1/8	1-3/8	.05	.050 ±.005	9	0.89
573-217	1-3/16	1-7/16	.05	.050 ±.005	9	0.89
573-218	1-1/4	1-1/2	.05	.050 ±.005	9	0.89
573-219	1-5/16	1-9/16	.05	.050 ±.005	9	0.89
573-220	1-3/8	1-5/8	.05	.050 ±.005	10	0.91
573-221	1-7/16	1-11/16	.05	.050 ±.005	10	0.91
573-222	1-1/2	1-3/4	.05	.050 ±.005	10	0.91
573-223	1-5/8	1-7/8	.05	.050 ±.005	8	0.96
573-224	1-3/4	2	.05	.050 ±.005	8	0.96
573-225	1-7/8	2-1/8	.05	.050 ±.005	10	1.02
573-226	2	2-1/4	.05	.050 ±.005	10	1.02
573-227	2-1/8	2-3/8	.05	.050 ±.005	10	1.02
573-228	2-1/4	2-1/2	.05	.050 ±.005	10	1.02
573-229	2-3/8	2-5/8	.05	.050 ±.005	10	1.02
573-230	2-1/2	2-3/4	.05	.050 ±.005	7	1.18
573-231	2-5/8	2-7/8	.05	.050 ±.005	7	1.18
573-232	2-3/4	3	.05	.050 ±.005	7	1.18
573-233	2-7/8	3-1/8	.05	.050 ±.005	7	1.18
573-234	3	3-1/4	.05	.050 ±.005	6	1.26
573-235	3-1/8	3-3/8	.05	.050 ±.005	6	1.26
573-236	3-1/4	3-1/2	.05	.050 ±.005	6	1.26
573-237	3-3/8	3-5/8	.05	.050 ±.005	5	1.46
573-238	3-1/2	3-3/4	.05	.050 ±.005	5	1.46
573-239	3-5/8	3-7/8	.05	.050 ±.005	5	1.80
573-240	3-3/4	4	.05	.050 ±.005	5	1.83
573-241	3-7/8	4-1/8	.05	.050 ±.005	5	1.83
573-242	4	4-1/4	.05	.050 ±.005	5	1.83
573-243	4-1/8	4-3/8	.05	.050 ±.005	5	1.83

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-244	4-1/4	4-1/2	.05	.050 ±.005	4	2.25
573-245	4-3/8	4-5/8	.05	.050 ±.005	4	2.25
573-246	4-1/2	4-3/4	.05	.050 ±.005	3	2.57
573-247	4-5/8	4-7/8	.05	.050 ±.005	3	2.57
573-248	4-3/4	5	.05	.050 ±.005	3	2.96
573-249	4-7/8	5-1/8	.05	.050 ±.005	3	2.86
573-250	5	5-1/4	.05	.050 ±.005	3	2.95
573-251	5-1/8	5-3/8	.05	.050 ±.005	3	3.20
573-252	5-1/4	5-1/2	.05	.050 ±.005	3	3.34
573-253	5-3/8	5-5/8	.05	.050 ±.005	1	3.71
573-254	5-1/2	5-3/4	.05	.050 ±.005	3	3.73
573-255	5-5/8	5-7/8	.05	.050 ±.005	2	3.85
573-256	5-3/4	6	.05	.050 ±.005	2	4.01
573-257	5-7/8	6-1/8	.05	.050 ±.005	2	4.26
573-258	6	6-1/4	.05	.050 ±.005	2	4.36
573-259	6-1/4	6-1/2	.05	.050 ±.005	2	4.36
573-260	6-1/2	6-3/4	.05	.050 ±.005	2	4.55
573-261	6-3/4	7	.05	.050 ±.005	2	4.76
573-262	7	7-1/4	.05	.050 ±.005	2	4.82
573-263	7-1/4	7-1/2	.05	.050 ±.005	2	5.07
573-264	7-1/2	7-3/4	.05	.050 ±.005	2	5.41
573-265	7-3/4	8	.05	.050 ±.005	2	5.69
573-266	8	8-1/4	.05	.050 ±.005	2	6.63
573-267	8-1/4	8-1/2	.05	.050 ±.005	2	6.72
573-268	8-1/2	8-3/4	.05	.050 ±.005	2	6.89
573-269	8-3/4	9	.05	.050 ±.005	2	6.89
573-270	9	9-1/4	.05	.050 ±.005	1	7.08
573-272	9-1/2	9-3/4	.05	.050 ±.005	1	7.34
573-273	9-3/4	10	.05	.050 ±.005	1	7.44
573-275	10-1/2	10-3/4	.05	.050 ±.005	1	7.80
573-276	11	11-1/4	.05	.050 ±.005	1	7.87
573-278	12	12-1/4	.05	.050 ±.005	1	7.94
3/16" C/S						
573-309	7/16	13/16	.07	.070 ±.006	10	\$0.95
573-310	1/2	7/8	.07	.070 ±.006	10	0.78
573-311	9/16	15/16	.07	.070 ±.006	10	0.78
573-312	5/8	1	.07	.070 ±.006	9	0.85
573-314	3/4	1-1/8	.07	.070 ±.006	8	0.89
573-315	13/16	1-3/16	.07	.070 ±.006	8	0.89
573-316	7/8	1-1/4	.07	.070 ±.006	8	0.89
573-317	15/16	1-5/16	.07	.070 ±.006	8	0.89
573-318	1	1-3/8	.07	.070 ±.006	8	0.89
573-319	1-1/16	1-7/16	.07	.070 ±.006	8	1.18
573-320	1-1/8	1-1/2	.07	.070 ±.006	8	0.89
573-322	1-1/4	1-5/8	.07	.070 ±.006	8	0.89
573-323	1-5/16	1-11/16	.07	.070 ±.006	8	1.28
573-324	1-3/8	1-3/4	.07	.070 ±.006	8	0.96
573-325	1-1/2	1-7/8	.07	.070 ±.006	8	0.96
573-326	1-5/8	2	.07	.070 ±.006	8	1.02
573-327	1-3/4	2-1/8	.07	.070 ±.006	8	1.02

STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-328	1-7/8	2-1/4	.07	.070 ±.006	8	1.18
573-329	2	2-3/8	.07	.070 ±.006	8	1.02
573-330	2-1/8	2-1/2	.07	.070 ±.006	8	1.02
573-331	2-1/4	2-5/8	.07	.070 ±.006	8	1.02
573-332	2-3/8	2-3/4	.07	.070 ±.006	8	1.05
573-333	2-1/2	2-7/8	.07	.070 ±.006	8	1.05
573-334	2-5/8	3	.07	.070 ±.006	7	1.08
573-335	2-3/4	3-1/8	.07	.070 ±.006	7	1.18
573-336	2-7/8	3-1/4	.07	.070 ±.006	7	1.18
573-337	3	3-3/8	.07	.070 ±.006	7	1.24
573-338	3-1/8	3-1/2	.07	.070 ±.006	7	1.24
573-339	3-1/4	3-5/8	.07	.070 ±.006	6	1.30
573-340	3-3/8	3-3/4	.07	.070 ±.006	6	1.41
573-341	3-1/2	3-7/8	.07	.070 ±.006	6	1.41
573-342	3-5/8	4	.07	.070 ±.006	5	1.49
573-343	3-3/4	4-1/8	.07	.070 ±.006	5	1.69
573-344	3-7/8	4-1/4	.07	.070 ±.006	4	1.89
573-345	4	4-3/8	.07	.070 ±.006	4	2.09
573-346	4-1/8	4-1/2	.07	.070 ±.006	4	2.23
573-347	4-1/4	4-5/8	.07	.070 ±.006	4	2.32
573-348	4-3/8	4-3/4	.07	.070 ±.006	4	2.47
573-350	4-5/8	5	.07	.070 ±.006	3	2.65
573-351	4-3/4	5-1/8	.07	.070 ±.006	3	2.95
573-352	4-7/8	5-1/4	.07	.070 ±.006	3	3.02
573-353	5	5-3/8	.07	.070 ±.006	3	3.04
573-354	5-1/8	5-1/2	.07	.070 ±.006	3	3.16
573-355	5-1/4	5-5/8	.07	.070 ±.006	3	3.34
573-356	5-3/8	5-3/4	.07	.070 ±.006	3	3.50
573-357	5-1/2	5-7/8	.07	.070 ±.006	2	3.81
573-358	5-5/8	6	.07	.070 ±.006	2	3.81
573-359	5-3/4	6-1/8	.07	.070 ±.006	2	4.60
573-360	5-7/8	6-1/4	.07	.070 ±.006	2	4.22
573-361	6	6-3/8	.07	.070 ±.006	2	4.50
573-362	6-1/4	6-5/8	.07	.070 ±.006	1	4.50
573-363	6-1/2	6-7/8	.07	.070 ±.006	2	4.50
573-364	6-3/4	7-1/8	.07	.070 ±.006	2	4.50
573-366	7-1/4	7-5/8	.07	.070 ±.006	2	4.50
573-367	7-1/2	7-7/8	.07	.070 ±.006	2	4.50
573-368	7-3/4	8-1/8	.07	.070 ±.006	2	4.50
573-370	8-1/4	8-5/8	.07	.070 ±.006	2	4.77
573-372	8-3/4	9-1/8	.07	.070 ±.006	1	5.07
573-375	9-1/2	9-7/8	.07	.070 ±.006	2	6.53
1/4" C/S						
573-425	4-1/2	5	.105	.105 ±.006	3	\$2.75
573-426	4-5/8	5-1/8	.105	.105 ±.006	3	3.20
573-427	4-3/4	5-1/4	.105	.105 ±.006	3	3.51
573-428	4-7/8	5-3/8	.105	.105 ±.006	3	3.57
573-429	5	5-1/2	.105	.105 ±.006	3	3.57
573-430	5-1/8	5-5/8	.105	.105 ±.006	3	3.59
573-431	5-1/4	5-3/4	.105	.105 ±.006	3	3.67


STYLE 573 HYTREL BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
573-432	5-3/8	5-7/8	.105	.105 ±.006	2	3.81
573-433	5-1/2	6	.105	.105 ±.006	2	3.98
573-434	5-5/8	6-1/8	.105	.105 ±.006	2	4.17
573-435	5-3/4	6-1/4	.105	.105 ±.006	2	4.30
573-436	5-7/8	6-3/8	.105	.105 ±.006	2	6.20
573-437	6	6-1/2	.105	.105 ±.006	2	4.46
573-438	6-1/4	6-3/4	.105	.105 ±.006	2	4.53
573-439	6-1/2	7	.105	.105 ±.006	2	4.68
573-440	6-3/4	7-1/4	.105	.105 ±.006	2	5.02
573-441	7	7-1/2	.105	.105 ±.006	2	5.26
573-442	7-1/4	7-3/4	.105	.105 ±.006	2	5.51
573-443	7-1/2	8	.105	.105 ±.006	2	6.53
573-444	7-3/4	8-1/4	.105	.105 ±.006	1	8.67
573-445	8	8-1/2	.105	.105 ±.006	1	8.39
573-446	8-1/2	9	.105	.105 ±.006	1	11.21
573-447	9	9-1/2	.105	.105 ±.006	1	11.64
573-448	9-1/2	10	.105	.105 ±.006	1	11.83
573-450	10-1/2	11	.105	.105 ±.006	1	12.82
573-451	11	11-1/2	.105	.105 ±.006	1	12.73
573-452	11-1/2	12	.105	.105 ±.006	1	12.73
573-453	12	12-1/2	.105	.105 ±.006	1	12.73
573-454	12-1/2	13	.105	.105 ±.006	1	12.73
573-455	13	13-1/2	.105	.105 ±.006	1	12.82
573-456	13-1/2	14	.105	.105 ±.006	1	12.73

STYLE 574 BUNA-N BACK-UP RINGS

Molded of 90A Durometer Buna-N Rubber, these "Parback®" Style Dished Cross Section back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	90A BUNA-N RUBBER
TEMPERATURE RANGE	-40° TO +240° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
574-004	5/64	13/64	.049	.045 ±.003	25	\$0.39
574-005	3/32	7/32	.049	.045 ±.003	25	0.39
574-006	1/8	1/4	.049	.045 ±.003	25	0.32
574-007	5/32	9/32	.049	.045 ±.003	25	0.30
574-008	3/16	5/16	.049	.045 ±.003	25	0.32
574-009	7/32	11/32	.049	.045 ±.003	25	0.32
574-010	1/4	3/8	.049	.045 ±.003	25	0.32
574-011	5/16	7/16	.049	.045 ±.003	25	0.32
574-012	3/8	1/2	.049	.045 ±.003	25	0.34
574-013	7/16	9/16	.049	.045 ±.003	25	0.35
574-014	1/2	5/8	.049	.045 ±.003	25	0.35
574-015	9/16	11/16	.049	.045 ±.003	25	0.38
574-016	5/8	3/4	.049	.045 ±.003	25	0.38
574-017	11/16	13/16	.049	.045 ±.003	25	0.38
574-018	3/4	7/8	.049	.045 ±.003	25	0.39
574-019	13/16	15/16	.049	.045 ±.003	25	0.39
574-020	7/8	1	.049	.045 ±.003	25	0.41
574-021	15/16	1-1/16	.049	.045 ±.003	25	0.43
574-022	1	1-1/8	.049	.045 ±.003	25	0.43
574-023	1-1/16	1-3/16	.049	.045 ±.003	25	0.47
574-024	1-1/8	1-1/4	.049	.045 ±.003	25	0.48
574-025	1-3/16	1-5/16	.049	.045 ±.003	25	0.48
574-026	1-1/4	1-3/8	.049	.045 ±.003	25	0.51
574-027	1-5/16	1-7/16	.049	.045 ±.003	25	0.54
574-028	1-3/8	1-1/2	.049	.045 ±.003	10	0.54
574-029	1-1/2	1-5/8	.049	.045 ±.003	10	0.58
574-030	1-5/8	1-3/4	.049	.045 ±.003	10	0.62
574-031	1-3/4	1-7/8	.049	.045 ±.003	10	0.64
574-032	1-7/8	2	.049	.045 ±.003	10	0.66
574-033	2	2-1/8	.049	.045 ±.003	10	0.73
574-034	2-1/8	2-1/4	.049	.045 ±.003	10	0.86
574-035	2-1/4	2-3/8	.049	.045 ±.003	10	0.86
574-036	2-3/8	2-1/2	.049	.045 ±.003	10	0.91
574-037	2-1/2	2-5/8	.049	.045 ±.003	10	0.93
574-038	2-5/8	2-3/4	.049	.045 ±.003	10	0.97

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-039	2-3/4	2-7/8	.049	.045 ±.003	10	1.05
574-040	2-7/8	3	.049	.045 ±.003	10	1.21
574-041	3	3-1/8	.049	.045 ±.003	10	1.49
574-042	3-1/4	3-3/8	.049	.045 ±.003	10	1.49
574-043	3-1/2	3-5/8	.049	.045 ±.003	10	1.49
574-044	3-3/4	3-7/8	.049	.045 ±.003	5	2.08
574-045	4	4-1/8	.049	.045 ±.003	5	2.08
574-046	4-1/4	4-3/8	.049	.045 ±.003	5	2.23
574-047	4-1/2	4-5/8	.049	.045 ±.003	5	2.23
574-048	4-3/4	4-7/8	.049	.045 ±.003	5	2.54
574-049	5	5-1/8	.049	.045 ±.003	5	2.54
574-050	5-1/4	5-3/8	.049	.045 ±.003	5	2.54
3/32" C/S						
574-102	1/16	1/4	.053	.045 ±.003	25	\$0.32
574-103	3/32	9/32	.053	.045 ±.003	25	0.32
574-104	1/8	5/16	.053	.045 ±.003	25	0.32
574-105	5/32	11/32	.053	.045 ±.003	25	0.32
574-106	3/16	3/8	.053	.045 ±.003	25	0.32
574-107	7/32	13/32	.053	.045 ±.003	25	0.32
574-108	1/4	7/16	.053	.045 ±.003	25	0.32
574-109	5/16	1/2	.053	.045 ±.003	25	0.34
574-110	3/8	9/16	.053	.045 ±.003	25	0.34
574-111	7/16	5/8	.053	.045 ±.003	25	0.34
574-112	1/2	11/16	.053	.045 ±.003	25	0.34
574-113	9/16	3/4	.053	.045 ±.003	25	0.35
574-114	5/8	13/16	.053	.045 ±.003	25	0.35
574-115	11/16	7/8	.053	.045 ±.003	25	0.35
574-116	3/4	15/16	.053	.045 ±.003	25	0.38
574-117	13/16	1	.053	.045 ±.003	25	0.39
574-118	7/8	1-1/16	.053	.045 ±.003	25	0.41
574-119	15/16	1-1/8	.053	.045 ±.003	25	0.41
574-120	1	1-3/16	.053	.045 ±.003	25	0.43
574-121	1-1/16	1-1/4	.053	.045 ±.003	25	0.47
574-122	1-1/8	1-5/16	.053	.045 ±.003	25	0.48
574-123	1-3/16	1-3/8	.053	.045 ±.003	25	0.48
574-124	1-1/4	1-7/16	.053	.045 ±.003	25	0.51
574-125	1-5/16	1-1/2	.053	.045 ±.003	25	0.53
574-126	1-3/8	1-9/16	.053	.045 ±.003	10	0.58
574-127	1-7/16	1-5/8	.053	.045 ±.003	10	0.57
574-128	1-1/2	1-11/16	.053	.045 ±.003	10	0.58
574-129	1-9/16	1-3/4	.053	.045 ±.003	10	0.60
574-130	1-5/8	1-13/16	.053	.045 ±.003	10	0.62
574-131	1-11/16	1-7/8	.053	.045 ±.003	10	0.64
574-132	1-3/4	1-15/16	.053	.045 ±.003	10	0.64
574-133	1-13/16	2	.053	.045 ±.003	10	0.66
574-134	1-7/8	2-1/16	.053	.045 ±.003	10	0.67
574-135	1-15/16	2-1/8	.053	.045 ±.003	10	0.67
574-136	2	2-3/16	.053	.045 ±.003	10	0.73
574-137	2-1/16	2-1/4	.053	.045 ±.003	10	0.73
574-138	2-1/8	2-5/16	.053	.045 ±.003	10	0.83

STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-139	2-3/16	2-3/8	.053	.045 ±.003	10	0.84
574-140	2-1/4	2-7/16	.053	.045 ±.003	10	0.86
574-141	2-5/16	2-1/2	.053	.045 ±.003	10	0.86
574-142	2-3/8	2-9/16	.053	.045 ±.003	10	0.91
574-143	2-7/16	2-5/8	.053	.045 ±.003	10	0.93
574-144	2-1/2	2-11/16	.053	.045 ±.003	10	0.95
574-145	2-9/16	2-3/4	.053	.045 ±.003	10	0.95
574-146	2-5/8	2-13/16	.053	.045 ±.003	10	0.99
574-147	2-11/16	2-7/8	.053	.045 ±.003	10	1.01
574-148	2-3/4	2-15/16	.053	.045 ±.003	10	1.01
574-149	2-13/16	3	.053	.045 ±.003	10	1.02
574-150	2-7/8	3-1/16	.053	.045 ±.003	10	1.15
574-151	3	3-3/16	.053	.045 ±.003	10	1.25
574-152	3-1/4	3-7/16	.053	.045 ±.003	5	1.69
574-153	3-1/2	3-11/16	.053	.045 ±.003	5	1.93
574-154	3-3/4	3-15/16	.053	.045 ±.003	5	2.34
574-155	4	4-3/16	.053	.045 ±.003	5	2.58
574-156	4-1/4	4-7/16	.053	.045 ±.003	5	3.03
574-157	4-1/2	4-11/16	.053	.045 ±.003	5	3.06
574-158	4-3/4	4-15/16	.053	.045 ±.003	5	3.24
574-159	5	5-3/16	.053	.045 ±.003	1	3.31
574-160	5-1/4	5-7/16	.053	.045 ±.003	1	3.38
574-161	5-1/2	5-11/16	.053	.045 ±.003	1	3.47
574-162	5-3/4	5-15/16	.053	.045 ±.003	1	3.55
574-163	6	6-3/16	.053	.045 ±.003	1	4.42
574-164	6-1/4	6-7/16	.053	.045 ±.003	1	4.42
574-165	6-1/2	6-11/16	.053	.045 ±.003	1	4.42
574-166	6-3/4	6-15/16	.053	.045 ±.003	1	4.42
574-167	7	7-3/16	.053	.045 ±.003	1	4.42
574-168	7-1/4	7-7/16	.053	.045 ±.003	1	4.42
574-169	7-1/2	7-11/16	.053	.045 ±.003	1	5.38
574-170	7-3/4	7-15/16	.053	.045 ±.003	1	5.66
574-171	8	8-3/16	.053	.045 ±.003	1	6.20
574-172	8-1/4	8-7/16	.053	.045 ±.003	1	4.66
574-173	8-1/2	8-11/16	.053	.045 ±.003	1	6.14
574-174	8-3/4	8-15/16	.053	.045 ±.003	1	4.66
574-175	9	9-3/16	.053	.045 ±.003	1	4.85
574-176	9-1/4	9-7/16	.053	.045 ±.003	1	7.31
574-177	9-1/2	9-11/16	.053	.045 ±.003	1	7.56
574-178	9-3/4	9-15/16	.053	.045 ±.003	1	7.78
1/8" C/S						
574-202	1/4	1/2	.05	.040 ±.003	25	\$0.33
574-205	7/16	11/16	.05	.040 ±.003	25	0.35
574-206	1/2	3/4	.05	.040 ±.003	25	0.35
574-207	9/16	13/16	.05	.040 ±.003	25	0.35
574-208	5/8	7/8	.05	.040 ±.003	25	0.38
574-209	11/16	15/16	.05	.040 ±.003	25	0.38
574-210	3/4	1	.05	.040 ±.003	25	0.38
574-211	13/16	1-1/16	.05	.040 ±.003	25	0.39
574-212	7/8	1-1/8	.05	.040 ±.003	25	0.41

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-213	15/16	1-3/16	.05	.040 ±.003	25	0.41
574-214	1	1-1/4	.05	.040 ±.003	25	0.43
574-215	1-1/16	1-5/16	.05	.040 ±.003	25	0.43
574-216	1-1/8	1-3/8	.05	.040 ±.003	25	0.47
574-217	1-3/16	1-7/16	.05	.040 ±.003	25	0.48
574-218	1-1/4	1-1/2	.05	.040 ±.003	10	0.48
574-219	1-5/16	1-9/16	.05	.040 ±.003	10	0.53
574-220	1-3/8	1-5/8	.05	.040 ±.003	10	0.57
574-221	1-7/16	1-11/16	.05	.040 ±.003	10	0.55
574-222	1-1/2	1-3/4	.05	.040 ±.003	10	0.58
574-223	1-5/8	1-7/8	.05	.040 ±.003	10	0.62
574-224	1-3/4	2	.05	.040 ±.003	10	0.67
574-225	1-7/8	2-1/8	.05	.040 ±.003	10	0.73
574-226	2	2-1/4	.05	.040 ±.003	10	0.81
574-227	2-1/8	2-3/8	.05	.040 ±.003	10	0.86
574-228	2-1/4	2-1/2	.05	.040 ±.003	10	0.91
574-229	2-3/8	2-5/8	.05	.040 ±.003	10	0.96
574-230	2-1/2	2-3/4	.05	.040 ±.003	10	0.99
574-231	2-5/8	2-7/8	.05	.040 ±.003	10	1.05
574-232	2-3/4	3	.05	.040 ±.003	10	1.19
574-233	2-7/8	3-1/8	.05	.040 ±.003	10	1.20
574-234	3	3-1/4	.05	.040 ±.003	10	1.29
574-235	3-1/8	3-3/8	.05	.040 ±.003	10	1.43
574-236	3-1/4	3-1/2	.05	.040 ±.003	10	1.44
574-237	3-3/8	3-5/8	.05	.040 ±.003	10	1.45
574-238	3-1/2	3-3/4	.05	.040 ±.003	10	1.49
574-239	3-5/8	3-7/8	.05	.040 ±.003	10	1.49
574-240	3-3/4	4	.05	.040 ±.003	5	1.66
574-241	3-7/8	4-1/8	.05	.040 ±.003	5	1.69
574-242	4	4-1/4	.05	.040 ±.003	5	2.21
574-243	4-1/8	4-3/8	.05	.040 ±.003	5	1.93
574-244	4-1/4	4-1/2	.05	.040 ±.003	5	1.80
574-245	4-3/8	4-5/8	.05	.040 ±.003	5	2.06
574-246	4-1/2	4-3/4	.05	.040 ±.003	5	2.23
574-247	4-5/8	4-7/8	.05	.040 ±.003	5	2.34
574-248	4-3/4	5	.05	.040 ±.003	5	2.48
574-249	4-7/8	5-1/8	.05	.040 ±.003	5	2.52
574-250	5	5-1/4	.05	.040 ±.003	5	2.79
574-251	5-1/8	5-3/8	.05	.040 ±.003	5	2.93
574-252	5-1/4	5-1/2	.05	.040 ±.003	5	3.15
574-253	5-3/8	5-5/8	.05	.040 ±.003	5	3.24
574-254	5-1/2	5-3/4	.05	.040 ±.003	1	3.45
574-255	5-5/8	5-7/8	.05	.040 ±.003	1	3.47
574-256	5-3/4	6	.05	.040 ±.003	1	3.71
574-257	5-7/8	6-1/8	.05	.040 ±.003	1	3.81
574-258	6	6-1/4	.05	.040 ±.003	1	3.94
574-259	6-1/4	6-1/2	.05	.040 ±.003	1	4.18
574-260	6-1/2	6-3/4	.05	.040 ±.003	1	4.26
574-261	6-3/4	7	.05	.040 ±.003	1	4.52
574-262	7	7-1/4	.05	.040 ±.003	1	4.93

STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-263	7-1/4	7-1/2	.05	.040 ±.003	1	5.19
574-264	7-1/2	7-3/4	.05	.040 ±.003	1	5.94
574-265	7-3/4	8	.05	.040 ±.003	1	6.01
574-266	8	8-1/4	.05	.040 ±.003	1	6.35
574-267	8-1/4	8-1/2	.05	.040 ±.003	1	6.63
574-268	8-1/2	8-3/4	.05	.040 ±.003	1	6.82
574-269	8-3/4	9	.05	.040 ±.003	1	6.97
574-270	9	9-1/4	.05	.040 ±.003	1	7.31
574-271	9-1/4	9-1/2	.05	.040 ±.003	1	7.59
574-272	9-1/2	9-3/4	.05	.040 ±.003	1	7.87
574-273	9-3/4	10	.05	.040 ±.003	1	8.17
574-274	10	10-1/4	.05	.040 ±.003	1	8.46
574-275	10-1/2	10-3/4	.05	.040 ±.003	1	8.90
574-276	11	11-1/4	.05	.040 ±.003	1	8.97
574-277	11-1/2	11-3/4	.05	.040 ±.003	1	9.09
574-278	12	12-1/4	.05	.040 ±.003	1	9.16
574-279	13	13-1/4	.05	.040 ±.003	1	9.21
574-280	14	14-1/4	.05	.040 ±.003	1	9.30
574-281	15	15-1/4	.05	.040 ±.003	1	9.44
574-282	16	16-1/4	.05	.040 ±.003	1	9.49
574-283	17	17-1/4	.05	.040 ±.003	1	9.54
574-284	18	18-1/4	.05	.040 ±.003	1	9.68
3/16" C/S						
574-309	7/16	13/16	.076	.060 ±.004	25	\$0.38
574-310	1/2	7/8	.076	.060 ±.004	25	0.41
574-311	9/16	15/16	.076	.060 ±.004	25	0.43
574-312	5/8	1	.076	.060 ±.004	25	0.43
574-313	11/16	1-1/16	.076	.060 ±.004	10	0.47
574-314	3/4	1-1/8	.076	.060 ±.004	10	0.47
574-315	13/16	1-3/16	.076	.060 ±.004	10	0.53
574-316	7/8	1-1/4	.076	.060 ±.004	10	0.48
574-317	15/16	1-5/16	.076	.060 ±.004	10	0.51
574-318	1	1-3/8	.076	.060 ±.004	10	0.55
574-319	1-1/16	1-7/16	.076	.060 ±.004	10	0.55
574-320	1-1/8	1-1/2	.076	.060 ±.004	10	0.58
574-321	1-3/16	1-9/16	.076	.060 ±.004	10	0.64
574-322	1-1/4	1-5/8	.076	.060 ±.004	10	0.66
574-323	1-5/16	1-11/16	.076	.060 ±.004	10	0.68
574-324	1-3/8	1-3/4	.076	.060 ±.004	10	0.73
574-325	1-1/2	1-7/8	.076	.060 ±.004	10	0.81
574-326	1-5/8	2	.076	.060 ±.004	10	0.86
574-327	1-3/4	2-1/8	.076	.060 ±.004	10	0.90
574-328	1-7/8	2-1/4	.076	.060 ±.004	10	0.96
574-329	2	2-3/8	.076	.060 ±.004	10	1.08
574-330	2-1/8	2-1/2	.076	.060 ±.004	10	1.15
574-331	2-1/4	2-5/8	.076	.060 ±.004	10	1.19
574-332	2-3/8	2-3/4	.076	.060 ±.004	10	1.21
574-333	2-1/2	2-7/8	.076	.060 ±.004	10	1.25
574-334	2-5/8	3	.076	.060 ±.004	10	1.29
574-335	2-3/4	3-1/8	.076	.060 ±.004	10	1.41

STYLE 574 BUNA-N BACK-UP RINGS



Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-336	2-7/8	3-1/4	.076	.060 ±.004	10	1.41
574-337	3	3-3/8	.076	.060 ±.004	10	1.49
574-338	3-1/8	3-1/2	.076	.060 ±.004	10	1.49
574-339	3-1/4	3-5/8	.076	.060 ±.004	10	1.58
574-340	3-3/8	3-3/4	.076	.060 ±.004	5	1.70
574-341	3-1/2	3-7/8	.076	.060 ±.004	5	1.70
574-342	3-5/8	4	.076	.060 ±.004	5	1.80
574-343	3-3/4	4-1/8	.076	.060 ±.004	5	2.03
574-344	3-7/8	4-1/4	.076	.060 ±.004	5	2.23
574-345	4	4-3/8	.076	.060 ±.004	5	2.31
574-346	4-1/8	4-1/2	.076	.060 ±.004	5	2.31
574-347	4-1/4	4-5/8	.076	.060 ±.004	5	2.32
574-348	4-3/8	4-3/4	.076	.060 ±.004	5	2.54
574-349	4-1/2	4-7/8	.076	.060 ±.004	5	2.50
574-350	4-5/8	5	.076	.060 ±.004	5	2.73
574-351	4-3/4	5-1/8	.076	.060 ±.004	5	2.78
574-352	4-7/8	5-1/4	.076	.060 ±.004	5	2.80
574-353	5	5-3/8	.076	.060 ±.004	5	3.00
574-354	5-1/8	5-1/2	.076	.060 ±.004	5	3.23
574-355	5-1/4	5-5/8	.076	.060 ±.004	1	3.46
574-356	5-3/8	5-3/4	.076	.060 ±.004	1	3.54
574-357	5-1/2	5-7/8	.076	.060 ±.004	1	3.82
574-358	5-5/8	6	.076	.060 ±.004	1	3.89
574-359	5-3/4	6-1/8	.076	.060 ±.004	1	3.94
574-360	5-7/8	6-1/4	.076	.060 ±.004	1	4.04
574-361	6	6-3/8	.076	.060 ±.004	1	4.09
574-362	6-1/4	6-5/8	.076	.060 ±.004	1	4.66
574-363	6-1/2	6-7/8	.076	.060 ±.004	1	5.05
574-364	6-3/4	7-1/8	.076	.060 ±.004	1	5.11
574-365	7	7-3/8	.076	.060 ±.004	1	5.42
574-366	7-1/4	7-5/8	.076	.060 ±.004	1	5.42
574-367	7-1/2	7-7/8	.076	.060 ±.004	1	5.42
574-368	7-3/4	8-1/8	.076	.060 ±.004	1	5.42
574-369	8	8-3/8	.076	.060 ±.004	1	5.76
574-370	8-1/4	8-5/8	.076	.060 ±.004	1	5.76
574-371	8-1/2	8-7/8	.076	.060 ±.004	1	5.76
574-372	8-3/4	9-1/8	.076	.060 ±.004	1	5.87
574-373	9	9-3/8	.076	.060 ±.004	1	5.87
574-374	9-1/4	9-5/8	.076	.060 ±.004	1	7.21
574-375	9-1/2	9-7/8	.076	.060 ±.004	1	7.21
574-377	10	10-3/8	.076	.060 ±.004	1	7.49
574-378	10-1/2	10-7/8	.076	.060 ±.004	1	7.49
574-379	11	11-3/8	.076	.060 ±.004	1	7.57
574-380	11-1/2	11-7/8	.076	.060 ±.004	1	7.57
574-381	12	12-3/8	.076	.060 ±.004	1	7.57
574-382	13	13-3/8	.076	.060 ±.004	1	7.75
574-383	14	14-3/8	.076	.060 ±.004	1	7.75
574-384	15	15-3/8	.076	.060 ±.004	1	7.75
1/4" C/S						
574-425	4-1/2	5	.117	.096 ±.005	1	\$3.28


STYLE 574 BUNA-N BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
574-426	4-5/8	5-1/8	.117	.096 ±.005	1	3.35
574-427	4-3/4	5-1/4	.117	.096 ±.005	1	3.38
574-428	4-7/8	5-3/8	.117	.096 ±.005	1	3.45
574-429	5	5-1/2	.117	.096 ±.005	1	3.50
574-430	5-1/8	5-5/8	.117	.096 ±.005	1	3.98
574-431	5-1/4	5-3/4	.117	.096 ±.005	1	4.24
574-432	5-3/8	5-7/8	.117	.096 ±.005	1	4.33
574-433	5-1/2	6	.117	.096 ±.005	1	4.46
574-434	5-5/8	6-1/8	.117	.096 ±.005	1	4.46
574-435	5-3/4	6-1/4	.117	.096 ±.005	1	4.50
574-436	5-7/8	6-3/8	.117	.096 ±.005	1	4.57
574-437	6	6-1/2	.117	.096 ±.005	1	4.95
574-438	6-1/4	6-3/4	.117	.096 ±.005	1	5.83
574-439	6-1/2	7	.117	.096 ±.005	1	5.92
574-440	6-3/4	7-1/4	.117	.096 ±.005	1	5.97
574-441	7	7-1/2	.117	.096 ±.005	1	6.33
574-442	7-1/4	7-3/4	.117	.096 ±.005	1	6.63
574-443	7-1/2	8	.117	.096 ±.005	1	7.00
574-444	7-3/4	8-1/4	.117	.096 ±.005	1	7.04
574-445	8	8-1/2	.117	.096 ±.005	1	7.09
574-446	8-1/2	9	.117	.096 ±.005	1	7.17
574-447	9	9-1/2	.117	.096 ±.005	1	7.20
574-448	9-1/2	10	.117	.096 ±.005	1	7.23
574-449	10	10-1/2	.117	.096 ±.005	1	7.33
574-450	10-1/2	11	.117	.096 ±.005	1	7.38
574-451	11	11-1/2	.117	.096 ±.005	1	7.44
574-452	11-1/2	12	.117	.096 ±.005	1	7.47
574-453	12	12-1/2	.117	.096 ±.005	1	7.53
574-454	12-1/2	13	.117	.096 ±.005	1	7.60
574-455	13	13-1/2	.117	.096 ±.005	1	7.69
574-456	13-1/2	14	.117	.096 ±.005	1	7.75
574-457	14	14-1/2	.117	.096 ±.005	1	7.82
574-458	14-1/2	15	.117	.096 ±.005	1	8.00
574-459	15	15-1/2	.117	.096 ±.005	1	8.14
574-460	15-1/2	16	.117	.096 ±.005	1	8.25
574-461	16	16-1/2	.117	.096 ±.005	1	8.29
574-462	16-1/2	17	.117	.096 ±.005	1	8.33
574-463	17	17-1/2	.117	.096 ±.005	1	8.42
574-464	17-1/2	18	.117	.096 ±.005	1	8.67
574-465	18	18-1/2	.117	.096 ±.005	1	8.90
574-466	18-1/2	19	.117	.096 ±.005	1	9.28
574-467	19	19-1/2	.117	.096 ±.005	1	9.84
574-468	19-1/2	20	.117	.096 ±.005	1	10.21
574-469	20	20-1/2	.117	.096 ±.005	1	10.73
574-470	21	21-1/2	.117	.096 ±.005	1	11.44
574-471	22	22-1/2	.117	.096 ±.005	1	11.97
574-472	23	23-1/2	.117	.096 ±.005	1	12.65
574-473	24	24-1/2	.117	.096 ±.005	1	13.28

STYLE 575 URETHANE BACK-UP RINGS

Molded of 95A Durometer Urethane these back-up rings provide excellent extrusion resistance. Stretched for installation, they return quickly to their original size for easy installation.

NOTE: Sizes (Dash No.) correspond to standard o-ring numbers.



SEAL INFORMATION

MATERIAL	95A DUROMETER URETHANE
TEMPERATURE RANGE	-65° TO +220° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004	5/64	13/64	.05	.050 ^{+0.002} / _{-0.005}	10	\$1.09
575-005	3/32	7/32	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-006	1/8	1/4	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-007	5/32	9/32	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-008	3/16	5/16	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-009	7/32	11/32	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-010	1/4	3/8	.05	.050 ^{+0.002} / _{-0.005}	10	1.09
575-011	5/16	7/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.80
575-012	3/8	1/2	.05	.050 ^{+0.002} / _{-0.005}	10	0.80
575-013	7/16	9/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.80
575-014	1/2	5/8	.05	.050 ^{+0.002} / _{-0.005}	10	0.80
575-015	9/16	11/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.80
575-016	5/8	3/4	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-017	11/16	13/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-018	3/4	7/8	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-019	13/16	15/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-020	7/8	1	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-021	15/16	1-1/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-022	1	1-1/8	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-023	1-1/16	1-3/16	.05	.050 ^{+0.002} / _{-0.005}	10	0.94
575-024	1-1/8	1-1/4	.05	.050 ^{+0.002} / _{-0.005}	10	0.94

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-025	1-3/16	1-5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-026	1-1/4	1-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-027	1-5/16	1-7/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-028	1-3/8	1-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-029	1-1/2	1-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-030	1-5/8	1-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-031	1-3/4	1-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-032	1-7/8	2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-033	2	2-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-034	2-1/8	2-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-035	2-1/4	2-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-036	2-3/8	2-1/2	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-037	2-1/2	2-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-038	2-5/8	2-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.09
575-039	2-3/4	2-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.16
575-040	2-7/8	3	.05	.050 ^{+0.002} / _{-.005}	10	1.22
575-041	3	3-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.24
575-042	3-1/4	3-3/8	.05	.050 ^{+0.002} / _{-.005}	10	1.26
575-043	3-1/2	3-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.27
575-044	3-3/4	3-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.35
575-045	4	4-1/8	.05	.050 ^{+0.002} / _{-.005}	5	1.41
575-046	4-1/4	4-3/8	.05	.050 ^{+0.002} / _{-.005}	5	1.47
575-047	4-1/2	4-5/8	.05	.050 ^{+0.002} / _{-.005}	5	1.53
575-048	4-3/4	4-7/8	.05	.050 ^{+0.002} / _{-.005}	5	1.58
575-049	5	5-1/8	.05	.050 ^{+0.002} / _{-.005}	5	1.63
575-050	5-1/4	5-3/8	.05	.050 ^{+0.002} / _{-.005}	5	1.67
3/32" C/S						
575-102	1/16	1/4	.05	.050 ^{+0.002} / _{-.005}	10	\$0.85
575-103	3/32	9/32	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-104	1/8	5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-105	5/32	11/32	.05	.050 ^{+0.002} / _{-.005}	10	0.85

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-106	3/16	3/8	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-107	7/32	13/32	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-108	1/4	7/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-109	5/16	1/2	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-110	3/8	9/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-111	7/16	5/8	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-112	1/2	11/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-113	9/16	3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-114	5/8	13/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-115	11/16	7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-116	3/4	15/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-117	13/16	1	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-118	7/8	1-1/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-119	15/16	1-1/8	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-120	1	1-3/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-121	1-1/16	1-1/4	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-122	1-1/8	1-5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-123	1-3/16	1-3/8	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-124	1-1/4	1-7/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-125	1-5/16	1-1/2	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-126	1-3/8	1-9/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-127	1-7/16	1-5/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-128	1-1/2	1-11/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-129	1-9/16	1-3/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-130	1-5/8	1-13/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-131	1-11/16	1-7/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-132	1-3/4	1-15/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-133	1-13/16	2	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-134	1-7/8	2-1/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-135	1-15/16	2-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-136	2	2-3/16	.05	.050 ^{+0.002} / _{-.005}	10	1.04

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-137	2-1/16	2-1/4	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-138	2-1/8	2-5/16	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-139	2-3/16	2-3/8	.05	.050 ^{+0.002} _{-.005}	10	1.04
575-140	2-1/4	2-7/16	.05	.050 ^{+0.002} _{-.005}	10	1.06
575-141	2-5/16	2-1/2	.05	.050 ^{+0.002} _{-.005}	10	1.06
575-142	2-3/8	2-9/16	.05	.050 ^{+0.002} _{-.005}	10	1.06
575-143	2-7/16	2-5/8	.05	.050 ^{+0.002} _{-.005}	10	1.09
575-144	2-1/2	2-11/16	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-145	2-9/16	2-3/4	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-146	2-5/8	2-13/16	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-147	2-11/16	2-7/8	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-148	2-3/4	2-15/16	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-149	2-13/16	3	.05	.050 ^{+0.002} _{-.005}	10	1.16
575-150	2-7/8	3-1/16	.05	.050 ^{+0.002} _{-.005}	10	1.22
575-151	3	3-3/16	.05	.050 ^{+0.002} _{-.005}	10	1.22
575-152	3-1/4	3-7/16	.05	.050 ^{+0.002} _{-.005}	5	1.62
575-153	3-1/2	3-11/16	.05	.050 ^{+0.002} _{-.005}	5	1.64
575-154	3-3/4	3-15/16	.05	.050 ^{+0.002} _{-.005}	5	2.55
575-155	4	4-3/16	.05	.050 ^{+0.002} _{-.005}	5	2.57
575-156	4-1/4	4-7/16	.05	.050 ^{+0.002} _{-.005}	5	2.59
575-157	4-1/2	4-11/16	.05	.050 ^{+0.002} _{-.005}	5	2.59
575-158	4-3/4	4-15/16	.05	.050 ^{+0.002} _{-.005}	5	2.75
575-159	5	5-3/16	.05	.050 ^{+0.002} _{-.005}	1	2.81
575-160	5-1/4	5-7/16	.05	.050 ^{+0.002} _{-.005}	1	2.87
575-161	5-1/2	5-11/16	.05	.050 ^{+0.002} _{-.005}	1	2.92
575-162	5-3/4	5-15/16	.05	.050 ^{+0.002} _{-.005}	1	3.00
575-163	6	6-3/16	.05	.050 ^{+0.002} _{-.005}	1	3.27
575-164	6-1/4	6-7/16	.05	.050 ^{+0.002} _{-.005}	1	3.47
575-165	6-1/2	6-11/16	.05	.050 ^{+0.002} _{-.005}	1	3.50
575-166	6-3/4	6-15/16	.05	.050 ^{+0.002} _{-.005}	1	3.57
575-167	7	7-3/16	.05	.050 ^{+0.002} _{-.005}	1	3.60

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-168	7-1/4	7-7/16	.05	.050 ^{+0.002} / _{-.005}	1	3.64
575-169	7-1/2	7-11/16	.05	.050 ^{+0.002} / _{-.005}	1	3.70
575-170	7-3/4	7-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.73
575-171	8	8-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.77
575-172	8-1/4	8-7/16	.05	.050 ^{+0.002} / _{-.005}	1	3.82
575-173	8-1/2	8-11/16	.05	.050 ^{+0.002} / _{-.005}	1	3.84
575-174	8-3/4	8-15/16	.05	.050 ^{+0.002} / _{-.005}	1	3.89
575-175	9	9-3/16	.05	.050 ^{+0.002} / _{-.005}	1	3.93
1/8" C/S						
575-205	7/16	11/16	.05	.050 ^{+0.002} / _{-.005}	10	\$0.80
575-206	1/2	3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-207	9/16	13/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-208	5/8	7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-209	11/16	15/16	.05	.050 ^{+0.002} / _{-.005}	10	0.80
575-210	3/4	1	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-211	13/16	1-1/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-212	7/8	1-1/8	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-213	15/16	1-3/16	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-214	1	1-1/4	.05	.050 ^{+0.002} / _{-.005}	10	0.85
575-215	1-1/16	1-5/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-216	1-1/8	1-3/8	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-217	1-3/16	1-7/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-218	1-1/4	1-1/2	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-219	1-5/16	1-9/16	.05	.050 ^{+0.002} / _{-.005}	10	0.90
575-220	1-3/8	1-5/8	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-221	1-7/16	1-11/16	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-222	1-1/2	1-3/4	.05	.050 ^{+0.002} / _{-.005}	10	0.94
575-223	1-5/8	1-7/8	.05	.050 ^{+0.002} / _{-.005}	10	0.98
575-224	1-3/4	2	.05	.050 ^{+0.002} / _{-.005}	10	0.98
575-225	1-7/8	2-1/8	.05	.050 ^{+0.002} / _{-.005}	10	1.04
575-226	2	2-1/4	.05	.050 ^{+0.002} / _{-.005}	10	1.04

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-227	2-1/8	2-3/8	.05	.050 ^{+0.002} _{-0.005}	10	1.04
575-228	2-1/4	2-1/2	.05	.050 ^{+0.002} _{-0.005}	10	1.04
575-229	2-3/8	2-5/8	.05	.050 ^{+0.002} _{-0.005}	10	1.04
575-230	2-1/2	2-3/4	.05	.050 ^{+0.002} _{-0.005}	10	1.18
575-231	2-5/8	2-7/8	.05	.050 ^{+0.002} _{-0.005}	10	1.18
575-232	2-3/4	3	.05	.050 ^{+0.002} _{-0.005}	10	1.18
575-233	2-7/8	3-1/8	.05	.050 ^{+0.002} _{-0.005}	10	1.18
575-234	3	3-1/4	.05	.050 ^{+0.002} _{-0.005}	10	1.29
575-235	3-1/8	3-3/8	.05	.050 ^{+0.002} _{-0.005}	10	1.29
575-236	3-1/4	3-1/2	.05	.050 ^{+0.002} _{-0.005}	10	1.29
575-237	3-3/8	3-5/8	.05	.050 ^{+0.002} _{-0.005}	5	1.50
575-238	3-1/2	3-3/4	.05	.050 ^{+0.002} _{-0.005}	5	1.50
575-239	3-5/8	3-7/8	.05	.050 ^{+0.002} _{-0.005}	5	1.82
575-240	3-3/4	4	.05	.050 ^{+0.002} _{-0.005}	5	1.86
575-241	3-7/8	4-1/8	.05	.050 ^{+0.002} _{-0.005}	5	1.86
575-242	4	4-1/4	.05	.050 ^{+0.002} _{-0.005}	5	1.86
575-243	4-1/8	4-3/8	.05	.050 ^{+0.002} _{-0.005}	5	1.86
575-244	4-1/4	4-1/2	.05	.050 ^{+0.002} _{-0.005}	5	2.29
575-245	4-3/8	4-5/8	.05	.050 ^{+0.002} _{-0.005}	5	2.29
575-246	4-1/2	4-3/4	.05	.050 ^{+0.002} _{-0.005}	5	2.60
575-247	4-5/8	4-7/8	.05	.050 ^{+0.002} _{-0.005}	5	2.60
575-248	4-3/4	5	.05	.050 ^{+0.002} _{-0.005}	1	2.76
575-249	4-7/8	5-1/8	.05	.050 ^{+0.002} _{-0.005}	1	2.89
575-250	5	5-1/4	.05	.050 ^{+0.002} _{-0.005}	1	3.00
575-251	5-1/8	5-3/8	.05	.050 ^{+0.002} _{-0.005}	1	3.26
575-252	5-1/4	5-1/2	.05	.050 ^{+0.002} _{-0.005}	1	3.41
575-253	5-3/8	5-5/8	.05	.050 ^{+0.002} _{-0.005}	1	3.61
575-254	5-1/2	5-3/4	.05	.050 ^{+0.002} _{-0.005}	1	3.78
575-255	5-5/8	5-7/8	.05	.050 ^{+0.002} _{-0.005}	1	3.91
575-256	5-3/4	6	.05	.050 ^{+0.002} _{-0.005}	1	4.08
575-257	5-7/8	6-1/8	.05	.050 ^{+0.002} _{-0.005}	1	4.32

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-258	6	6-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	4.43
575-259	6-1/4	6-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	4.43
575-260	6-1/2	6-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	4.64
575-261	6-3/4	7	.05	.050 ^{+0.002} / _{-0.005}	1	4.83
575-262	7	7-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	4.92
575-263	7-1/4	7-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	5.15
575-264	7-1/2	7-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	5.50
575-265	7-3/4	8	.05	.050 ^{+0.002} / _{-0.005}	1	5.81
575-266	8	8-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	6.74
575-267	8-1/4	8-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	6.85
575-268	8-1/2	8-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.01
575-269	8-3/4	9	.05	.050 ^{+0.002} / _{-0.005}	1	7.01
575-270	9	9-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.21
575-271	9-1/4	9-1/2	.05	.050 ^{+0.002} / _{-0.005}	1	7.37
575-272	9-1/2	9-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.44
575-273	9-3/4	10	.05	.050 ^{+0.002} / _{-0.005}	1	7.52
575-274	10	10-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.57
575-275	10-1/2	10-3/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.67
575-276	11	11-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.73
575-278	12	12-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.81
575-279	13	13-1/4	.05	.050 ^{+0.002} / _{-0.005}	1	7.84
3/16" C/S						
575-309	7/16	13/16	.07	.070 ^{±0.005}	10	\$0.80
575-310	1/2	7/8	.07	.070 ^{±0.005}	10	0.80
575-311	9/16	15/16	.07	.070 ^{±0.005}	10	0.80
575-312	5/8	1	.07	.070 ^{±0.005}	10	0.85
575-313	11/16	1-1/16	.07	.070 ^{±0.005}	10	0.85
575-314	3/4	1-1/8	.07	.070 ^{±0.005}	10	0.90
575-315	13/16	1-3/16	.07	.070 ^{±0.005}	10	0.90
575-316	7/8	1-1/4	.07	.070 ^{±0.005}	10	0.90
575-317	15/16	1-5/16	.07	.070 ^{±0.005}	10	0.90
575-318	1	1-3/8	.07	.070 ^{±0.005}	10	0.90
575-319	1-1/16	1-7/16	.07	.070 ^{±0.005}	10	0.90
575-320	1-1/8	1-1/2	.07	.070 ^{±0.005}	10	0.90
575-321	1-3/16	1-9/16	.07	.070 ^{±0.005}	10	0.90
575-322	1-1/4	1-5/8	.07	.070 ^{±0.005}	10	0.90
575-323	1-5/16	1-11/16	.07	.070 ^{±0.005}	10	0.98

STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-324	1-3/8	1-3/4	.07	.070 ±.005	10	0.98
575-325	1-1/2	1-7/8	.07	.070 ±.005	10	0.98
575-326	1-5/8	2	.07	.070 ±.005	10	1.04
575-327	1-3/4	2-1/8	.07	.070 ±.005	10	1.04
575-328	1-7/8	2-1/4	.07	.070 ±.005	10	1.04
575-329	2	2-3/8	.07	.070 ±.005	10	1.04
575-330	2-1/8	2-1/2	.07	.070 ±.005	10	1.04
575-331	2-1/4	2-5/8	.07	.070 ±.005	10	1.04
575-332	2-3/8	2-3/4	.07	.070 ±.005	10	0.87
575-333	2-1/2	2-7/8	.07	.070 ±.005	10	1.06
575-334	2-5/8	3	.07	.070 ±.005	10	1.09
575-335	2-3/4	3-1/8	.07	.070 ±.005	10	1.18
575-336	2-7/8	3-1/4	.07	.070 ±.005	10	1.18
575-337	3	3-3/8	.07	.070 ±.005	10	1.26
575-338	3-1/8	3-1/2	.07	.070 ±.005	10	1.26
575-339	3-1/4	3-5/8	.07	.070 ±.005	10	1.33
575-340	3-3/8	3-3/4	.07	.070 ±.005	5	1.42
575-341	3-1/2	3-7/8	.07	.070 ±.005	5	1.42
575-342	3-5/8	4	.07	.070 ±.005	5	1.54
575-343	3-3/4	4-1/8	.07	.070 ±.005	5	1.73
575-344	3-7/8	4-1/4	.07	.070 ±.005	5	1.94
575-345	4	4-3/8	.07	.070 ±.005	5	2.10
575-346	4-1/8	4-1/2	.07	.070 ±.005	5	2.27
575-347	4-1/4	4-5/8	.07	.070 ±.005	5	2.37
575-348	4-3/8	4-3/4	.07	.070 ±.005	5	2.52
575-349	4-1/2	4-7/8	.07	.070 ±.005	5	2.60
575-350	4-5/8	5	.07	.070 ±.005	5	2.68
575-351	4-3/4	5-1/8	.07	.070 ±.005	1	3.00
575-352	4-7/8	5-1/4	.07	.070 ±.005	1	3.06
575-353	5	5-3/8	.07	.070 ±.005	1	3.09
575-354	5-1/8	5-1/2	.07	.070 ±.005	1	3.22
575-355	5-1/4	5-5/8	.07	.070 ±.005	1	3.41
575-356	5-3/8	5-3/4	.07	.070 ±.005	1	3.52
575-357	5-1/2	5-7/8	.07	.070 ±.005	1	3.87
575-358	5-5/8	6	.07	.070 ±.005	1	3.87
575-359	5-3/4	6-1/8	.07	.070 ±.005	1	4.08
575-360	5-7/8	6-1/4	.07	.070 ±.005	1	4.28
575-361	6	6-3/8	.07	.070 ±.005	1	4.57
575-362	6-1/4	6-5/8	.07	.070 ±.005	1	4.39
575-363	6-1/2	6-7/8	.07	.070 ±.005	1	4.57
575-364	6-3/4	7-1/8	.07	.070 ±.005	1	4.57
575-365	7	7-3/8	.07	.070 ±.005	1	4.57
575-366	7-1/4	7-5/8	.07	.070 ±.005	1	4.57
575-367	7-1/2	7-7/8	.07	.070 ±.005	1	4.57
575-368	7-3/4	8-1/8	.07	.070 ±.005	1	4.57
575-369	8	8-3/8	.07	.070 ±.005	1	4.65
575-370	8-1/4	8-5/8	.07	.070 ±.005	1	4.84
575-371	8-1/2	8-7/8	.07	.070 ±.005	1	4.65
575-372	8-3/4	9-1/8	.07	.070 ±.005	1	4.95
575-373	9	9-3/8	.07	.070 ±.005	1	4.95


STYLE 575 URETHANE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-374	9-1/4	9-5/8	.07	.070 ±.005	1	5.13
575-375	9-1/2	9-7/8	.07	.070 ±.005	1	5.13
575-376	9-3/4	10-1/8	.07	.070 ±.005	1	5.13
575-377	10	10-3/8	.07	.070 ±.005	1	5.13
575-379	11	11-3/8	.07	.070 ±.005	1	6.00
575-381	12	12-3/8	.07	.070 ±.005	1	6.15
575-382	13	13-3/8	.07	.070 ±.005	1	6.33
575-383	14	14-3/8	.07	.070 ±.005	1	6.33
1/4" C/S						
575-421	4	4-1/2	.105	.105 ±.005	3	\$2.98
575-425	4-1/2	5	.105	.105 ±.005	3	2.68
575-426	4-5/8	5-1/8	.105	.105 ±.005	3	2.71
575-427	4-3/4	5-1/4	.105	.105 ±.005	1	3.45
575-428	4-7/8	5-3/8	.105	.105 ±.005	1	3.48
575-429	5	5-1/2	.105	.105 ±.005	1	3.48
575-430	5-1/8	5-5/8	.105	.105 ±.005	1	3.51
575-431	5-1/4	5-3/4	.105	.105 ±.005	1	3.58
575-432	5-3/8	5-7/8	.105	.105 ±.005	1	3.73
575-433	5-1/2	6	.105	.105 ±.005	1	3.89
575-434	5-5/8	6-1/8	.105	.105 ±.005	1	4.06
575-435	5-3/4	6-1/4	.105	.105 ±.005	1	4.20
575-436	5-7/8	6-3/8	.105	.105 ±.005	1	4.22
575-437	6	6-1/2	.105	.105 ±.005	1	4.34
575-438	6-1/4	6-3/4	.105	.105 ±.005	1	4.42
575-439	6-1/2	7	.105	.105 ±.005	1	4.54
575-440	6-3/4	7-1/4	.105	.105 ±.005	1	4.91
575-441	7	7-1/2	.105	.105 ±.005	1	5.13
575-442	7-1/4	7-3/4	.105	.105 ±.005	1	5.38
575-443	7-1/2	8	.105	.105 ±.005	1	6.36
575-444	7-3/4	8-1/4	.105	.105 ±.005	1	8.46
575-445	8	8-1/2	.105	.105 ±.005	1	8.19
575-446	8-1/2	9	.105	.105 ±.005	1	10.94
575-447	9	9-1/2	.105	.105 ±.005	1	11.37
575-448	9-1/2	10	.105	.105 ±.005	1	11.53
575-449	10	10-1/2	.105	.105 ±.005	1	11.53
575-450	10-1/2	11	.105	.105 ±.005	1	12.51
575-451	11	11-1/2	.105	.105 ±.005	1	12.51
575-452	11-1/2	12	.105	.105 ±.005	1	12.51
575-453	12	12-1/2	.105	.105 ±.005	1	12.51
575-454	12-1/2	13	.105	.105 ±.005	1	12.51
575-455	13	13-1/2	.105	.105 ±.005	1	12.51
575-456	13-1/2	14	.105	.105 ±.005	1	12.51
575-457	14	14-1/2	.105	.105 ±.005	1	6.94
575-460	15-1/2	16	.105	.105 ±.005	1	8.10

Seal color may vary. Special order sizes are available.

STYLE 575 PTFE BACK-UP RINGS

Letter suffix: T = Solid, ST = Split, TS = Spiral Cut, TW = .085 Wide



SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
1/16" C/S						
575-004ST	5/64	13/64	.05		6	\$1.85
575-005ST	3/32	7/32	.05		6	1.85
575-006ST	1/8	1/4	.05		6	1.85
575-007ST	5/32	9/32	.05		6	1.94
575-008ST	3/16	5/16	.05		6	1.94
575-009ST	7/32	11/32	.05		6	1.94
575-009T	7/32	11/32	.05	.050 +.002 -.005	6	0.32
575-010ST	1/4	3/8	.05		12	0.92
575-010T	1/4	3/8	.05	.050 +.002 -.005	6	1.10
575-011ST	5/16	7/16	.05		6	2.03
575-011T	5/16	7/16	.05	.050 +.002 -.005	1	2.17
575-012ST	3/8	1/2	.05		10	2.03
575-013ST	7/16	9/16	.05		6	2.03
575-014ST	1/2	5/8	.05		6	2.09
575-015ST	9/16	11/16	.05		6	2.09
575-016ST	5/8	3/4	.05		10	1.14
575-017ST	11/16	13/16	.05		5	2.19
575-018ST	3/4	7/8	.05		5	2.24
575-018T	3/4	7/8	.05	.050 +.002 -.005	5	0.53
575-019ST	13/16	15/16	.05		5	2.24
575-020ST	7/8	1	.05		5	2.28
575-020T	7/8	1	.05	.050 +.002 -.005	5	2.44
575-021ST	15/16	1-1/16	.05		5	2.28
575-022ST	1	1-1/8	.05		5	2.28
575-022T	1	1-1/8	.05	.050 +.002 -.005	5	2.44
575-023ST	1-1/16	1-3/16	.05		5	2.28
575-024ST	1-1/8	1-1/4	.05		5	2.41
575-025ST	1-3/16	1-5/16	.05		5	2.41
575-026ST	1-1/4	1-3/8	.05		4	2.65
575-026T	1-1/4	1-3/8	.05	.050 +.002 -.005	4	2.84
575-027ST	1-5/16	1-7/16	.05		4	3.06

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-028ST	1-3/8	1-1/2	.05		4	3.19
575-029ST	1-1/2	1-5/8	.05		3	3.16
575-029T	1-1/2	1-5/8	.05	.050 +.002 -.005	3	10.54
575-030ST	1-5/8	1-3/4	.05		3	4.02
575-031T	1-3/4	1-7/8	.05	.050 +.002 -.005	2	7.82
575-032T	1-7/8	2	.05	.050 +.002 -.005	2	7.82
575-033ST	2	2-1/8	.05		2	7.30
575-033T	2	2-1/8	.05	.050 +.002 -.005	2	7.82
575-034T	2-1/8	2-1/4	.05	.050 +.002 -.005	2	7.82
575-036T	2-3/8	2-1/2	.05	.050 +.002 -.005	2	7.82
575-037T	2-1/2	2-5/8	.05	.050 +.002 -.005	2	7.82
575-038ST	2-5/8	2-3/4	.05		1	4.05
575-038T	2-5/8	2-3/4	.05	.050 +.002 -.005	2	7.82
575-039T	2-3/4	2-7/8	.05	.050 +.002 -.005	2	7.82
575-041T	3	3-1/8	.05	.050 +.002 -.005	2	9.88
575-044T	3-3/4	3-7/8	.05	.050 +.002 -.005	2	16.94
575-045T	4	4-1/8	.05	.050 +.002 -.005	2	13.12
3/32" C/S						
575-110ST	3/8	9/16	.05		6	\$2.06
575-111ST	7/16	5/8	.05		5	2.19
575-111T	7/16	5/8	.05	.050 +.002 -.005	1	0.29
575-112ST	1/2	11/16	.05		5	2.31
575-112T	1/2	11/16	.05	.050 +.002 -.005	5	2.47
575-112TS	1/2	11/16	.05		5	5.00
575-113ST	9/16	3/4	.05		5	2.54
575-114ST	5/8	13/16	.05		4	2.65
575-114T	5/8	13/16	.05	.050 +.002 -.005	5	2.84
575-115ST	11/16	7/8	.05	.050 +.002 -.005	4	2.83
575-116ST	3/4	15/16	.05		8	2.83
575-116T	3/4	15/16	.05	.050 +.002 -.005	4	3.13
575-116TS	3/4	15/16	.05		5	5.59
575-117ST	13/16	1	.05		4	2.92
575-117T	13/16	1	.05	.050 +.002 -.005	4	3.13
575-118ST	7/8	1-1/16	.05		4	3.30
575-118T	7/8	1-1/16	.05	.050 +.002 -.005	4	3.54
575-118TS	7/8	1-1/16	.05		4	3.54
575-119ST	15/16	1-1/8	.05		10	3.53
575-119T	15/16	1-1/8	.05	.050 +.002 -.005	3	3.78

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-120ST	1	1-3/16	.05		3	3.58
575-120T	1	1-3/16	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	3	3.84
575-121ST	1-1/16	1-1/4	.05		3	3.58
575-122ST	1-1/8	1-5/16	.05		3	3.58
575-122T	1-1/8	1-5/16	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	3	3.90
575-123ST	1-3/16	1-3/8	.05		6	3.88
575-124ST	1-1/4	1-7/16	.05		6	3.88
575-125ST	1-5/16	1-1/2	.05		6	3.94
575-126ST	1-3/8	1-9/16	.05		3	3.94
575-127ST	1-7/16	1-5/8	.05		3	3.94
575-128ST	1-1/2	1-11/16	.05		3	4.05
575-129ST	1-9/16	1-3/4	.05		3	4.13
575-130ST	1-5/8	1-13/16	.05		3	4.23
575-131ST	1-11/16	1-7/8	.05		3	4.23
575-131T	1-11/16	1-7/8	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	3	2.20
575-132ST	1-3/4	1-15/16	.05		3	4.43
575-133ST	1-13/16	2	.05		3	4.43
575-133T	1-13/16	2	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	1	1.70
575-134ST	1-7/8	2-1/16	.05		3	4.72
575-134TS	1-7/8	2-1/16	.05		1	9.12
575-135ST	1-15/16	2-1/8	.05		3	4.85
575-136ST	2	2-3/16	.05		3	5.11
575-137ST	2-1/16	2-1/4	.05		3	5.36
575-138ST	2-1/8	2-5/16	.05		2	5.82
575-139T	2-3/16	2-3/8	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	2	6.68
575-139TS	2-3/16	2-3/8	.05		1	10.99
575-140T	2-1/4	2-7/16	.05	.050 $\pm .002$	2	6.68
575-140TS	2-1/4	2-7/16	.05		1	12.03
575-141T	2-5/16	2-1/2	.05	.050 $\pm .002$	2	7.06
575-143ST	2-7/16	2-5/8	.05	.0625	2	1.23
575-144ST	2-1/2	2-11/16	.05		2	7.19
575-146T	2-5/8	2-13/16	.05	.050 $\pm .002$	2	7.92
575-148T	2-3/4	2-15/16	.05	.050 $\pm .002$	2	8.34
575-149T	2-13/16	3	.05	.050 $\pm .002$	2	8.75
575-152T	3-1/4	3-7/16	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	2	9.41
575-159T	5	5-3/16	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	1	27.78
1/8" C/S						
575-206ST	1/2	3/4	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	6	\$1.21
575-210ST	3/4	1	.05		4	2.65
575-210T	3/4	1	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	4	2.84
575-211ST	13/16	1-1/16	.05		6	2.92
575-212ST	7/8	1-1/8	.05		4	3.05
575-212T	7/8	1-1/8	.05	.050 $\begin{smallmatrix} +.002 \\ -.005 \end{smallmatrix}$	2	3.13
575-212TS	7/8	1-1/8	.05		1	6.78

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-212TW	7/8	1-1/8	.085		1	7.03
575-213ST	15/16	1-3/16	.05	.050 ±.002	4	3.05
575-214ST	1	1-1/4	.05		4	3.06
575-214T	1	1-1/4	.05	.050 +.002 -.005	6	1.91
575-215ST	1-1/16	1-5/16	.05		4	3.06
575-216ST	1-1/8	1-3/8	.05		4	3.06
575-217ST	1-3/16	1-7/16	.05		4	3.41
575-218ST	1-1/4	1-1/2	.05		5	3.74
575-218T	1-1/4	1-1/2	.05	.050 +.002 -.005	5	2.63
575-218TS	1-1/4	1-1/2	.05		5	4.13
575-219ST	1-5/16	1-9/16	.05		3	3.74
575-219T	1-5/16	1-9/16	.05	.050 +.002 -.005	1	4.46
575-220ST	1-3/8	1-5/8	.05		3	3.88
575-220T	1-3/8	1-5/8	.05	.050 +.002 -.005	2	2.46
575-220TS	1-3/8	1-5/8	.05		1	6.07
575-221ST	1-7/16	1-11/16	.05		3	3.88
575-221T	1-7/16	1-11/16	.05	.050 +.002 -.005	3	4.16
575-222ST	1-1/2	1-3/4	.05		3	4.13
575-222TS	1-1/2	1-3/4	.05		3	5.49
575-223T	1-5/8	1-7/8	.05	.050 +.002 -.005	2	4.84
575-223TS	1-5/8	1-7/8	.05		1	5.69
575-224ST	1-3/4	2	.05		3	4.50
575-224T	1-3/4	2	.05	.050 +.002 -.005	3	4.14
575-224TS	1-3/4	2	.05		1	8.73
575-225ST	1-7/8	2-1/8	.05		3	4.68
575-226ST	2	2-1/4	.05		5	4.68
575-226TS	2	2-1/4	.05		2	5.69
575-227ST	2-1/8	2-3/8	.05		3	4.98
575-228ST	2-1/4	2-1/2	.05		2	5.50
575-229ST	2-3/8	2-5/8	.05		2	6.13
575-230ST	2-1/2	2-3/4	.05		2	6.31
575-230T	2-1/2	2-3/4	.05	.050 +.002 -.005	2	6.91
575-231T	2-5/8	2-7/8	.05	.050 ±.002	2	6.91
575-232T	2-3/4	3	.05	.050 ±.002	2	7.06
575-232TS	2-3/4	3	.05		2	9.71
575-232TW	2-3/4	3	.085		1	12.89
575-233T	2-7/8	3-1/8	.05	.050 ±.002	2	7.32
575-234T	3	3-1/4	.05	.050 ±.002	2	7.77
575-235ST	3-1/8	3-3/8	.05		2	8.86
575-235T	3-1/8	3-3/8	.05	.050 ±.002	2	7.82
575-236T	3-1/4	3-1/2	.05	.050 ±.002	2	8.17
575-237T	3-3/8	3-5/8	.05	.050 ±.002	2	8.64
575-238T	3-1/2	3-3/4	.05	.050 ±.002	2	9.14
575-239ST	3-5/8	3-7/8	.05		2	9.15
575-239T	3-5/8	3-7/8	.05	.050 ±.002	2	9.80

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-240T	3-3/4	4	.05	.050 ±.002	2	14.47
575-240TS	3-3/4	4	.05		2	10.83
575-241ST	3-7/8	4-1/8	.05		2	9.15
575-242T	4	4-1/4	.05	.050 ±.002	2	10.18
575-243ST	4-1/8	4-3/8	.05		2	10.52
575-244T	4-1/4	4-1/2	.05	.050 ±.002	1	10.18
575-245T	4-3/8	4-5/8	.05	.050 ±.002	2	10.18
575-246T	4-1/2	4-3/4	.05	.050 ±.002	1	10.48
575-247T	4-5/8	4-7/8	.05	.050 ±.002	2	10.83
575-248T	4-3/4	5	.05	.050 +.002 -.005	2	11.22
575-249ST	4-7/8	5-1/8	.05		1	11.34
575-249T	4-7/8	5-1/8	.05	.050 +.002 -.005	1	12.15
575-250T	5	5-1/4	.05	.050 +.002 -.005	1	13.19
575-252T	5-1/4	5-1/2	.05	.050 +.002 -.005	1	13.95
575-253T	5-3/8	5-5/8	.05	.050 +.002 -.005	1	14.08
575-254T	5-1/2	5-3/4	.05	.050 +.002 -.005	1	14.80
575-256T	5-3/4	6	.05	.050 +.002 -.005	1	16.43
575-258T	6	6-1/4	.05	.050 +.002 -.005	1	18.09
575-260T	6-1/2	6-3/4	.05	.050 +.002 -.005	1	19.85
575-261T	6-3/4	7	.05	.050 +.002 -.005	1	23.57
575-262TS	7	7-1/4	.05		1	22.86
575-263ST	7-1/4	7-1/2	.05		1	30.42
3/16" C/S						
575-320T	1-1/8	1-1/2	.07	.070 ±.005	2	\$8.85
575-325ST	1-1/2	1-7/8	.07		2	7.79
575-325T	1-1/2	1-7/8	.07	.070 ±.005	2	7.53
575-326ST	1-5/8	2	.07		2	7.79
575-326T	1-5/8	2	.07	.070 ±.005	1	7.83
575-327ST	1-3/4	2-1/8	.07	.070	2	8.86
575-328ST	1-7/8	2-1/4	.07		2	5.79
575-329ST	2	2-3/8	.07		1	9.32
575-330ST	2-1/8	2-1/2	.07		2	9.39
575-330T	2-1/8	2-1/2	.07	.070 ±.005	2	10.06
575-332TS	2-3/8	2-3/4	.07	.036 +.000 -.005	1	8.21
575-333ST	2-1/2	2-7/8	.07		2	10.21
575-333T	2-1/2	2-7/8	.07	.070 ±.005	2	10.93
575-333TS	2-1/2	2-7/8	.07	.036 +.000 -.005	1	9.41
575-334ST	2-5/8	3	.07		2	10.44
575-334TS	2-5/8	3	.07		1	11.19
575-335T	2-3/4	3-1/8	.07	.070 ±.005	1	12.09
575-336ST	2-7/8	3-1/4	.07		1	11.49
575-337TS	3	3-3/8	.07	.036 +.000 -.005	1	11.33

STYLE 575 PTFE BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-338ST	3-1/8	3-1/2	.07		1	11.73
575-338T	3-1/8	3-1/2	.07	.070 ±.005	1	8.30
575-338TS	3-1/8	3-1/2	.07	.036 +.000 -.005	1	11.60
575-340ST	3-3/8	3-3/4	.07		1	11.93
575-340TS	3-3/8	3-3/4	.07		1	12.79
575-341ST	3-1/2	3-7/8	.07		1	12.40
575-342ST	3-5/8	4	.07		1	12.71
575-344ST	3-7/8	4-1/4	.07		1	14.60
575-344TS	3-7/8	4-1/4	.07	.036 +.000 -.005	1	12.69
575-345ST	4	4-3/8	.07		2	7.36
575-345TS	4	4-3/8	.07		1	18.96
575-346ST	4-1/8	4-1/2	.07		1	16.44
575-346TS	4-1/8	4-1/2	.07	.036 +.000 -.005	1	13.03
575-348TS	4-3/8	4-3/4	.07	.036 +.000 -.005	1	19.35
575-349T	4-1/2	4-7/8	.07	.070 ±.005	1	12.55
575-349TS	4-1/2	4-7/8	.07		1	14.08
575-350ST	4-5/8	5	.07		1	18.46
575-354ST	5-1/8	5-1/2	.07		1	18.90
575-356ST	5-3/8	5-3/4	.07		1	27.16
575-359T	5-3/4	6-1/8	.07	.070 ±.005	1	21.38
575-360T	5-7/8	6-1/4	.07	.070 ±.005	1	20.72
575-361T	6	6-3/8	.07	.070 ±.005	1	26.22
575-362ST	6-1/4	6-5/8	.07		1	28.95
575-363T	6-1/2	6-7/8	.07	.070 ±.005	1	29.97
575-363TS	6-1/2	6-7/8	.07		1	24.85
575-364T	6-3/4	7-1/8	.07	.070 ±.005	1	23.88
575-365T	7	7-3/8	.07	.070 ±.005	1	24.61
575-367ST	7-1/2	7-7/8	.07		1	30.74
575-375T	9-1/2	9-7/8	.07	.070 ±.005	1	37.75
575-379T	11	11-3/8	.07	.070 ±.005	1	46.73
1/4" C/S						
575-413ST	3	3-1/2	.108		1	\$27.01
575-425ST	4-1/2	5	.108		1	23.11
575-426ST	4-5/8	5-1/8	.108		1	18.50
575-427ST	4-3/4	5-1/4	.108		1	23.33
575-430ST	5-1/8	5-5/8	.108	.108 ±.002	1	27.25
575-431T	5-1/4	5-3/4	.108	.105 ±.005	1	31.05
575-433ST	5-1/2	6	.108		1	34.03
575-436ST	5-7/8	6-3/8	.108		1	37.08
575-437T	6	6-1/2	.108	.105 ±.005	1	40.63
575-438T	6-1/4	6-3/4	.108	.108 ±.002	1	42.21
575-439T	6-1/2	7	.108	.108 ±.002	1	42.12
575-440ST	6-3/4	7-1/4	.108		1	40.49
575-443T	7-1/2	8	.108	.108 ±.002	1	46.49
575-445TS	8	8-1/2	.108		1	47.15
575-446T	8-1/2	9	.108	.108 ±.002	1	73.02
575-447T	9	9-1/2	.108	.108 ±.002	1	63.91

STYLE 575 PTFE BACK-UP RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	Package Quantity	List Price
575-448T	9-1/2	10	.108	.108 ±.002	1	57.33
575-450T	10-1/2	11	.108	.108 ±.002	1	67.22
575-451T	11	11-1/2	.108	.108 ±.002	1	72.96
575-452T	11-1/2	12	.108	.108 ±.002	1	76.36
575-454T	12-1/2	13	.108	.108 ±.002	1	80.74

STYLE 575 PTFE BACK-UP RINGS - SPECIAL SIZES

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	Nom. Cross Section	th THICKNESS	Package Quantity	List Price
575-1-3/16X1-1/2T	1-3/16	1-1/2	1/16	5/32	.062	1	\$7.92
575-2.4X2.6X.06ST	2.457	2.687	1/16	.115	.060	1	8.12
575-2.7X2.9X.06ST	2.707	2.937	1/16	.115	.060	1	8.58
575-5.5X6.12T	5-1/2	6-1/8	1/16	5/16	.062	1	26.09
575-6.12X7ST	6-1/8	7	1/8	7/16	.125	1	52.43
575-7X8T	7	8	1/8	1/2	.125	1	48.08
575-7.75X8.75X.125T	7-3/4	8-3/4	1/8	1/2	.125	1	71.21
575-9X10T	9	10	1/8	1/2	.125	1	74.34
575-13X14T	13	14	9/64	1/2	.140	1	107.77

Seal color may vary. Special order sizes are available.

STYLE 576 SPLIT NYLON BACK-UP RINGS



SEAL INFORMATION

MATERIAL	NYLON
TEMPERATURE RANGE	-40° TO +250° F
PRESSURE RANGE	VARIES ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
1/8" C/S					
576-216	1-1/8	1-3/8	.06		\$10.31
576-2.37X.125	2-3/8	2-5/8	.07		50.34
576-2.50X.125	2-1/2	2-3/4	.07		6.74
3/16" C/S					
576-314	3/4	1-1/8	.07		\$5.13
576-320	1-1/8	1-1/2	.07		5.26
576-324	1-3/8	1-3/4	.07		5.42
576-325	1-1/2	1-7/8	.07		5.52
576-326	1-5/8	2	.07		5.69
576-327	1-3/4	2-1/8	.07		5.81
576-328	1-7/8	2-1/4	.07		5.94
576-329	2	2-3/8	.06		6.08
576-330	2-1/8	2-1/2	.07		6.19
576-331	2-1/4	2-5/8	.07		27.60
576-332	2-3/8	2-3/4	.06		18.09
576-333	2-1/2	2-7/8	.06	.065 +.000 -.004	6.31
576-334	2-5/8	3	.06		6.49
576-2.62X3.00X.085	2-5/8	3	.085		3.11
576-338	3-1/8	3-1/2	.06		6.56
576-5.75X.185	5-3/4	6-1/8	.185		41.79
1/4" C/S					
576-407	2-1/4	2-3/4	.07		\$5.28
576-408	2-3/8	2-7/8	.07		7.71
576-409	2-1/2	3	.07		5.49
576-2.62X3.12X.06	2-5/8	3-1/8	.06		26.00
576-411	2-3/4	3-1/4	.07		5.73
576-412	2-7/8	3-3/8	.07		5.91
576-413	3	3-1/2	.07		6.34
576-415	3-1/4	3-3/4	.07		6.54
576-417	3-1/2	4	.07	.070 +.005 +.000	6.78
576-418-1/2	3-11/16	4-3/16	.07		6.98
576-419	3-3/4	4-1/4	.07		7.15
576-421	4	4-1/2	.07		7.40
576-423-1	4-1/4	4-3/4	.07		11.69
576-425	4-1/2	5	.07		7.59
576-427	4-3/4	5-1/4	.07		7.71




STYLE 576 SPLIT NYLON BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
576-429	5	5-1/2	.07		7.71
576-433	5-1/2	6	.12		7.81
9/32" C/S					
576-3.18X3.75	3-3/16	3-3/4	.07		\$6.74
.2975" C/S					
576-3.4X4.0X1/8	3.405	4	1/8		\$7.59
3/8" C/S					
576-4.5X5.2	4-1/2	5-1/4	.13		\$8.28
576-5.5X6.25	5-1/2	6-1/4	.187	.187	10.05
576-6.00X6.75X.125	6	6-3/4	1/8		49.84
1/2" C/S					
576-4X5	4	5	1/8	.125	\$26.78
576-6X7	6	7	1/8		14.03

Seal color may vary. Special order sizes are available.

STYLE 590 HIGH PERFORMANCE BACK-UP RINGS

Style 590 Back-up Rings feature exceptional strength and abrasion resistance along with a 53 Shore D hardness rating which makes them suitable for high pressure service where extrusion is a problem. Primarily used as a u-seal back-up, these rings can be used with o-rings. They also retrofit urethane and PTFE back-up rings, with greater performance characteristics. "S" suffix designates a split ring.



SEAL INFORMATION

MATERIAL	HIGH PERFORMANCE URETHANE
TEMPERATURE RANGE	-40° TO +275° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
1/8" C/S					
590-15	1/2	3/4	1/16	.062 ±.005	\$1.30
590-17	5/8	7/8	1/16	.062 ±.005	1.37
590-19S	3/4	1	1/16	.062 ±.005	1.43
590-214	1	1-1/4	1/16	.063 +.000 -.005	0.70
590-227	2-1/8	2-3/8	1/16		1.37
590-228	2-1/4	2-1/2	1/16		10.90
590-237	3-3/8	3-5/8	1/16	.050	1.81
590-239	3-5/8	3-7/8	1/16		1.83
5/32" C/S					
590-32	1	1-5/16	1/16	.062 ±.005	\$1.70
590-34S	1-3/16	1-1/2	1/16	.062 ±.005	1.80
590-36	1-3/8	1-11/16	1/16	.062 ±.005	1.86
3/16" C/S					
590-324	1-3/8	1-3/4	1/16	.0625 +.000 -.005	\$1.06
590-325	1-1/2	1-7/8	1/16	.0625 +.000 -.005	1.12
590-45	1-5/8	2	1/16	.062 ±.005	2.20
590-45S	1-5/8	2	1/16	.062 ±.005	2.20
590-46	1-3/4	2-1/8	1/16	.062 ±.005	2.34
590-48	2	2-3/8	1/16	.062 ±.005	2.50
590-49	2-1/8	2-1/2	1/16	.062 ±.005	2.57
590-49S	2-1/8	2-1/2	1/16	.062 ±.005	2.57
590-338	3-1/8	3-1/2	1/16		2.61
590-341	3-1/2	3-7/8	1/16		3.08
590-345	4	4-3/8	1/16		3.75
590-346	4-1/8	4-1/2	1/16		3.88
590-347	4-1/4	4-5/8	1/16		7.21
590-349	4-1/2	4-7/8	1/16		4.37
590-352	4-7/8	5-1/4	1/16		7.41
590-354	5-1/8	5-1/2	1/16		5.21
590-358	5-5/8	6	1/16		7.66
7/32" C/S					
590-54	2-1/2	2-15/16	1/16	.062 ±.005	\$2.87
590-57	2-13/16	3-1/4	1/16	.062 ±.005	2.99

STYLE 590 HIGH PERFORMANCE BACK-UP RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
590-57S	2-13/16	3-1/4	1/16	.062 ±.005	2.99
590-58	3	3-7/16	1/16	.062 ±.005	3.98
1/4" C/S					
590-66	3-1/2	4	1/16	.062 ±.005	\$4.78
590-66S	3-1/2	4	1/16	.062 ±.005	4.78
590-68	4	4-1/2	1/16	.062 ±.005	5.06
590-70	4-1/2	5	1/16	.062 ±.005	5.27
590-70S	4-1/2	5	1/16	.062 ±.005	5.27
9/32" C/S					
590-73S	4-7/16	5	1/16	.062 ±.005	\$5.67
590-75	5	5-9/16	1/16	.062 ±.005	6.05
590-5.43X6S	5-7/16	6	1/16	.062 ±.005	7.74
590-6.43X7S	6-7/16	7	1/16	.062 ±.005	34.76
5/16" C/S					
590-79	5-3/8	6	1/16	.062 ±.005	\$6.20
590-79S	5-3/8	6	1/16	.062 ±.005	6.20
590-5.5X6.12	5-1/2	6-1/8	1/16	.062 ±.005	9.34
590-83	6-3/8	7	1/16	.062 ±.005	27.29
590-83S	6-3/8	7	1/16	.062 ±.005	27.29
590-84	7-3/8	8	1/16	.062 ±.005	30.07
590-84S	7-3/8	8	1/16	.062 ±.005	30.07
11/32" C/S					
590-85S	9-5/16	10	1/16	.062 ±.005	\$47.42
3/8" C/S					
590-86S	11-1/4	12	1/16	.062 ±.005	\$43.63
13/32" C/S					
590-13.18X14S	13-3/16	14	1/16	.062 ±.005	\$50.39
1/2" C/S					
590-11X12S	11	12	1/16	.062 ±.005	\$81.74
590-87S	13	14	1/16	.062 ±.005	96.20

**Back-up Assortment Kits Also Available -
See the Kits & Tools Section**

Seal color may vary.

STYLE 595 PTFE BACK-UP RINGS FOR U-SEALS

Used primarily as an anti-extrusion device for u-seals, these back-up rings combine high performance with very low friction. "ST" suffix designates a split ring.



SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F
PRESSURE RANGE	VARIABLE ACCORDING TO DIAMETRAL CLEARANCE
PART NUMBER	(Prefix) - (Dash No.) (Config.)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	th THICKNESS	List Price
595-15T	1/2	3/4	1/16	.062 ±.005	\$8.61
595-17T	5/8	7/8	1/16	.062 ±.005	8.61
595-19ST	3/4	1	1/16	.062 ±.005	12.69
595-32T	1	1-5/16	1/16	.062 ±.005	6.58
595-34ST	1-3/16	1-1/2	1/16	.062 ±.005	13.03
595-36T	1-3/8	1-11/16	1/16	.062 ±.005	13.03
595-45ST	1-5/8	2	1/16	.062 ±.005	13.20
595-46T	1-3/4	2-1/8	1/16	.062 ±.005	14.54
595-48T	2	2-3/8	1/16	.062 ±.005	14.68
595-49ST	2-1/8	2-1/2	1/16	.062 ±.005	15.03
595-3.62X4X.09	3-5/8	4	3/32	.090 ±.005	27.15
595-54T	2-1/2	2-15/16	1/16	.062 ±.005	16.03
595-57ST	2-13/16	3-1/4	1/16	.062 ±.005	10.53
595-58T	3	3-7/16	1/16	.062 ±.005	16.70
595-66ST	3-1/2	4	1/16	.062 ±.005	18.71
595-66T	3-1/2	4	1/16	.062 ±.005	18.71
595-68T	4	4-1/2	1/16	.062 ±.005	19.74
595-70ST	4-1/2	5	1/16	.062 ±.005	22.81
595-70T	4-1/2	5	1/16	.062 ±.005	22.81
595-73ST	4-7/16	5	1/16	.062 ±.005	16.93
595-75T	5	5-9/16	1/16	.062 ±.005	27.54
595-5.43X6ST	5-7/16	6	1/16	.062 ±.005	37.95
595-6.43X7ST	6-7/16	7	1/16	.062 ±.005	39.10
595-79ST	5-3/8	6	1/16	.062 ±.005	31.72
595-83ST	6-3/8	7	1/16	.062 ±.005	33.52
595-84ST	7-3/8	8	1/16	.062 ±.005	37.74
595-85ST	9-5/16	10	1/16	.062 ±.005	49.99
595-5.2X6T	5-1/4	6	1/8	.125 ±.005	37.88
595-86ST	11-1/4	12	1/16	.062 ±.005	46.88
595-13.18X14ST	13-3/16	14	1/16	.062 ±.005	69.65
595-5.12X6ST	5-1/8	6	1/8	.125 ±.005	47.93
595-11X12ST	11	12	1/16	.062 ±.005	51.98
595-87ST	13	14	1/16	.062 ±.005	65.21

Seal color may vary. Special order sizes are available.

O-RING SIZE CHART FOR METRIC SEALS

JIS B 2401	WIDTH	I.D.	JIS B 2401	WIDTH	I.D.	JIS B 2401	WIDTH	I.D.
P - 3	1.9 ±0.08	2.8 ±0.14	P - 71	5.7 ±0.13	70.6 ±0.62	G - 25	3.1 ±0.10	24.4 ±0.25
P - 4		3.8 ±0.14	P - 75		74.6 ±0.65	G - 30		29.4 ±0.29
P - 5		4.8 ±0.15	P - 80		79.6 ±0.69	G - 35		34.4 ±0.33
P - 6		5.8 ±0.15	P - 85		84.6 ±0.73	G - 40		39.4 ±0.37
P - 7		6.8 ±0.16	P - 90		89.6 ±0.77	G - 45		44.4 ±0.41
P - 8		7.8 ±0.16	P - 95		94.6 ±0.81	G - 50		49.4 ±0.45
P - 9		8.8 ±0.17	P - 100		99.6 ±0.84	G - 55		54.4 ±0.49
P - 10		9.8 ±0.17	P - 102		101.6 ±0.85	G - 60		59.4 ±0.53
P - 10A	2.4 ±0.09	9.8 ±0.17	P - 105		104.6 ±0.87	G - 65		64.4 ±0.57
P - 11		10.8 ±0.18	P - 110		109.6 ±0.91	G - 70		69.4 ±0.61
P - 11.2		11 ±0.18	P - 112		111.6 ±0.92	G - 75		74.4 ±0.65
P - 12		11.8 ±0.19	P - 115		114.6 ±0.94	G - 80		79.4 ±0.69
P - 12.5		12.3 ±0.19	P - 120		119.6 ±0.98	G - 85		84.4 ±0.73
P - 14		13.8 ±0.19	P - 125		124.6 ±1.01	G - 90		89.4 ±0.77
P - 15		14.8 ±0.20	P - 130		129.6 ±1.05	G - 95		94.4 ±0.81
P - 16		15.8 ±0.20	P - 132		131.6 ±1.06	G - 100		99.4 ±0.85
P - 18		17.8 ±0.21	P - 135		134.6 ±1.09	G - 105		104.4 ±0.87
P - 20		19.8 ±0.22	P - 140		139.6 ±1.12	G - 110		109.4 ±0.91
P - 21		20.8 ±0.23	P - 145		144.6 ±1.16	G - 115		114.4 ±0.94
P - 22		21.8 ±0.24	P - 150		149.6 ±1.19	G - 120		119.4 ±0.98
P - 22A	3.5 ±0.10	21.7 ±0.24	P - 150A	8.4 ±0.15	149.5 ±1.19	G - 125	5.7 ±0.13	124.4 ±1.01
P - 22.4		22.1 ±0.24	P - 155		154.5 ±1.23	G - 130		129.4 ±1.05
P - 24		23.7 ±0.24	P - 160		159.5 ±1.26	G - 135		134.4 ±1.08
P - 25		24.7 ±0.25	P - 165		164.5 ±1.30	G - 140		139.4 ±1.12
P - 25.5		25.2 ±0.25	P - 170		169.5 ±1.33	G - 145		144.4 ±1.16
P - 26		25.7 ±0.26	P - 175		174.5 ±1.37	G - 150		149.3 ±1.19
P - 28		27.7 ±0.28	P - 180		179.5 ±1.40	G - 155		154.3 ±1.23
P - 29		28.7 ±0.29	P - 185		184.5 ±1.44	G - 160		159.3 ±1.26
P - 29.5		29.2 ±0.29	P - 190		189.5 ±1.48	G - 165		164.3 ±1.30
P - 30		29.7 ±0.29	P - 195		194.5 ±1.51	G - 170		169.3 ±1.33
P - 31		30.7 ±0.30	P - 200		199.5 ±1.55	G - 175		174.3 ±1.37
P - 31.5		31.2 ±0.31	P - 205		204.5 ±1.58	G - 180		179.3 ±1.40
P - 32		31.7 ±0.31	P - 209		208.5 ±1.61	G - 185		184.3 ±1.44
P - 34		33.7 ±0.33	P - 210		209.5 ±1.62	G - 190		189.3 ±1.47
P - 35		34.7 ±0.34	P - 215		214.5 ±1.65	G - 195		194.3 ±1.51
P - 35.5		35.2 ±0.34	P - 220		219.5 ±1.68	G - 200		199.3 ±1.55
P - 36		35.7 ±0.34	P - 225		224.5 ±1.71	G - 205		204.3 ±1.58
P - 38		37.7 ±0.37	P - 230		229.5 ±1.75	G - 210		209.3 ±1.61
P - 39		38.7 ±0.37	P - 235		234.5 ±1.78	G - 215		214.3 ±1.64
P - 40		39.7 ±0.37	P - 240		239.5 ±1.81	G - 220		219.3 ±1.68
P - 41		40.7 ±0.38	P - 245		244.5 ±1.84	G - 225		224.3 ±1.71
P - 42		41.7 ±0.39	P - 250		249.5 ±1.88	G - 230		229.3 ±1.73
P - 44		43.7 ±0.41	P - 255		254.5 ±1.91	G - 235		234.3 ±1.77
P - 45		44.7 ±0.41	P - 260		259.5 ±1.94	G - 240		239.3 ±1.81
P - 46		45.7 ±0.42	P - 265		264.5 ±1.97	G - 245		244.3 ±1.84
P - 48		47.7 ±0.44	P - 270		269.5 ±2.01	G - 250		249.3 ±1.88
P - 49		48.7 ±0.45	P - 275		274.5 ±2.04	G - 255		254.3 ±1.91
P - 50		49.7 ±0.45	P - 280		279.5 ±2.07	G - 260		259.3 ±1.94
P - 48A	5.7 ±0.13	47.6 ±0.45	P - 285		284.5 ±2.10	G - 265		264.3 ±1.97
P - 50A		49.6 ±0.45	P - 290		289.5 ±2.14	G - 270		269.3 ±2.01
P - 52		51.6 ±0.47	P - 295		294.5 ±2.17	G - 275		274.3 ±2.04
P - 53		52.6 ±0.48	P - 300		299.5 ±2.20	G - 280		279.3 ±2.07
P - 55		54.6 ±0.49	P - 315		314.5 ±2.30	G - 285		284.3 ±2.10
P - 56		55.6 ±0.50	P - 320		319.5 ±2.33	G - 290		289.3 ±2.14
P - 58		57.6 ±0.52	P - 335		334.5 ±2.42	G - 295		294.3 ±2.17
P - 60		59.6 ±0.53	P - 340		339.5 ±2.45	G - 300		299.3 ±2.20
P - 62		61.6 ±0.55	P - 355		354.5 ±2.54	G - 305		304.3 ±2.24
P - 63		62.6 ±0.56	P - 360		359.5 ±2.57	G - 310		309.3 ±2.27
P - 65		64.6 ±0.57	P - 375		374.5 ±2.67	G - 315		314.3 ±2.30
P - 67		66.6 ±0.59	P - 385		384.5 ±2.73	G - 320		319.3 ±2.33
P - 70		69.6 ±0.61	P - 400		399.5 ±2.82	G - 325		324.3 ±2.36
						G - 330		329.3 ±2.39


O-RING SIZE CHART FOR METRIC SEALS

JIS B 2401	WIDTH	I.D.
G - 335	5.7 ±0.13	334.3 ±2.42
G - 340		339.3 ±2.45
G - 345		344.3 ±2.48
G - 350		349.3 ±2.51
G - 355		354.3 ±2.54
G - 360		359.3 ±2.57
G - 365		364.3 ±2.60
G - 370		369.3 ±2.63
G - 375		374.3 ±2.67
G - 380		379.3 ±2.70
G - 385		384.3 ±2.73
G - 390		389.3 ±2.76
G - 395		394.3 ±2.79
G - 400		399.3 ±2.82
V - 15	4 ±0.10	14.5 ±0.20
V - 24		23.5 ±0.24
V - 34		33.5 ±0.33
V - 40		39.5 ±0.37
V - 55		54.5 ±0.49
V - 70		69 ±0.61
V - 85		84 ±0.72
V - 100		99 ±0.83
V - 120		119 ±0.97
V - 150		148.5 ±1.18
V - 175		173 ±1.36
V - 225	6 ±0.15	222.5 ±1.70
V - 275		272 ±2.02
V - 325		321.5 ±2.34
V - 380		376 ±2.68
V - 430		425.5 ±2.99
V - 480	10 ±0.30	475 ±3.30
V - 530		524.5 ±3.60
V - 585		579 ±3.92
V - 640		633.5 ±4.24
V - 690		683 ±4.54
V - 740		732.5 ±4.83
V - 790		782 ±5.12
V - 845		836.5 ±5.44
V - 950		940.5 ±6.06
V - 1055		1044 ±6.67


SM - O RINGS	WIDTH	I.D.
SM - 3	1.5 ±0.10	2.5 ±0.15
SM - 4		3.5 ±0.15
SM - 5		4.5 ±0.15
SM - 6		5.5 ±0.15
SM - 7		6.5 ±0.15
SM - 8		7.5 ±0.15
SM - 9		8.5 ±0.15
SM - 10		9.5 ±0.15
SM - 11.2		10.7 ±0.15
SM - 12		11.5 ±0.15
SM - 12.5		12 ±0.15
SM - 14		13.5 ±0.15
SM - 15	2.0 ±0.10	14.5 ±0.15
SM - 16		15.5 ±0.15
SM - 18		17.5 ±0.15
SM - 20		19.5 ±0.15
SM - 22		21.5 ±0.15
SM - 22.4		21.9 ±0.15
SM - 24		23.5 ±0.15
SM - 25		24.5 ±0.15
SM - 26		25.5 ±0.15
SM - 28		27.5 ±0.15
SM - 29		28.5 ±0.15
SM - 30		29.5 ±0.15
SM - 31.5		31 ±0.15
SM - 32		31.5 ±0.15
SM - 34		33.5 ±0.15
SM - 35		34.5 ±0.15
SM - 35.5		35 ±0.15
SM - 36		35.5 ±0.15
SM - 38		37.5 ±0.15
SM - 39		38.5 ±0.15
SM - 40		39.5 ±0.15
SM - 42		41.5 ±0.25
SM - 44		43.5 ±0.25
SM - 45		44.5 ±0.25
SM - 46		45.5 ±0.25
SM - 48		47.5 ±0.25
SM - 50		49.5 ±0.25
SM - 53		52.5 ±0.25
SM - 55		54.5 ±0.25
SM - 56		55.5 ±0.25
SM - 60		59.5 ±0.25
SM - 63		62.5 ±0.25
SM - 65		64.5 ±0.25
SM - 67		66.5 ±0.25
SM - 70		69.5 ±0.25
SM - 71		70.5 ±0.4
SM - 75		74.5 ±0.4
SM - 80		79.5 ±0.4
SM - 85		84.5 ±0.4
SM - 90		89.5 ±0.4
SM - 95		94.5 ±0.4
SM - 100		99.5 ±0.4
SM - 105		104.5 ±0.4
SM - 110		109.5 ±0.4
SM - 112		111.5 ±0.4
SM - 115		114.5 ±0.4
SM - 120		119.5 ±0.4
SM - 125		124.5 ±0.4
SM - 130		129.5 ±0.6

SM - 132		131.5 ±0.6
SM - O RINGS	WIDTH	I.D.
SM - 135		134.5 ±0.6
SM - 140		139.5 ±0.6
SM - 145		144.5 ±0.6
SM - 150		149.5 ±0.6

KS-O RINGS	WIDTH	I.D.
KS - 1	1.7 ±0.08	2.75 ±0.13
KS - 2		3.75 ±0.13
KS - 3		4.75 ±0.13
KS - 4		5.75 ±0.13
KS - 5		6.75 ±0.13
KS - 6		7.75 ±0.13
KS - 7		8.75 ±0.13
KS - 8		9.75 ±0.13
KS - 9	2.25 ±0.08	9.7 ±0.13
KS - 10		11.7 ±0.13
KS - 11		13.7 ±0.13
KS - 12		15.7 ±0.13
KS - 13		17.7 ±0.13
KS - 14		19.7 ±0.13
KS - 15	3.3 ±0.10	19.6 ±0.15
KS - 16		21.6 ±0.15
KS - 17		23.6 ±0.15
KS - 18		24.6 ±0.15
KS - 19		25.6 ±0.15
KS - 20		27.6 ±0.15
KS - 21		29.6 ±0.15
KS - 22		31.6 ±0.15
KS - 23		33.6 ±0.15
KS - 24		35.6 ±0.15
KS - 25		37.6 ±0.15
KS - 26		39.6 ±0.15



O-RINGS - 70 DURO NITRILE



PART NUMBERS

MOR - 3 X 1
 Type of Seal Inside Diameter Cross Section

SEAL INFORMATION

MATERIAL	70A DURO NITRILE
TEMPERATURE RANGE	-40° TO +220° F
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1mm C/S				
MOR-3X1	3	5	100	\$0.09
MOR-4X1	4	6	100	0.17
MOR-5X1	5	7	100	0.23
MOR-6X1	6	8	100	0.09
MOR-6.5X1	6.5	8.5	100	0.28
MOR-8X1	8	10	100	0.09
MOR-15X1	15	17	100	0.09
MOR-16X1	16	18	100	0.34
MOR-19X1	19	21	100	0.34
MOR-21X1	21	23	100	0.38
1.2mm C/S				
MOR-85.3X1.2	85.3	87.7	1	\$2.28
1.5mm C/S				
MOR-2.5X1.5	2.5	5.5	100	\$0.43
MOR-3X1.5	3	6	100	0.12
MOR-3.5X1.5	3.5	6.5	100	0.12
MOR-4X1.5	4	7	100	0.17
MOR-5X1.5	5	8	100	0.09
MOR-5.5X1.5	5.5	8.5	1	0.19
MOR-6X1.5	6	9	100	0.09
MOR-7X1.5	7	10	100	0.19
MOR-8X1.5	8	11	100	0.20
MOR-8.5X1.5	8.5	11.5	100	0.20
MOR-9X1.5	9	12	100	0.09
MOR-10X1.5	10	13	100	0.09
MOR-11X1.5	11	14	100	0.24
MOR-12X1.5	12	15	100	0.09
MOR-13X1.5	13	16	100	0.09
MOR-14X1.5	14	17	100	0.27
MOR-15X1.5	15	18	100	0.09
MOR-16X1.5	16	19	100	0.09
MOR-17X1.5	17	20	100	0.38
MOR-17.5X1.5	17.5	20.5	100	0.11
MOR-18X1.5	18	21	100	0.11
MOR-19X1.5	19	22	100	0.11
MOR-20X1.5	20	23	100	0.11
MOR-22X1.5	22	25	100	0.11
MOR-23X1.5	23	26	100	0.11

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-25X1.5	25	28	100	0.13
MOR-26X1.5	26	29	100	0.50
MOR-27X1.5	27	30	100	0.13
MOR-28X1.5	28	31	100	0.13
MOR-30X1.5	30	33	50	0.50
MOR-32X1.5	32	35	50	0.64
MOR-35X1.5	35	38	50	0.64
MOR-36X1.5	36	39	50	0.72
MOR-41X1.5	41	44	50	0.72
MOR-42X1.5	42	45	25	0.33
MOR-43X1.5	43	46	25	0.33
MOR-45X1.5	45	48	25	0.33
MOR-46X1.5	46	49	25	0.90
MOR-47X1.5	47	50	25	0.90
MOR-53X1.5	53	56	20	0.57
MOR-57X1.5	57	60	20	0.63
MOR-65X1.5	65	68	20	0.65
MOR-72X1.5	72	75	20	0.79
1.6mm C/S				
MOR-2.2X1.6	2.2	5.4	100	\$0.11
MOR-3.1X1.6	3.1	6.3	100	0.12
MOR-4.1X1.6	4.1	7.3	100	0.12
MOR-5.1X1.6	5.1	8.3	100	0.18
MOR-6.1X1.6	6.1	9.3	100	0.18
MOR-7.1X1.6	7.1	10.3	25	0.36
MOR-8.1X1.6	8.1	11.3	25	0.41
MOR-9.1X1.6	9.1	12.3	25	0.42
MOR-10.1X1.6	10.1	13.3	25	0.42
MOR-11.1X1.6	11.1	14.3	20	0.48
MOR-12.1X1.6	12.1	15.3	20	0.49
MOR-13.1X1.6	13.1	16.3	20	0.55
MOR-14.1X1.6	14.1	17.3	20	0.59
MOR-15.1X1.6	15.1	18.3	20	0.59
MOR-16.1X1.6	16.1	19.3	20	0.76
MOR-17.1X1.6	17.1	20.3	20	0.79
MOR-18.1X1.6	18.1	21.3	20	0.83
MOR-19.1X1.6	19.1	22.3	20	0.83
MOR-22.1X1.6	22.1	25.3	5	2.25
MOR-25.1X1.6	25.1	28.3	5	2.68
MOR-27.1X1.6	27.1	30.3	5	2.68
MOR-29.1X1.6	29.1	32.3	5	2.97
MOR-32.1X1.6	32.1	35.3	2	5.61
MOR-35.1X1.6	35.1	38.3	2	5.61
MOR-37.1X1.6	37.1	40.3	2	5.61
1.78mm C/S				
MOR-104.4X1.78	104.4	107.96	1	\$24.82
1.8mm C/S				
MOR-6.3X1.8	6.3	9.9	50	\$0.23
MOR-7.5X1.8	7.5	11.1	50	0.24
MOR-9.5X1.8	9.5	13.1	50	0.25

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-10.6X1.8	10.6	14.2	50	0.33
MOR-12.5X1.8	12.5	16.1	25	0.34
1.9mm C/S				
MOR-2.8X1.9	2.8	6.6	100	\$0.09
MOR-3.8X1.9	3.8	7.6	100	0.09
MOR-4.8X1.9	4.8	8.6	100	0.09
MOR-5.8X1.9	5.8	9.6	100	0.09
MOR-6.8X1.9	6.8	10.6	100	0.11
MOR-7.8X1.9	7.8	11.6	100	0.11
MOR-8.8X1.9	8.8	12.6	100	0.11
MOR-9.8X1.9	9.8	13.6	100	0.11
MOR-15.8X1.9	15.8	19.6	100	0.11
2mm C/S				
MOR-3X2	3	7	100	\$0.09
MOR-4X2	4	8	100	0.18
MOR-5X2	5	9	100	0.09
MOR-6X2	6	10	100	0.09
MOR-7X2	7	11	100	0.09
MOR-8X2	8	12	100	0.09
MOR-9X2	9	13	100	0.20
MOR-10X2	10	14	100	0.09
MOR-11X2	11	15	100	0.11
MOR-12X2	12	16	100	0.24
MOR-12.5X2	12.5	16.5	100	0.25
MOR-13X2	13	17	100	0.11
MOR-14X2	14	18	100	0.11
MOR-15X2	15	19	100	0.11
MOR-16X2	16	20	100	0.11
MOR-16.5X2	16.5	20.5	100	0.17
MOR-17X2	17	21	100	0.11
MOR-18X2	18	22	100	0.11
MOR-19X2	19	23	100	0.12
MOR-20X2	20	24	50	0.23
MOR-21X2	21	25	50	0.23
MOR-22X2	22	26	50	0.43
MOR-23X2	23	27	50	0.23
MOR-23.5X2	23.5	27.5	50	0.43
MOR-24X2	24	28	50	0.24
MOR-24.5X2	24.5	28.5	50	0.27
MOR-26X2	26	30	50	0.29
MOR-27X2	27	31	50	0.29
MOR-28X2	28	32	50	0.31
MOR-28.5X2	28.5	32.5	25	0.65
MOR-30X2	30	34	25	0.36
MOR-31X2	31	35	25	0.36
MOR-34X2	34	38	25	0.36
MOR-35X2	35	39	25	0.64
MOR-35.5X2	35.5	39.5	25	0.19
MOR-36X2	36	40	25	0.36
MOR-37X2	37	41	25	0.41

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-37.5X2	37.5	41.5	25	0.42
MOR-39X2	39	43	20	0.48
MOR-39.5X2	39.5	43.5	20	0.48
MOR-42X2	42	46	20	0.48
MOR-43X2	43	47	20	0.48
MOR-44X2	44	48	20	0.49
MOR-45X2	45	49	20	0.49
MOR-46X2	46	50	20	0.65
MOR-48X2	48	52	20	0.67
MOR-50X2	50	54	20	0.67
MOR-52X2	52	56	20	0.67
MOR-53X2	53	57	20	0.67
MOR-55X2	55	59	20	0.77
MOR-56X2	56	60	20	0.77
MOR-57X2	57	61	20	0.79
MOR-58X2	58	62	20	0.79
MOR-63X2	63	67	20	0.79
MOR-64.5X2	64.5	68.5	20	0.82
MOR-66X2	66	70	10	1.14
MOR-67X2	67	71	10	1.14
MOR-68X2	68	72	10	1.14
MOR-69.5X2	69.5	73.5	10	1.14
MOR-70X2	70	74	10	1.15
MOR-72X2	72	76	10	1.15
MOR-73X2	73	77	10	1.19
MOR-74X2	74	78	10	1.22
MOR-74.5X2	74.5	78.5	10	1.28
MOR-76X2	76	80	10	1.28
MOR-77X2	77	81	10	1.29
MOR-78X2	78	82	10	1.30
MOR-79.5X2	79.5	83.5	10	1.30
MOR-80X2	80	84	10	1.30
MOR-84.5X2	84.5	88.5	10	1.30
MOR-85X2	85	89	10	1.35
MOR-86X2	86	90	10	1.35
MOR-90X2	90	94	10	1.36
MOR-93X2	93	97	10	1.36
MOR-100X2	100	104	10	1.60
MOR-114.5X2	114.5	118.5	5	2.26
MOR-125X2	125	129	5	1.96
MOR-266.9X2	266.9	270.9	1	23.76
2.4mm C/S				
MOR-3.3X2.4	3.3	8.1	100	\$0.09
MOR-3.6X2.4	3.6	8.4	50	0.29
MOR-4.3X2.4	4.3	9.1	50	0.29
MOR-4.6X2.4	4.6	9.4	50	0.29
MOR-5.3X2.4	5.3	10.1	50	0.29
MOR-5.6X2.4	5.6	10.4	50	0.31
MOR-6.3X2.4	6.3	11.1	50	0.33
MOR-6.6X2.4	6.6	11.4	25	0.33

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-7.3X2.4	7.3	12.1	25	0.33
MOR-7.6X2.4	7.6	12.4	25	0.33
MOR-8.3X2.4	8.3	13.1	25	0.46
MOR-8.6X2.4	8.6	13.4	25	0.46
MOR-9.3X2.4	9.3	14.1	20	0.48
MOR-9.6X2.4	9.6	14.4	20	0.48
MOR-9.8X2.4	9.8	14.6	100	0.06
MOR-10.3X2.4	10.3	15.1	20	0.48
MOR-10.6X2.4	10.6	15.4	20	0.49
MOR-10.8X2.4	10.8	15.6	100	0.09
MOR-11X2.4	11	15.8	100	0.09
MOR-11.3X2.4	11.3	16.1	20	0.48
MOR-11.6X2.4	11.6	16.4	20	0.55
MOR-11.8X2.4	11.8	16.6	100	0.55
MOR-12.3X2.4	12.3	17.1	20	0.57
MOR-12.6X2.4	12.6	17.4	20	0.58
MOR-12.8X2.4	12.8	17.6	100	0.46
MOR-13.3X2.4	13.3	18.1	20	0.57
MOR-13.6X2.4	13.6	18.4	100	0.08
MOR-13.8X2.4	13.8	18.6	100	0.11
MOR-14.3X2.4	14.3	19.1	10	0.90
MOR-14.8X2.4	14.8	19.6	100	0.77
MOR-15.8X2.4	15.8	20.6	100	0.11
MOR-16.3X2.4	16.3	21.1	10	0.99
MOR-16.6X2.4	16.6	21.4	20	0.59
MOR-17.3X2.4	17.3	22.1	10	1.00
MOR-17.6X2.4	17.6	22.4	1	0.30
MOR-17.8X2.4	17.8	22.6	100	0.11
MOR-18.8X2.4	18.8	23.6	100	0.12
MOR-19.6X2.4	19.6	24.4	20	0.60
MOR-19.8X2.4	19.8	24.6	100	0.96
MOR-20.8X2.4	20.8	25.6	100	0.12
MOR-21.8X2.4	21.8	26.6	100	0.13
MOR-27.3X2.4	27.3	32.1	10	1.19
MOR-27.6X2.4	27.6	32.4	10	1.35
MOR-29.6X2.4	29.6	34.4	10	1.46
MOR-31.6X2.4	31.6	36.4	10	1.57
MOR-34.6X2.4	34.6	39.4	10	1.26
MOR-37.6X2.4	37.6	42.4	10	1.36
MOR-39.6X2.4	39.6	44.4	10	1.55
MOR-44.6X2.4	44.6	49.4	10	1.58
MOR-47.6X2.4	47.6	52.4	5	1.69
MOR-49.6X2.4	49.6	54.4	5	1.71
MOR-51.6X2.4	51.6	56.4	5	1.80
MOR-52.8X2.4	52.8	57.6	10	1.23
MOR-54.6X2.4	54.6	59.4	5	1.79
MOR-55.5X2.4	55.5	60.3	5	2.38
MOR-57.6X2.4	57.6	62.4	5	2.01
MOR-59.6X2.4	59.6	64.4	5	2.02
MOR-59.7X2.4	59.7	64.5	5	2.43

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-61.6X2.4	61.6	66.4	5	2.06
MOR-64.6X2.4	64.6	69.4	5	2.11
MOR-67.6X2.4	67.6	72.4	5	2.17
MOR-69.6X2.4	69.6	74.4	5	2.25
MOR-98.3X2.4	98.3	103.1	1	1.41
MOR-125.3X2.4	125.3	130.1	5	4.18
2.5mm C/S				
MOR-4X2.5	4	9	100	\$0.20
MOR-5X2.5	5	10	100	0.20
MOR-6X2.5	6	11	100	0.09
MOR-7X2.5	7	12	100	0.20
MOR-8X2.5	8	13	100	0.09
MOR-9X2.5	9	14	100	0.09
MOR-10X2.5	10	15	100	0.11
MOR-11X2.5	11	16	100	0.11
MOR-12X2.5	12	17	100	0.11
MOR-13X2.5	13	18	100	0.12
MOR-14X2.5	14	19	100	0.12
MOR-15X2.5	15	20	100	0.12
MOR-16X2.5	16	21	100	0.38
MOR-17X2.5	17	22	100	0.13
MOR-18X2.5	18	23	100	0.38
MOR-19X2.5	19	24	50	0.38
MOR-20X2.5	20	25	50	0.43
MOR-21X2.5	21	26	50	0.19
MOR-22X2.5	22	27	50	0.23
MOR-23X2.5	23	28	50	0.23
MOR-24X2.5	24	29	50	0.24
MOR-25X2.5	25	30	50	0.27
MOR-26X2.5	26	31	50	0.27
MOR-27X2.5	27	32	50	0.27
MOR-28X2.5	28	33	50	0.27
MOR-29X2.5	29	34	50	0.29
MOR-30X2.5	30	35	50	0.29
MOR-31X2.5	31	36	50	0.64
MOR-32X2.5	32	37	50	0.29
MOR-35X2.5	35	40	25	0.64
MOR-36X2.5	36	41	25	0.72
MOR-37X2.5	37	42	25	0.41
MOR-37.5X2.5	37.5	42.5	20	0.49
MOR-38X2.5	38	43	20	0.49
MOR-39X2.5	39	44	20	0.55
MOR-40X2.5	40	45	20	0.55
MOR-42X2.5	42	47	20	0.55
MOR-45X2.5	45	50	20	0.57
MOR-46X2.5	46	51	20	0.60
MOR-47X2.5	47	52	20	0.60
MOR-48X2.5	48	53	20	0.60
MOR-49X2.5	49	54	20	0.63
MOR-50X2.5	50	55	20	0.63

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-53X2.5	53	58	20	0.69
MOR-54X2.5	54	59	20	0.69
MOR-55X2.5	55	60	20	0.77
MOR-57X2.5	57	62	20	0.77
MOR-58X2.5	58	63	20	0.79
MOR-59X2.5	59	64	20	0.79
MOR-60X2.5	60	65	20	0.70
MOR-63X2.5	63	68	10	1.06
MOR-65X2.5	65	70	10	1.08
MOR-67X2.5	67	72	10	1.08
MOR-69X2.5	69	74	10	1.22
MOR-70X2.5	70	75	10	1.22
MOR-72X2.5	72	77	10	1.23
MOR-73X2.5	73	78	10	1.23
MOR-75X2.5	75	80	10	1.24
MOR-76X2.5	76	81	10	1.24
MOR-80X2.5	80	85	10	1.47
MOR-85X2.5	85	90	10	1.48
MOR-90X2.5	90	95	10	1.49
MOR-94X2.5	94	99	10	1.55
MOR-100X2.5	100	105	5	1.82
MOR-110X2.5	110	115	5	2.03
MOR-116X2.5	116	121	5	2.24
MOR-120X2.5	120	125	5	2.25
MOR-140X2.5	140	145	5	2.32
MOR-271.5X2.5	271.5	276.5	1	31.15
2.65mm C/S				
MOR-14X2.65	14	19.3	50	\$0.23
MOR-15X2.65	15	20.3	50	0.25
MOR-16X2.65	16	21.3	50	0.25
MOR-18X2.65	18	23.3	50	0.27
MOR-25X2.65	25	30.3	25	0.33
MOR-30X2.65	30	35.3	25	0.42
3mm C/S				
MOR-5X3	5	11	100	\$0.20
MOR-6X3	6	12	100	0.11
MOR-8X3	8	14	100	0.12
MOR-9X3	9	15	100	0.12
MOR-9.5X3	9.5	15.5	100	0.13
MOR-10X3	10	16	100	0.13
MOR-11X3	11	17	100	0.13
MOR-12X3	12	18	100	0.28
MOR-13X3	13	19	50	0.19
MOR-14X3	14	20	50	0.19
MOR-15X3	15	21	50	0.23
MOR-16X3	16	22	50	0.23
MOR-17X3	17	23	50	0.24
MOR-18X3	18	24	50	0.25
MOR-19X3	19	25	50	0.25
MOR-19.2X3	19.2	25.2	50	0.25

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-20X3	20	26	50	0.27
MOR-21X3	21	27	50	0.29
MOR-22X3	22	28	50	0.29
MOR-22.2X3	22.2	28.2	50	0.31
MOR-23X3	23	29	50	0.31
MOR-24X3	24	30	50	0.31
MOR-24.2X3	24.2	30.2	15	3.00
MOR-25X3	25	31	25	0.33
MOR-26X3	26	32	25	0.33
MOR-27X3	27	33	25	0.34
MOR-28X3	28	34	25	0.34
MOR-29X3	29	35	25	0.41
MOR-30X3	30	36	25	0.41
MOR-31X3	31	37	25	0.42
MOR-32X3	32	38	25	0.42
MOR-33X3	33	39	25	0.46
MOR-34X3	34	40	20	0.46
MOR-35X3	35	41	20	0.49
MOR-36X3	36	42	20	0.49
MOR-36.2X3	36.2	42.2	20	0.55
MOR-36.5X3	36.5	42.5	20	0.57
MOR-37.5X3	37.5	43.5	20	0.58
MOR-38X3	38	44	20	0.58
MOR-39X3	39	45	20	0.58
MOR-40X3	40	46	20	0.60
MOR-41.5X3	41.5	47.5	20	1.18
MOR-42X3	42	48	20	0.63
MOR-42.2X3	42.2	48.2	20	0.63
MOR-43X3	43	49	20	0.63
MOR-44X3	44	50	20	0.67
MOR-45X3	45	51	20	0.67
MOR-46X3	46	52	20	0.69
MOR-47X3	47	53	20	0.69
MOR-48X3	48	54	20	0.69
MOR-49.5X3	49.5	55.5	20	0.77
MOR-51X3	51	57	20	0.79
MOR-52X3	52	58	20	0.79
MOR-54X3	54	60	20	0.79
MOR-54.5X3	54.5	60.5	20	0.79
MOR-55X3	55	61	20	0.79
MOR-56X3	56	62	20	0.82
MOR-57X3	57	63	20	0.82
MOR-58X3	58	64	20	0.82
MOR-59X3	59	65	20	0.83
MOR-59.5X3	59.5	65.5	20	0.83
MOR-60X3	60	66	20	0.83
MOR-62X3	62	68	10	0.83
MOR-63X3	63	69	10	0.96
MOR-64X3	64	70	10	1.01
MOR-64.5X3	64.5	70.5	10	1.06

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-65X3	65	71	10	1.12
MOR-66X3	66	72	10	1.23
MOR-67X3	67	73	10	1.23
MOR-68X3	68	74	10	1.23
MOR-69X3	69	75	10	1.23
MOR-70X3	70	76	10	1.23
MOR-72X3	72	78	10	1.26
MOR-74X3	74	80	10	1.26
MOR-74.5X3	74.5	80.5	10	1.30
MOR-75X3	75	81	10	1.35
MOR-76X3	76	82	10	1.36
MOR-77X3	77	83	10	1.36
MOR-78X3	78	84	10	1.37
MOR-79X3	79	85	10	1.37
MOR-79.5X3	79.5	85.5	10	1.38
MOR-80X3	80	86	10	1.38
MOR-82X3	82	88	10	1.49
MOR-85X3	85	91	10	1.49
MOR-86X3	86	92	10	1.57
MOR-88X3	88	94	10	1.57
MOR-89X3	89	95	10	1.57
MOR-90X3	90	96	10	1.58
MOR-92X3	92	98	10	1.58
MOR-94X3	94	100	1	2.84
MOR-94.5X3	94.5	100.5	10	1.59
MOR-95X3	95	101	10	1.59
MOR-96X3	96	102	10	1.59
MOR-97X3	97	103	10	1.60
MOR-99X3	99	105	5	1.71
MOR-100X3	100	106	5	1.71
MOR-104X3	104	110	5	1.76
MOR-104.5X3	104.5	110.5	5	1.76
MOR-105X3	105	111	1	1.86
MOR-106X3	106	112	5	1.78
MOR-108X3	108	114	5	1.78
MOR-109.5X3	109.5	115.5	5	1.78
MOR-110X3	110	116	5	1.78
MOR-114.5X3	114.5	120.5	5	1.79
MOR-115X3	115	121	5	1.79
MOR-118X3	118	124	5	1.80
MOR-120X3	120	126	5	1.82
MOR-125X3	125	131	5	1.83
MOR-128X3	128	134	5	1.90
MOR-130X3	130	136	5	1.88
MOR-132X3	132	138	5	2.06
MOR-135X3	135	141	5	2.07
MOR-139.5X3	139.5	145.5	5	2.09
MOR-144.5X3	144.5	150.5	1	7.66
MOR-145X3	145	151	5	2.09
MOR-149X3	149	155	5	2.11

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-150X3	150	156	5	2.12
MOR-155X3	155	161	5	3.13
MOR-160X3	160	166	5	3.14
MOR-170X3	170	176	5	3.21
MOR-175X3	175	181	2	3.62
MOR-180X3	180	186	2	3.64
MOR-194X3	194	200	2	4.10
MOR-205X3	205	211	2	4.15
MOR-215X3	215	221	2	5.61
MOR-220X3	220	226	2	5.63
MOR-225X3	225	231	2	5.75
MOR-240X3	240	246	2	6.62
MOR-245X3	245	251	2	14.96
MOR-260X3	260	266	1	11.95
3.1mm C/S				
MOR-24.4X3.1	24.4	30.6	25	\$0.36
MOR-29.4X3.1	29.4	35.6	20	0.48
MOR-32X3.1	32	38.2	20	2.08
MOR-34.4X3.1	34.4	40.6	20	0.63
MOR-39.4X3.1	39.4	45.6	20	0.67
MOR-44.4X3.1	44.4	50.6	10	2.38
MOR-49.4X3.1	49.4	55.6	10	3.20
MOR-54.4X3.1	54.4	60.6	10	1.01
MOR-57.4X3.1	57.4	63.6	10	1.14
MOR-59.4X3.1	59.4	65.6	10	1.15
MOR-64.4X3.1	64.4	70.6	10	1.22
MOR-69.4X3.1	69.4	75.6	10	1.47
MOR-74.4X3.1	74.4	80.6	5	1.76
MOR-79.4X3.1	79.4	85.6	5	1.78
MOR-84.4X3.1	84.4	90.6	5	6.32
MOR-89.4X3.1	89.4	95.6	5	1.83
MOR-94.4X3.1	94.4	100.6	5	7.43
MOR-99.4X3.1	99.4	105.6	5	2.06
MOR-104.4X3.1	104.4	110.6	5	2.09
MOR-109.4X3.1	109.4	115.6	5	8.93
MOR-114.4X3.1	114.4	120.6	5	2.71
MOR-119.4X3.1	119.4	125.6	5	2.83
MOR-124.4X3.1	124.4	130.6	5	9.68
MOR-129.4X3.1	129.4	135.6	5	2.90
MOR-134.4X3.1	134.4	140.6	2	10.74
MOR-139.4X3.1	139.4	145.6	2	11.10
MOR-144.4X3.1	144.4	150.6	2	3.49
MOR-149.4X3.1	149.4	155.6	2	4.91
3.3mm C/S				
MOR-16.6X3.3	16.6	23.2	5	\$2.25
3.5mm C/S				
MOR-14X3.5	14	21	50	\$0.41
MOR-15X3.5	15	22	50	0.41
MOR-16X3.5	16	23	50	0.48
MOR-20X3.5	20	27	50	0.27

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-21X3.5	21	28	50	0.29
MOR-21.7X3.5	21.7	28.7	25	0.34
MOR-22X3.5	22	29	25	0.34
MOR-22.1X3.5	22.1	29.1	25	1.17
MOR-23.7X3.5	23.7	30.7	25	1.24
MOR-24.7X3.5	24.7	31.7	25	0.36
MOR-25X3.5	25	32	25	0.33
MOR-25.2X3.5	25.2	32.2	25	1.36
MOR-25.7X3.5	25.7	32.7	25	0.46
MOR-27.7X3.5	27.7	34.7	20	0.48
MOR-28.7X3.5	28.7	35.7	20	0.48
MOR-29.2X3.5	29.2	36.2	20	1.55
MOR-29.7X3.5	29.7	36.7	20	0.48
MOR-30X3.5	30	37	20	0.49
MOR-30.7X3.5	30.7	37.7	20	0.49
MOR-31.2X3.5	31.2	38.2	20	0.49
MOR-31.7X3.5	31.7	38.7	20	0.49
MOR-33.7X3.5	33.7	40.7	20	0.60
MOR-34.7X3.5	34.7	41.7	20	2.09
MOR-35.2X3.5	35.2	42.2	20	2.19
MOR-35.7X3.5	35.7	42.7	20	2.38
MOR-37X3.5	37	44	20	0.63
MOR-37.7X3.5	37.7	44.7	20	0.64
MOR-38X3.5	38	45	20	0.64
MOR-38.7X3.5	38.7	45.7	20	0.64
MOR-39.7X3.5	39.7	46.7	20	2.79
MOR-40.7X3.5	40.7	47.7	20	2.79
MOR-41.7X3.5	41.7	48.7	20	0.67
MOR-42X3.5	42	49	20	0.76
MOR-43.7X3.5	43.7	50.7	10	0.87
MOR-44.7X3.5	44.7	51.7	10	0.88
MOR-45.7X3.5	45.7	52.7	10	0.88
MOR-47.7X3.5	47.7	54.7	10	0.90
MOR-48.7X3.5	48.7	55.7	10	0.90
MOR-49.7X3.5	49.7	56.7	10	0.93
MOR-50X3.5	50	57	10	0.90
MOR-52X3.5	52	59	10	0.90
MOR-56X3.5	56	63	10	0.94
MOR-58X3.5	58	65	10	0.94
MOR-60X3.5	60	67	10	0.98
MOR-63X3.5	63	70	10	1.22
MOR-65X3.5	65	72	10	1.26
MOR-69X3.5	69	76	10	1.28
MOR-71X3.5	71	78	10	1.30
MOR-73X3.5	73	80	10	1.46
MOR-75X3.5	75	82	1	0.81
MOR-86X3.5	86	93	5	1.76
MOR-87X3.5	87	94	5	1.87
MOR-105X3.5	105	112	5	2.15
MOR-112X3.5	112	119	5	2.32

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-118X3.5	118	125	5	2.43
MOR-120X3.5	120	127	5	2.47
MOR-132X3.5	132	139	5	2.97
MOR-145X3.5	145	152	5	3.41
MOR-170X3.5	170	177	2	3.65
MOR-175X3.5	175	182	2	4.15
MOR-180X3.5	180	187	2	4.20
MOR-200X3.5	200	207	2	6.29
MOR-202X3.5	202	209	2	5.61
MOR-210X3.5	210	217	2	6.01
4mm C/S				
MOR-9X4	9	17	50	\$0.19
MOR-11X4	11	19	50	0.23
MOR-12X4	12	20	50	0.23
MOR-14X4	14	22	50	0.24
MOR-15X4	15	23	50	0.24
MOR-16X4	16	24	50	0.57
MOR-17X4	17	25	50	0.57
MOR-19X4	19	27	50	0.29
MOR-20X4	20	28	50	0.31
MOR-21X4	21	29	50	0.31
MOR-22X4	22	30	25	0.61
MOR-23X4	23	31	25	0.34
MOR-23.5X4	23.5	31.5	25	0.34
MOR-24X4	24	32	25	0.34
MOR-25X4	25	33	25	0.41
MOR-27X4	27	35	25	0.42
MOR-28X4	28	36	25	0.42
MOR-30X4	30	38	20	0.48
MOR-31X4	31	39	20	0.49
MOR-32X4	32	40	20	0.58
MOR-33X4	33	41	20	0.58
MOR-34X4	34	42	20	0.58
MOR-35X4	35	43	20	0.59
MOR-37X4	37	45	20	0.63
MOR-38X4	38	46	20	0.63
MOR-40X4	40	48	20	0.65
MOR-41X4	41	49	20	0.67
MOR-42X4	42	50	20	0.67
MOR-44X4	44	52	20	0.69
MOR-45X4	45	53	20	0.69
MOR-47X4	47	55	10	0.87
MOR-48X4	48	56	10	0.87
MOR-50X4	50	58	10	0.94
MOR-52X4	52	60	10	0.98
MOR-54X4	54	62	10	0.99
MOR-55X4	55	63	10	0.99
MOR-56X4	56	64	10	0.99
MOR-57X4	57	65	10	1.00
MOR-58X4	58	66	10	1.00

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-60X4	60	68	10	1.22
MOR-62X4	62	70	10	1.23
MOR-64X4	64	72	10	1.23
MOR-65X4	65	73	10	1.24
MOR-66X4	66	74	10	1.46
MOR-67X4	67	75	10	1.47
MOR-68X4	68	76	10	1.47
MOR-70X4	70	78	10	1.47
MOR-72X4	72	80	10	1.49
MOR-75X4	75	83	10	1.59
MOR-76X4	76	84	5	1.76
MOR-78X4	78	86	5	1.76
MOR-80X4	80	88	5	1.78
MOR-82X4	82	90	5	1.80
MOR-84X4	84	92	5	1.79
MOR-86X4	86	94	5	1.80
MOR-89X4	89	97	5	1.82
MOR-90X4	90	98	5	1.82
MOR-92X4	92	100	5	1.89
MOR-95X4	95	103	5	1.90
MOR-96X4	96	104	5	2.24
MOR-98X4	98	106	5	2.24
MOR-100X4	100	108	5	2.24
MOR-102X4	102	110	5	2.27
MOR-104X4	104	112	5	2.30
MOR-105X4	105	113	5	2.30
MOR-108X4	108	116	5	2.32
MOR-110X4	110	118	5	2.36
MOR-112X4	112	120	5	2.37
MOR-114X4	114	122	5	2.37
MOR-115X4	115	123	5	2.37
MOR-116X4	116	124	5	2.38
MOR-117X4	117	125	5	2.38
MOR-118X4	118	126	5	2.38
MOR-119X4	119	127	5	2.40
MOR-120X4	120	128	5	2.40
MOR-124X4	124	132	5	2.43
MOR-126X4	126	134	5	2.47
MOR-127X4	127	135	5	2.47
MOR-128X4	128	136	5	2.54
MOR-129X4	129	137	5	2.54
MOR-130X4	130	138	5	2.54
MOR-132X4	132	140	5	2.57
MOR-133X4	133	141	5	2.57
MOR-134X4	134	142	5	2.60
MOR-136X4	136	144	5	3.21
MOR-137X4	137	145	5	3.21
MOR-140X4	140	148	5	2.67
MOR-142X4	142	150	5	2.67
MOR-146X4	146	154	5	2.71

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-150X4	150	158	5	2.97
MOR-155X4	155	163	5	2.83
MOR-160X4	160	168	5	2.84
MOR-164X4	164	172	5	2.86
MOR-170X4	170	178	5	3.19
MOR-172X4	172	180	5	5.78
MOR-177X4	177	185	5	5.85
MOR-180X4	180	188	5	5.91
MOR-200X4	200	208	5	7.26
MOR-240X4	240	248	2	9.28
MOR-250X4	250	258	2	9.36
MOR-265X4	265	273	2	9.44
MOR-270X4	270	278	2	9.44
MOR-285X4	285	293	1	11.95
MOR-287X4	287	295	1	45.05
MOR-438X4	438	446	1	20.96
5mm C/S				
MOR-15X5	15	25	25	\$0.34
MOR-16X5	16	26	25	0.65
MOR-18X5	18	28	1	0.78
MOR-19X5	19	29	25	0.46
MOR-20X5	20	30	20	0.48
MOR-21X5	21	31	20	0.48
MOR-22X5	22	32	20	0.49
MOR-24X5	24	34	20	0.58
MOR-27X5	27	37	20	0.60
MOR-28X5	28	38	20	0.60
MOR-30X5	30	40	20	0.70
MOR-32X5	32	42	20	0.77
MOR-35X5	35	45	20	0.83
MOR-40X5	40	50	10	1.01
MOR-42X5	42	52	10	1.06
MOR-44X5	44	54	10	1.08
MOR-45X5	45	55	10	1.12
MOR-50X5	50	60	10	1.24
MOR-52X5	52	62	10	1.28
MOR-55X5	55	65	10	1.30
MOR-58X5	58	68	10	1.28
MOR-60X5	60	70	10	1.48
MOR-65X5	65	75	10	1.57
MOR-68X5	68	78	10	1.59
MOR-70X5	70	80	10	1.60
MOR-73X5	73	83	5	1.82
MOR-75X5	75	85	5	1.83
MOR-78X5	78	88	5	1.89
MOR-80X5	80	90	5	1.90
MOR-82X5	82	92	5	1.96
MOR-85X5	85	95	5	1.97
MOR-90X5	90	100	5	2.13
MOR-92X5	92	102	5	2.12

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-95X5	95	105	5	2.30
MOR-97X5	97	107	5	2.49
MOR-100X5	100	110	5	2.57
MOR-105X5	105	115	5	2.61
MOR-107X5	107	117	5	2.62
MOR-108X5	108	118	5	2.62
MOR-110X5	110	120	5	2.64
MOR-112X5	112	122	5	2.67
MOR-118X5	118	128	5	2.73
MOR-120X5	120	130	5	3.02
MOR-121X5	121	131	5	3.02
MOR-122X5	122	132	5	3.03
MOR-125X5	125	135	5	3.05
MOR-130X5	130	140	5	3.07
MOR-138X5	138	148	5	3.19
MOR-140X5	140	150	5	3.21
MOR-150X5	150	160	5	2.97
MOR-155X5	155	165	2	4.13
MOR-158X5	158	168	2	4.14
MOR-160X5	160	170	2	4.15
MOR-165X5	165	175	2	4.41
MOR-173X5	173	183	2	4.42
MOR-175X5	175	185	2	4.43
MOR-180X5	180	190	2	4.62
MOR-195X5	195	205	2	5.33
MOR-200X5	200	210	2	5.39
MOR-205X5	205	215	2	14.47
MOR-220X5	220	230	2	8.45
MOR-225X5	225	235	2	9.05
MOR-235X5	235	245	1	10.04
MOR-240X5	240	250	1	10.16
MOR-245X5	245	255	1	10.35
MOR-250X5	250	260	1	10.56
MOR-255X5	255	265	1	10.67
MOR-265X5	265	275	1	11.19
MOR-275X5	275	285	1	11.29
MOR-290X5	290	300	1	13.85
MOR-300X5	300	310	1	13.85
MOR-330X5	330	340	1	13.98
MOR-345X5	345	355	1	15.59
MOR-395X5	395	405	1	18.82
5.25mm C/S				
MOR-182X5.25	182	192.5	1	\$4.09
5.3mm C/S				
MOR-40X5.3	40	50.6	10	\$1.01
MOR-41.3X5.3	41.3	51.9	1	6.68
MOR-45X5.3	45	55.6	10	1.26
MOR-50X5.3	50	60.6	10	1.28
MOR-58X5.3	58	68.6	10	1.59
MOR-61.3X5.3	61.3	71.9	1	6.94

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-150X5.3	150	160.6	2	3.56
MOR-170X5.3	170	180.6	2	5.73
5.7mm C/S				
MOR-47.6X5.7	47.6	59	5	\$2.30
MOR-49.6X5.7	49.6	61	5	2.36
MOR-51.6X5.7	51.6	63	5	2.40
MOR-52.6X5.7	52.6	64	5	2.43
MOR-54.6X5.7	54.6	66	5	2.49
MOR-55.6X5.7	55.6	67	5	2.57
MOR-57.6X5.7	57.6	69	5	3.35
MOR-59.2X5.7	59.2	70.6	5	3.06
MOR-59.6X5.7	59.6	71	2	3.38
MOR-61.6X5.7	61.6	73	2	4.16
MOR-62.6X5.7	62.6	74	2	4.20
MOR-64.6X5.7	64.6	76	2	4.31
MOR-66.6X5.7	66.6	78	2	4.37
MOR-69.6X5.7	69.6	81	2	4.32
MOR-70.6X5.7	70.6	82	2	4.43
MOR-74.3X5.7	74.3	85.7	5	2.24
MOR-74.6X5.7	74.6	86	2	4.62
MOR-77.2X5.7	77.2	88.6	5	2.75
MOR-79.3X5.7	79.3	90.7	5	2.37
MOR-79.6X5.7	79.6	91	2	4.72
MOR-84.3X5.7	84.3	95.7	5	2.47
MOR-84.6X5.7	84.6	96	2	4.90
MOR-89.3X5.7	89.3	100.7	5	2.49
MOR-89.6X5.7	89.6	101	2	5.00
MOR-94.3X5.7	94.3	105.7	5	3.05
MOR-94.6X5.7	94.6	106	2	5.18
MOR-99.3X5.7	99.3	110.7	5	3.07
MOR-99.6X5.7	99.6	111	2	5.28
MOR-101.6X5.7	101.6	113	2	6.62
MOR-104.3X5.7	104.3	115.7	5	3.12
MOR-104.6X5.7	104.6	116	2	6.74
MOR-109.3X5.7	109.3	120.7	5	3.14
MOR-109.6X5.7	109.6	121	2	6.86
MOR-111.6X5.7	111.6	123	2	6.91
MOR-114.3X5.7	114.3	125.7	2	4.79
MOR-114.6X5.7	114.6	126	2	6.98
MOR-119.6X5.7	119.6	131	2	7.11
MOR-124.3X5.7	124.3	135.7	2	3.50
MOR-124.6X5.7	124.6	136	2	7.22
MOR-129.3X5.7	129.3	140.7	2	3.65
MOR-129.6X5.7	129.6	141	2	7.27
MOR-131.6X5.7	131.6	143	2	7.32
MOR-134.3X5.7	134.3	145.7	2	3.82
MOR-134.6X5.7	134.6	146	2	7.39
MOR-139.6X5.7	139.6	151	2	7.49
MOR-144.3X5.7	144.3	155.7	2	4.13
MOR-144.6X5.7	144.6	156	2	7.62


O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-149.3X5.7	149.3	160.7	2	5.68
MOR-149.6X5.7	149.6	161	2	9.07
MOR-154.3X5.7	154.3	165.7	2	5.75
MOR-159.3X5.7	159.3	170.7	2	5.72
MOR-164.3X5.7	164.3	175.7	2	5.78
MOR-169.3X5.7	169.3	180.7	2	5.89
MOR-174.3X5.7	174.3	185.7	2	7.93
MOR-179.3X5.7	179.3	190.7	2	14.89
MOR-184.3X5.7	184.3	195.7	2	8.10
MOR-189.3X5.7	189.3	200.7	2	8.17
MOR-194.3X5.7	194.3	205.7	2	8.26
MOR-199.3X5.7	199.3	210.7	2	9.64
MOR-209.3X5.7	209.3	220.7	2	9.81
MOR-214.3X5.7	214.3	225.7	2	9.83
MOR-219.3X5.7	219.3	230.7	2	10.01
MOR-224.3X5.7	224.3	235.7	1	10.16
MOR-229.3X5.7	229.3	240.7	1	10.16
MOR-234.3X5.7	234.3	245.7	1	10.90
MOR-239.3X5.7	239.3	250.7	1	11.10
MOR-249.3X5.7	249.3	260.7	1	11.70
MOR-254.3X5.7	254.3	265.7	1	12.78
MOR-259.3X5.7	259.3	270.7	1	12.83
MOR-269.3X5.7	269.3	280.7	1	12.94
MOR-279.3X5.7	279.3	290.7	1	13.67
MOR-289.3X5.7	289.3	300.7	1	14.45
MOR-299.3X5.7	299.3	310.7	1	14.54
MOR-304.3X5.7	304.3	315.7	1	17.03
MOR-309.3X5.7	309.3	320.7	1	17.03
MOR-359.3X5.7	359.3	370.7	1	19.75
MOR-399.3X5.7	399.3	410.7	1	26.04
MOR-404.3X5.7	404.3	415.7	1	26.38
MOR-424.3X5.7	424.3	435.7	1	26.90
MOR-439.3X5.7	439.3	450.7	1	28.63
MOR-444.3X5.7	444.3	455.7	1	28.82
MOR-459.3X5.7	459.3	470.7	1	30.38
MOR-464.3X5.7	464.3	475.7	1	30.59
MOR-469.3X5.7	469.3	480.7	1	30.92
MOR-489.3X5.7	489.3	500.7	1	32.05
MOR-494.3X5.7	494.3	505.7	1	32.28
MOR-499.3X5.7	499.3	510.7	1	32.84
6mm C/S				
MOR-20X6	20	32	10	\$0.90
MOR-25X6	25	37	10	0.90
MOR-37X6	37	49	10	1.37
MOR-46X6	46	58	10	1.38
MOR-114X6	114	126	5	5.50
MOR-160X6	160	172	2	4.81
MOR-242X6	242	254	1	12.12
MOR-335X6	335	347	1	27.19
6.99mm C/S				

O-RINGS - 70 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-297.8X6.99	297.8	311.78	1	\$11.04
8mm C/S				
MOR-100X8	100	116	1	\$3.50
MOR-180X8	180	196	1	48.84
MOR-215X8	215	231	1	11.04
MOR-280X8	280	296	1	21.92
8.4mm C/S				
MOR-144.1X8.4	144.1	160.9	1	\$12.21
MOR-149.5X8.4	149.5	166.3	1	23.30
MOR-154.5X8.4	154.5	171.3	1	13.10
MOR-159.5X8.4	159.5	176.3	1	24.77
MOR-164.1X8.4	164.1	180.9	1	13.29
MOR-164.5X8.4	164.5	181.3	1	13.29
MOR-169.5X8.4	169.5	186.3	1	13.29
MOR-174.5X8.4	174.5	191.3	1	27.23
MOR-179.5X8.4	179.5	196.3	1	14.01
MOR-184.5X8.4	184.5	201.3	1	14.18
MOR-189.5X8.4	189.5	206.3	1	14.39
MOR-194.5X8.4	194.5	211.3	1	30.54
MOR-199.5X8.4	199.5	216.3	1	14.76
MOR-204.5X8.4	204.5	221.3	1	14.96
MOR-208.5X8.4	208.5	225.3	1	16.18
MOR-209.5X8.4	209.5	226.3	1	18.13
MOR-214.5X8.4	214.5	231.3	1	16.56
MOR-219.5X8.4	219.5	236.3	1	16.56
MOR-224.5X8.4	224.5	241.3	1	16.75
MOR-229.5X8.4	229.5	246.3	1	37.16
MOR-234.5X8.4	234.5	251.3	1	27.84
MOR-239.5X8.4	239.5	256.3	1	28.00
MOR-244.5X8.4	244.5	261.3	1	28.14
MOR-249.5X8.4	249.5	266.3	1	28.37
MOR-259.5X8.4	259.5	276.3	1	28.76
MOR-269.5X8.4	269.5	286.3	1	29.03
MOR-279.5X8.4	279.5	296.3	1	29.48
MOR-284.5X8.4	284.5	301.3	1	29.65
MOR-289.5X8.4	289.5	306.3	1	29.85
MOR-294.5X8.4	294.5	311.3	1	30.80
MOR-299.5X8.4	299.5	316.3	1	57.78
MOR-314.5X8.4	314.5	331.3	1	36.94
MOR-319.5X8.4	319.5	336.3	1	66.12
MOR-339.5X8.4	339.5	356.3	1	79.35
MOR-359.5X8.4	359.5	376.3	1	57.78
MOR-384.5X8.4	384.5	401.3	1	63.00
MOR-399.5X8.4	399.5	416.3	1	67.83
10mm C/S				
MOR-78X10	78	98	1	\$4.16
MOR-145X10	145	165	1	23.68
12mm C/S				
MOR-130X12	130	154	1	\$11.03

O-RINGS - 90 DURO NITRILE



SEAL INFORMATION

MATERIAL	90A DURO NITRILE
TEMPERATURE RANGE	-40° TO +220° F
SPEED	3 FT/SEC

PART NUMBERS

MOR - 5 X 1.5 - 90D

Type of Seal Inside Diameter Cross Section Suffix

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1.5mm C/S				
MOR-5X1.5-90D	5	8	50	\$0.22
MOR-13X1.5-90D	13	16	50	0.23
MOR-16X1.5-90D	16	19	50	0.26
1.6mm C/S				
MOR-2.2X1.6-90D	2.2	5.4	25	\$0.40
MOR-3.1X1.6-90D	3.1	6.3	25	0.40
MOR-4.1X1.6-90D	4.1	7.3	25	0.43
MOR-7.1X1.6-90D	7.1	10.3	20	0.46
MOR-9.1X1.6-90D	9.1	12.3	20	0.48
MOR-10.1X1.6-90D	10.1	13.3	20	0.48
MOR-13.1X1.6-90D	13.1	16.3	20	0.55
MOR-22.1X1.6-90D	22.1	25.3	20	0.76
1.8mm C/S				
MOR-13.3X1.8-90D	13.3	16.9	2	\$3.51
1.9mm C/S				
MOR-2.8X1.9-90D	2.8	6.6	100	\$0.08
MOR-3.8X1.9-90D	3.8	7.6	100	0.08
MOR-4.8X1.9-90D	4.8	8.6	100	0.11
MOR-5.8X1.9-90D	5.8	9.6	100	0.11
MOR-6.8X1.9-90D	6.8	10.6	50	0.23
MOR-7.8X1.9-90D	7.8	11.6	50	0.25
MOR-8.8X1.9-90D	8.8	12.6	50	0.25
MOR-9.8X1.9-90D	9.8	13.6	50	0.26
2mm C/S				
MOR-4X2-90D	4	8	100	\$0.12
MOR-6X2-90D	6	10	50	0.19
MOR-8X2-90D	8	12	50	0.19
MOR-9X2-90D	9	13	50	0.19
MOR-10X2-90D	10	14	50	0.22
MOR-11X2-90D	11	15	50	0.52
MOR-12X2-90D	12	16	50	0.22
MOR-14X2-90D	14	18	50	0.22
MOR-16X2-90D	16	20	50	0.23
MOR-17.5X2-90D	17.5	21.5	2	2.85

O-RINGS - 90 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-19X2-90D	19	23	50	0.28
MOR-20X2-90D	20	24	25	0.33
MOR-28X2-90D	28	32	20	0.57
2.4mm C/S				
MOR-4.3X2.4-90D	4.3	9.1	50	\$0.30
MOR-5.3X2.4-90D	5.3	10.1	50	0.30
MOR-5.6X2.4-90D	5.6	10.4	50	0.30
MOR-7.3X2.4-90D	7.3	12.1	25	0.33
MOR-7.6X2.4-90D	7.6	12.4	25	0.34
MOR-8.3X2.4-90D	8.3	13.1	20	0.43
MOR-8.6X2.4-90D	8.6	13.4	20	0.46
MOR-9.8X2.4-90D	9.8	14.6	25	0.40
MOR-10.8X2.4-90D	10.8	15.6	25	0.41
MOR-11X2.4-90D	11	15.8	25	0.41
MOR-11.8X2.4-90D	11.8	16.6	25	0.41
MOR-12.3X2.4-90D	12.3	17.1	20	0.55
MOR-12.8X2.4-90D	12.8	17.6	25	0.41
MOR-13.8X2.4-90D	13.8	18.6	20	0.57
MOR-14.3X2.4-90D	14.3	19.1	20	0.55
MOR-14.8X2.4-90D	14.8	19.6	20	0.56
MOR-15.8X2.4-90D	15.8	20.6	20	0.56
MOR-16.3X2.4-90D	16.3	21.1	20	0.63
MOR-16.8X2.4-90D	16.8	21.6	20	0.57
MOR-17.8X2.4-90D	17.8	22.6	20	0.57
MOR-18.8X2.4-90D	18.8	23.6	20	0.57
MOR-19.8X2.4-90D	19.8	24.6	20	0.75
MOR-20.8X2.4-90D	20.8	25.6	20	0.75
MOR-21.8X2.4-90D	21.8	26.6	20	0.77
2.5mm C/S				
MOR-10X2.5-90D	10	15	50	\$0.22
MOR-13X2.5-90D	13	18	50	0.25
MOR-14X2.5-90D	14	19	50	0.25
MOR-15X2.5-90D	15	20	25	0.34
MOR-17X2.5-90D	17	22	25	0.40
MOR-18X2.5-90D	18	23	25	0.41
MOR-19X2.5-90D	19	24	25	0.43
MOR-24X2.5-90D	24	29	20	0.99
2.6mm C/S				
MOR-14.1X2.6-90D	14.1	19.3	5	\$4.10
2.65mm C/S				
MOR-14.8X2.65-90D	14.8	20.1	5	\$4.10
3mm C/S				
MOR-9X3-90D	9	15	50	\$0.23
MOR-10X3-90D	10	16	50	0.23
MOR-11X3-90D	11	17	50	0.23
MOR-17X3-90D	17	23	20	0.79
MOR-18X3-90D	18	24	10	0.85
MOR-19.2X3-90D	19.2	25.2	10	1.11
MOR-20X3-90D	20	26	10	6.45

O-RINGS - 90 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-22.2X3-90D	22.2	28.2	10	1.20
MOR-23X3-90D	23	29	10	1.24
MOR-26.2X3-90D	26.2	32.2	10	1.42
MOR-27X3-90D	27	33	10	1.50
MOR-34X3-90D	34	40	10	1.60
MOR-42.2X3-90D	42.2	48.2	5	1.99
MOR-44.2X3-90D	44.2	50.2	5	2.03
MOR-45X3-90D	45	51	5	2.03
MOR-50X3-90D	50	56	5	2.26
MOR-56X3-90D	56	62	5	2.40
MOR-57X3-90D	57	63	5	2.48
MOR-60X3-90D	60	66	5	2.53
MOR-62X3-90D	62	68	5	4.00
MOR-64.5X3-90D	64.5	70.5	5	2.59
MOR-70X3-90D	70	76	5	1.11
MOR-84X3-90D	84	90	1	8.40
MOR-94X3-90D	94	100	5	9.26
MOR-94.3X3-90D	94.3	100.3	5	2.66
MOR-105X3-90D	105	111	1	3.38
MOR-119.5X3-90D	119.5	125.5	1	2.68
MOR-135X3-90D	135	141	1	3.03
MOR-144.5X3-90D	144.5	150.5	1	4.98
3.1mm C/S				
MOR-24.4X3.1-90D	24.4	30.6	25	\$0.40
MOR-29.4X3.1-90D	29.4	35.6	20	0.54
MOR-34.4X3.1-90D	34.4	40.6	20	0.66
MOR-39.4X3.1-90D	39.4	45.6	20	0.72
MOR-44.4X3.1-90D	44.4	50.6	10	1.45
MOR-49.4X3.1-90D	49.4	55.6	10	1.53
MOR-54.4X3.1-90D	54.4	60.6	10	1.59
MOR-59.4X3.1-90D	59.4	65.6	5	1.83
MOR-62.4X3.1-90D	62.4	68.6	10	5.50
MOR-64.4X3.1-90D	64.4	70.6	5	1.82
MOR-69.4X3.1-90D	69.4	75.6	5	1.84
MOR-74.4X3.1-90D	74.4	80.6	5	7.09
MOR-79.4X3.1-90D	79.4	85.6	5	2.23
MOR-84.4X3.1-90D	84.4	90.6	5	2.30
MOR-89.4X3.1-90D	89.4	95.6	5	2.32
MOR-94.4X3.1-90D	94.4	100.6	5	2.38
MOR-99.4X3.1-90D	99.4	105.6	5	2.59
MOR-104.4X3.1-90D	104.4	110.6	5	2.65
MOR-109.4X3.1-90D	109.4	115.6	5	2.69
MOR-114.4X3.1-90D	114.4	120.6	5	2.73
MOR-119.4X3.1-90D	119.4	125.6	5	2.96
MOR-124.4X3.1-90D	124.4	130.6	5	3.01
MOR-129.4X3.1-90D	129.4	135.6	5	3.03
MOR-134.4X3.1-90D	134.4	140.6	2	3.55
MOR-139.4X3.1-90D	139.4	145.6	2	6.34
MOR-144.4X3.1-90D	144.4	150.6	2	3.64
3.5mm C/S				

O-RINGS - 90 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-21.7X3.5-90D	21.7	28.7	20	\$0.46
MOR-22.1X3.5-90D	22.1	29.1	20	0.56
MOR-23.7X3.5-90D	23.7	30.7	20	0.72
MOR-24.7X3.5-90D	24.7	31.7	20	0.72
MOR-25.2X3.5-90D	25.2	32.2	20	0.56
MOR-25.7X3.5-90D	25.7	32.7	10	0.94
MOR-27.7X3.5-90D	27.7	34.7	10	1.00
MOR-28.7X3.5-90D	28.7	35.7	10	1.19
MOR-29X3.5-90D	29	36	1	2.86
MOR-29.2X3.5-90D	29.2	36.2	20	0.61
MOR-29.7X3.5-90D	29.7	36.7	10	1.20
MOR-30.7X3.5-90D	30.7	37.7	10	1.24
MOR-31.2X3.5-90D	31.2	38.2	20	0.63
MOR-31.7X3.5-90D	31.7	38.7	10	1.26
MOR-33.7X3.5-90D	33.7	40.7	10	1.32
MOR-34.7X3.5-90D	34.7	41.7	10	1.32
MOR-35.2X3.5-90D	35.2	42.2	20	0.79
MOR-35.7X3.5-90D	35.7	42.7	10	1.34
MOR-37.7X3.5-90D	37.7	44.7	10	1.41
MOR-38.7X3.5-90D	38.7	45.7	10	1.42
MOR-39.7X3.5-90D	39.7	46.7	10	1.43
MOR-40.7X3.5-90D	40.7	47.7	10	1.45
MOR-41.7X3.5-90D	41.7	48.7	10	1.50
MOR-43X3.5-90D	43	50	5	2.56
MOR-43.7X3.5-90D	43.7	50.7	5	1.62
MOR-44.7X3.5-90D	44.7	51.7	5	1.62
MOR-45.7X3.5-90D	45.7	52.7	5	1.65
MOR-47.7X3.5-90D	47.7	54.7	5	2.10
MOR-48.7X3.5-90D	48.7	55.7	5	2.16
MOR-49X3.5-90D	49	56	10	4.38
MOR-49.7X3.5-90D	49.7	56.7	5	2.17
MOR-59X3.5-90D	59	66	5	2.18
MOR-73X3.5-90D	73	80	5	4.08
3.53mm C/S				
MOR-65.09X3.53-90D	65.09	72.15	1	\$3.94
4mm C/S				
MOR-56X4-90D	56	64	1	\$2.89
MOR-62X4-90D	62	70	5	1.65
MOR-115X4-90D	115	123	1	6.13
4.5mm C/S				
MOR-80X4.5-90D	80	89	1	\$5.14
5mm C/S				
MOR-75X5-90D	75	85	2	\$4.96
MOR-110X5-90D	110	120	2	7.32
MOR-120X5-90D	120	130	1	7.01
MOR-130X5-90D	130	140	2	8.11
MOR-150X5-90D	150	160	1	11.29
MOR-152X5-90D	152	162	1	5.40
MOR-170X5-90D	170	180	1	11.06

O-RINGS - 90 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-190X5-90D	190	200	1	10.62
5.7mm C/S				
MOR-47.6X5.7-90D	47.6	59	5	\$2.31
MOR-49.6X5.7-90D	49.6	61	5	2.38
MOR-52.6X5.7-90D	52.6	64	5	2.48
MOR-54.6X5.7-90D	54.6	66	5	2.54
MOR-55.6X5.7-90D	55.6	67	5	2.55
MOR-57.6X5.7-90D	57.6	69	2	3.37
MOR-59.6X5.7-90D	59.6	71	2	3.39
MOR-62.6X5.7-90D	62.6	74	2	4.74
MOR-64.6X5.7-90D	64.6	76	2	4.28
MOR-66.6X5.7-90D	66.6	78	2	4.34
MOR-69.6X5.7-90D	69.6	81	2	4.46
MOR-70.6X5.7-90D	70.6	82	2	4.49
MOR-74.6X5.7-90D	74.6	86	2	4.61
MOR-79.6X5.7-90D	79.6	91	2	4.78
MOR-84.6X5.7-90D	84.6	96	2	4.89
MOR-89.6X5.7-90D	89.6	101	2	5.55
MOR-92.2X5.7-90D	92.2	103.6	2	7.19
MOR-94.6X5.7-90D	94.6	106	2	6.48
MOR-99.6X5.7-90D	99.6	111	2	6.62
MOR-101.6X5.7-90D	101.6	113	2	6.69
MOR-104.6X5.7-90D	104.6	116	2	6.75
MOR-109.6X5.7-90D	109.6	121	2	6.88
MOR-111.6X5.7-90D	111.6	123	2	6.94
MOR-114.6X5.7-90D	114.6	126	2	7.03
MOR-119.6X5.7-90D	119.6	131	2	7.16
MOR-124.6X5.7-90D	124.6	136	2	7.16
MOR-129.6X5.7-90D	129.6	141	2	7.16
MOR-131.6X5.7-90D	131.6	143	2	7.19
MOR-134.6X5.7-90D	134.6	146	2	7.26
MOR-139.6X5.7-90D	139.6	151	2	7.32
MOR-144.6X5.7-90D	144.6	156	2	7.46
MOR-149.3X5.7-90D	149.3	160.7	2	7.77
MOR-149.6X5.7-90D	149.6	161	2	9.13
MOR-154.3X5.7-90D	154.3	165.7	2	9.25
MOR-159.3X5.7-90D	159.3	170.7	2	9.65
MOR-164.3X5.7-90D	164.3	175.7	1	11.69
MOR-169.3X5.7-90D	169.3	180.7	1	11.79
MOR-174.3X5.7-90D	174.3	185.7	1	12.00
MOR-179.3X5.7-90D	179.3	190.7	1	13.39
MOR-184.3X5.7-90D	184.3	195.7	1	13.55
MOR-189.3X5.7-90D	189.3	200.7	1	13.69
MOR-194.3X5.7-90D	194.3	205.7	1	13.86
MOR-199.3X5.7-90D	199.3	210.7	1	17.83
MOR-204.3X5.7-90D	204.3	215.7	1	18.83
MOR-209.3X5.7-90D	209.3	220.7	1	21.15
MOR-214.3X5.7-90D	214.3	225.7	1	22.07
MOR-219.3X5.7-90D	219.3	230.7	1	25.13
MOR-229.3X5.7-90D	229.3	240.7	1	26.04


O-RINGS - 90 DURO NITRILE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-239.3X5.7-90D	239.3	250.7	1	27.66
MOR-259.3X5.7-90D	259.3	270.7	1	32.27
MOR-269.3X5.7-90D	269.3	280.7	1	32.51
MOR-274.3X5.7-90D	274.3	285.7	1	32.54
MOR-279.3X5.7-90D	279.3	290.7	1	34.18
MOR-289.3X5.7-90D	289.3	300.7	1	40.33
6mm C/S				
MOR-155X6-90D	155	167	1	\$14.17
MOR-175X6-90D	175	187	1	16.53
6.5mm C/S				
MOR-257.5X6.5-90D	257.5	270.5	1	\$76.41
6.99mm C/S				
MOR-221.66X6.99-90D	221.66	235.64	1	\$10.66
8.1mm C/S				
MOR-112.7X8.1-80D	112.7	128.9		\$29.78
8.4mm C/S				
MOR-149.5X8.4-90D	149.5	166.3	1	\$25.62
MOR-154.5X8.4-90D	154.5	171.3	1	16.47
MOR-159.5X8.4-90D	159.5	176.3	1	18.20
MOR-164.5X8.4-90D	164.5	181.3	1	18.45
MOR-169.5X8.4-90D	169.5	186.3	1	18.69
MOR-174.5X8.4-90D	174.5	191.3	1	18.95
MOR-179.5X8.4-90D	179.5	196.3	1	20.54
MOR-184.5X8.4-90D	184.5	201.3	1	21.40
MOR-189.5X8.4-90D	189.5	206.3	1	21.69
MOR-194.5X8.4-90D	194.5	211.3	1	21.95
MOR-199.5X8.4-90D	199.5	216.3	1	22.25
MOR-208.5X8.4-90D	208.5	225.3	1	27.07
MOR-209.5X8.4-90D	209.5	226.3	1	27.17
MOR-214.5X8.4-90D	214.5	231.3	1	28.18
MOR-219.5X8.4-90D	219.5	236.3	1	32.17
MOR-234.5X8.4-90D	234.5	251.3	1	41.92
MOR-264.5X8.4-90D	264.5	281.3	1	64.67
MOR-299.5X8.4-90D	299.5	316.3	1	85.49
MOR-374.5X8.4-90D	374.5	391.3	1	120.45

Seal color may vary. Special order sizes are available.

O-RINGS - 75 DURO FLUOROCARBON

Please specify 75 or 90 Durometer when ordering. Metric o-rings are offered in minimum package quantities (MP in chart).



PART NUMBERS

MOR - 3 X 1
 Type of Seal Inside Diameter Cross Section

SEAL INFORMATION

MATERIAL	75A DURO FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1mm C/S				
MOR-3X1V	3	5	20	\$0.39
MOR-4X1V	4	6	10	1.29
MOR-6X1V	6	8	20	0.54
1.5mm C/S				
MOR-2X1.5V	2	5	15	\$0.61
MOR-5X1.5V	5	8	20	0.54
MOR-7X1.5V	7	10	15	0.70
MOR-11X1.5V	11	14	10	0.90
MOR-12X1.5V	12	15	10	0.95
MOR-13X1.5V	13	16	10	1.07
MOR-17X1.5V	17	20	1	1.96
MOR-37X1.5V-BLACK	37	40	1	1.87
1.6mm C/S				
MOR-3.1X1.6V	3.1	6.3	20	\$0.51
MOR-4.1X1.6V	4.1	7.3	20	0.52
MOR-7.1X1.6V	7.1	10.3	10	0.71
MOR-9.1X1.6V	9.1	12.3	10	0.77
MOR-13.1X1.6V	13.1	16.3	10	1.08
1.9mm C/S				
MOR-4.8X1.9V	4.8	8.6	15	\$0.59
MOR-5.8X1.9V	5.8	9.6	15	0.68
MOR-6.8X1.9V	6.8	10.6	10	0.82
MOR-7.8X1.9V	7.8	11.6	10	0.87
MOR-8.8X1.9V	8.8	12.6	10	0.88
MOR-9.8X1.9V	9.8	13.6	10	1.19
2mm C/S				
MOR-3X2V	3	7	10	\$0.77
MOR-4X2V	4	8	10	0.78
MOR-5X2V	5	9	10	0.82
MOR-6X2V	6	10	10	0.87
MOR-7X2V	7	11	10	0.95
MOR-8X2V	8	12	10	0.99
MOR-9X2V	9	13	10	1.07
MOR-10X2V	10	14	10	1.12

O-RINGS - 75 DURO FLUOROCARBON

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-11X2V	11	15	10	1.15
MOR-12X2V	12	16	10	1.25
MOR-13X2V	13	17	10	1.35
MOR-14X2V	14	18	5	1.39
MOR-15X2V	15	19	5	1.47
MOR-16X2V	16	20	5	1.50
MOR-17X2V	17	21	5	1.56
MOR-18X2V	18	22	5	1.65
MOR-19X2V	19	23	5	1.68
MOR-20X2V	20	24	5	1.74
MOR-22X2V	22	26	5	1.87
MOR-23.5X2V	23.5	27.5	5	1.93
MOR-25X2V	25	29	5	1.97
MOR-26X2V	26	30	5	2.07
MOR-27X2V	27	31	5	2.15
MOR-30X2V	30	34	5	2.86
MOR-32X2V	32	36	5	2.56
MOR-35X2V	35	39	5	2.91
MOR-37.5X2V	37.5	41.5	5	3.00
MOR-39.5X2V	39.5	43.5	2	3.25
MOR-44X2V	44	48	2	3.44
MOR-50X2V	50	54	2	4.02
MOR-55X2V	55	59	2	4.26
2.4mm C/S				
MOR-7.6X2.4V	7.6	12.4	10	\$1.15
MOR-8.3X2.4V	8.3	13.1	10	1.18
MOR-8.6X2.4V	8.6	13.4	10	1.22
MOR-9.8X2.4V	9.8	14.6	5	1.42
MOR-10.8X2.4V	10.8	15.6	5	1.49
MOR-11.3X2.4V	11.3	16.1	5	1.42
MOR-11.8X2.4V	11.8	16.6	5	1.62
MOR-12.3X2.4V	12.3	17.1	5	1.52
MOR-13.3X2.4V	13.3	18.1	5	1.57
MOR-13.8X2.4V	13.8	18.6	5	1.74
MOR-14.8X2.4V	14.8	19.6	5	1.84
MOR-15.8X2.4V	15.8	20.6	5	1.89
MOR-17.3X2.4V	17.3	22.1	5	1.85
MOR-17.8X2.4V	17.8	22.6	5	2.06
MOR-19.8X2.4V	19.8	24.6	5	2.20
MOR-20.8X2.4V	20.8	25.6	5	2.28
MOR-21.8X2.4V	21.8	26.6	5	2.41
MOR-39.6X2.4V	39.6	44.4	2	3.83
2.5mm C/S				
MOR-7X2.5V	7	12	10	\$1.15
MOR-10X2.5V	10	15	5	1.39
MOR-11X2.5V	11	16	5	1.48
MOR-12X2.5V	12	17	5	1.57
MOR-13X2.5V	13	18	5	1.59
MOR-14X2.5V	14	19	5	1.68
MOR-15X2.5V	15	20	5	1.74

O-RINGS - 75 DURO FLUOROCARBON

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-16X2.5V	16	21	5	1.84
MOR-17X2.5V	17	22	4	1.87
MOR-18X2.5V	18	23	5	1.95
MOR-19X2.5V	19	24	5	1.98
MOR-20X2.5V	20	25	5	2.03
MOR-22X2.5V	22	27	5	2.30
MOR-23X2.5V	23	28	5	2.32
MOR-28X2.5V	28	33	5	2.67
MOR-35X2.5V	35	40	2	3.56
MOR-59X2.5V	59	64	1	5.29
3mm C/S				
MOR-9X3V	9	15	5	\$1.68
MOR-10X3V	10	16	5	1.77
MOR-11X3V	11	17	5	1.88
MOR-13X3V	13	19	5	1.98
MOR-15X3V	15	21	5	2.06
MOR-16X3V	16	22	5	2.06
MOR-17X3V	17	23	5	2.12
MOR-19X3V	19	25	5	2.30
MOR-20X3V	20	26	5	2.36
MOR-22X3V	22	28	5	2.57
MOR-25X3V	25	31	5	2.84
MOR-26X3V	26	32	5	2.91
MOR-27X3V	27	33	5	3.03
MOR-28X3V	28	34	2	3.19
MOR-29X3V	29	35	2	3.26
MOR-30X3V	30	36	2	3.27
MOR-32X3V	32	38	2	3.56
MOR-33X3V	33	39	2	3.66
MOR-34X3V	34	40	2	3.82
MOR-35X3V	35	41	2	4.03
MOR-36X3V	36	42	2	4.11
MOR-38X3V	38	44	2	4.34
MOR-39X3V	39	45	2	4.40
MOR-42.2X3V	42.2	48.2	2	4.77
MOR-46X3V	46	52	1	5.13
MOR-48X3V	48	54	2	5.13
MOR-49.5X3V	49.5	55.5	2	5.29
MOR-52X3V	52	58	2	5.50
MOR-57X3V	57	63	1	5.75
MOR-60X3V	60	66	1	6.09
MOR-62X3V	62	68	1	6.27
MOR-64X3V	64	70	1	6.41
MOR-65X3V	65	71	1	6.50
MOR-68X3V	68	74	1	6.80
MOR-72X3V	72	78	1	7.50
MOR-74X3V	74	80	1	7.66
MOR-78X3V	78	84	1	8.23
MOR-95X3V	95	101	1	10.84
3.1mm C/S				


O-RINGS - 75 DURO FLUOROCARBON



Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-24.4X3.1V	24.4	30.6	2	\$3.74
MOR-29.4X3.1V	29.4	35.6	2	4.41
MOR-39.4X3.1V	39.4	45.6	2	5.67
MOR-44.4X3.1V	44.4	50.6	1	6.64
MOR-49.4X3.1V	49.4	55.6	1	6.99
MOR-54.4X3.1V	54.4	60.6	1	8.01
MOR-59.4X3.1V	59.4	65.6	1	8.20
MOR-64.4X3.1V	64.4	70.6	1	9.54
MOR-69.4X3.1V	69.4	75.6	1	9.54
MOR-74.4X3.1V	74.4	80.6	1	10.17
MOR-79.4X3.1V	79.4	85.6	1	10.83
MOR-84.4X3.1V	84.4	90.6	1	11.54
MOR-89.4X3.1V	89.4	95.6	1	12.12
MOR-94.4X3.1V	94.4	100.6	1	12.77
MOR-99.4X3.1V	99.4	105.6	1	13.42
MOR-104.4X3.1V	104.4	110.6	1	14.09
MOR-109.4X3.1V	109.4	115.6	1	32.72
MOR-114.4X3.1V	114.4	120.6	1	15.39
MOR-119.4X3.1V	119.4	125.6	1	16.03
MOR-124.4X3.1V	124.4	130.6	1	16.65
3.5mm C/S				
MOR-22X3.5V	22	29	1	\$6.53
4mm C/S				
MOR-38X4V	38	46	1	\$6.16
MOR-41X4V	41	49	2	6.59
MOR-44X4V	44	52	1	7.03
MOR-48X4V	48	56	1	7.64
MOR-72X4V	72	80	1	11.54
MOR-124X4V	124	132	1	23.45
5.7mm C/S				
MOR-52.6X5.7V	52.6	64	1	\$14.13
MOR-59.6X5.7V	59.6	71	1	18.18
MOR-69.6X5.7V	69.6	81	1	18.68
MOR-79.6X5.7V	79.6	91	1	20.91
MOR-84.6X5.7V	84.6	96	1	22.08
MOR-99.6X5.7V	99.6	111	1	24.92
MOR-114.6X5.7V	114.6	126	1	30.04
MOR-119.6X5.7V	119.6	131	1	29.50
MOR-129.6X5.7V	129.6	141	1	33.43
MOR-139.6X5.7V	139.6	151	1	35.84
MOR-189.3X5.7V	189.3	200.7	1	55.40

Seal color may vary. Special order sizes are available.

O-RINGS - 70 DUROMETER MOR-JIS STYLE



PART NUMBERS

MOR-JIS - G025

Type of Seal

JIS Standard Number

SEAL INFORMATION

MATERIAL	70A DURO NITRILE
TEMPERATURE RANGE	-40° TO +220° F
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1.9mm C/S				
MOR-JIS-P003	2.8	6.6	100	\$0.09
MOR-JIS-P004	3.8	7.6	100	0.09
MOR-JIS-P005	4.8	8.6	100	0.09
MOR-JIS-P006	5.8	9.6	100	0.09
MOR-JIS-P007	6.8	10.6	100	0.11
MOR-JIS-P008	7.8	11.6	100	0.11
MOR-JIS-P009	8.8	12.6	100	0.11
MOR-JIS-P010	9.8	13.6	100	0.11
2.4mm C/S				
MOR-JIS-P010A	9.8	14.6	100	\$0.06
MOR-JIS-P011	10.8	15.6	100	0.09
MOR-JIS-P011.2	11	15.8	100	0.09
MOR-JIS-P012	11.8	16.6	100	0.55
MOR-JIS-P012.5	12.3	17.1	20	0.57
MOR-JIS-P014	13.8	18.6	100	0.11
MOR-JIS-P015	14.8	19.6	100	0.77
MOR-JIS-P016	15.8	20.6	100	0.11
MOR-JIS-P018	17.8	22.6	100	0.11
MOR-JIS-P020	19.8	24.6	100	0.96
MOR-JIS-P021	20.8	25.6	100	0.12
MOR-JIS-P022	21.8	26.6	100	0.13
3.1mm C/S				
MOR-JIS-G025	24.4	30.6	25	\$0.36
MOR-JIS-G030	29.4	35.6	20	0.48
MOR-JIS-G035	34.4	40.6	20	0.63
MOR-JIS-G040	39.4	45.6	20	0.67
MOR-JIS-G045	44.4	50.6	10	2.38
MOR-JIS-G050	49.4	55.6	10	3.20
MOR-JIS-G055	54.4	60.6	10	1.01
MOR-JIS-G060	59.4	65.6	10	1.15
MOR-JIS-G065	64.4	70.6	10	1.22
MOR-JIS-G070	69.4	75.6	10	1.47
MOR-JIS-G075	74.4	80.6	5	1.76
MOR-JIS-G080	79.4	85.6	5	1.78
MOR-JIS-G085	84.4	90.6	5	6.32

O-RINGS - 70 DUROMETER MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-G090	89.4	95.6	5	1.83
MOR-JIS-G095	94.4	100.6	5	7.43
MOR-JIS-G100	99.4	105.6	5	2.06
MOR-JIS-G105	104.4	110.6	5	2.09
MOR-JIS-G110	109.4	115.6	5	8.93
MOR-JIS-G115	114.4	120.6	5	2.71
MOR-JIS-G120	119.4	125.6	5	2.83
MOR-JIS-G125	124.4	130.6	5	9.68
MOR-JIS-G130	129.4	135.6	5	2.90
MOR-JIS-G135	134.4	140.6	2	10.74
MOR-JIS-G140	139.4	145.6	2	11.10
MOR-JIS-G145	144.4	150.6	2	3.49
3.5mm C/S				
MOR-JIS-P022A	21.7	28.7	25	\$0.34
MOR-JIS-P022.4	22.1	29.1	25	1.17
MOR-JIS-P024	23.7	30.7	25	1.24
MOR-JIS-P025	24.7	31.7	25	0.36
MOR-JIS-P025.5	25.2	32.2	25	1.36
MOR-JIS-P026	25.7	32.7	25	0.46
MOR-JIS-P028	27.7	34.7	20	0.48
MOR-JIS-P029	28.7	35.7	20	0.48
MOR-JIS-P029.5	29.2	36.2	20	1.55
MOR-JIS-P030	29.7	36.7	20	0.48
MOR-JIS-P031	30.7	37.7	20	0.49
MOR-JIS-P031.5	31.2	38.2	20	0.49
MOR-JIS-P032	31.7	38.7	20	0.49
MOR-JIS-P034	33.7	40.7	20	0.60
MOR-JIS-P035	34.7	41.7	20	2.09
MOR-JIS-P035.5	35.2	42.2	20	2.19
MOR-JIS-P036	35.7	42.7	20	2.38
MOR-JIS-P038	37.7	44.7	20	0.64
MOR-JIS-P039	38.7	45.7	20	0.64
MOR-JIS-P040	39.7	46.7	20	2.79
MOR-JIS-P041	40.7	47.7	20	2.79
MOR-JIS-P042	41.7	48.7	20	0.67
MOR-JIS-P044	43.7	50.7	10	0.87
MOR-JIS-P045	44.7	51.7	10	0.88
MOR-JIS-P046	45.7	52.7	10	0.88
MOR-JIS-P048	47.7	54.7	10	0.90
MOR-JIS-P049	48.7	55.7	10	0.90
MOR-JIS-P050	49.7	56.7	10	0.93
4mm C/S				
MOR-JIS-V015	14.5	22.5	6	\$1.77
MOR-JIS-V024	23.5	31.5	25	0.34
MOR-JIS-V085	84	92	5	1.79
MOR-JIS-V120	119	127	5	2.40
5.7mm C/S				
MOR-JIS-P048A	47.6	59	5	\$2.30
MOR-JIS-P050A	49.6	61	5	2.36
MOR-JIS-P052	51.6	63	5	2.40

O-RINGS - 70 DUROMETER MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-P053	52.6	64	5	2.43
MOR-JIS-P055	54.6	66	5	2.49
MOR-JIS-P056	55.6	67	5	2.57
MOR-JIS-P058	57.6	69	5	3.35
MOR-JIS-P060	59.6	71	2	3.38
MOR-JIS-P062	61.6	73	2	4.16
MOR-JIS-P063	62.6	74	2	4.20
MOR-JIS-P065	64.6	76	2	4.31
MOR-JIS-P067	66.6	78	2	4.37
MOR-JIS-P070	69.6	81	2	4.32
MOR-JIS-P071	70.6	82	2	4.43
MOR-JIS-P075	74.6	86	2	4.62
MOR-JIS-P080	79.6	91	2	4.72
MOR-JIS-P085	84.6	96	2	4.90
MOR-JIS-P090	89.6	101	2	5.00
MOR-JIS-P095	94.6	106	2	5.18
MOR-JIS-P100	99.6	111	2	5.28
MOR-JIS-P102	101.6	113	2	6.62
MOR-JIS-P105	104.6	116	2	6.74
MOR-JIS-P110	109.6	121	2	6.86
MOR-JIS-P112	111.6	123	2	6.91
MOR-JIS-P115	114.6	126	2	6.98
MOR-JIS-P120	119.6	131	2	7.11
MOR-JIS-P125	124.6	136	2	7.22
MOR-JIS-P130	129.6	141	2	7.27
MOR-JIS-P132	131.6	143	2	7.32
MOR-JIS-P135	134.6	146	2	7.39
MOR-JIS-P140	139.6	151	2	7.49
MOR-JIS-P145	144.6	156	2	7.62
MOR-JIS-G150	149.3	160.7	2	5.68
MOR-JIS-P150	149.6	161	2	9.07
MOR-JIS-G155	154.3	165.7	2	5.75
MOR-JIS-G160	159.3	170.7	2	5.72
MOR-JIS-G165	164.3	175.7	2	5.78
MOR-JIS-G170	169.3	180.7	2	5.89
MOR-JIS-G175	174.3	185.7	2	7.93
MOR-JIS-G180	179.3	190.7	2	14.89
MOR-JIS-G185	184.3	195.7	2	8.10
MOR-JIS-G190	189.3	200.7	2	8.17
MOR-JIS-G195	194.3	205.7	2	8.26
MOR-JIS-G200	199.3	210.7	2	9.64
MOR-JIS-G210	209.3	220.7	2	9.81
MOR-JIS-G215	214.3	225.7	2	9.83
MOR-JIS-G220	219.3	230.7	2	10.01
MOR-JIS-G225	224.3	235.7	1	10.16
MOR-JIS-G230	229.3	240.7	1	10.16
MOR-JIS-G235	234.3	245.7	1	10.90
MOR-JIS-G240	239.3	250.7	1	11.10
MOR-JIS-G250	249.3	260.7	1	11.70
MOR-JIS-G255	254.3	265.7	1	12.78

O-RINGS - 70 DUROMETER MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-G260	259.3	270.7	1	12.83
MOR-JIS-G270	269.3	280.7	1	12.94
MOR-JIS-G275	274.3	285.7	1	39.37
MOR-JIS-G280	279.3	290.7	1	13.67
MOR-JIS-G290	289.3	300.7	1	14.45
MOR-JIS-G300	299.3	310.7	1	14.54
MOR-JIS-G305	304.3	315.7	1	17.03
MOR-JIS-G310	309.3	320.7	1	17.03
MOR-JIS-G340	339.3	350.7	1	5.48
MOR-JIS-G345	344.3	355.7	1	18.64
MOR-JIS-G360	359.3	370.7	1	19.75
MOR-JIS-G400	399.3	410.7	1	26.04
8.4mm C/S				
MOR-JIS-P150A	149.5	166.3	1	\$23.30
MOR-JIS-P155	154.5	171.3	1	13.10
MOR-JIS-P160	159.5	176.3	1	24.77
MOR-JIS-P165	164.5	181.3	1	13.29
MOR-JIS-P170	169.5	186.3	1	13.29
MOR-JIS-P175	174.5	191.3	1	27.23
MOR-JIS-P180	179.5	196.3	1	14.01
MOR-JIS-P185	184.5	201.3	1	14.18
MOR-JIS-P190	189.5	206.3	1	14.39
MOR-JIS-P195	194.5	211.3	1	30.54
MOR-JIS-P200	199.5	216.3	1	14.76
MOR-JIS-P205	204.5	221.3	1	14.96
MOR-JIS-P209	208.5	225.3	1	16.18
MOR-JIS-P210	209.5	226.3	1	18.13
MOR-JIS-P215	214.5	231.3	1	16.56
MOR-JIS-P220	219.5	236.3	1	16.56
MOR-JIS-P225	224.5	241.3	1	16.75
MOR-JIS-P230	229.5	246.3	1	37.16
MOR-JIS-P235	234.5	251.3	1	27.84
MOR-JIS-P240	239.5	256.3	1	28.00
MOR-JIS-P245	244.5	261.3	1	28.14
MOR-JIS-P250	249.5	266.3	1	28.37
MOR-JIS-P260	259.5	276.3	1	28.76
MOR-JIS-P265	264.5	281.3	1	4.44
MOR-JIS-P270	269.5	286.3	1	29.03
MOR-JIS-P275	274.5	291.3	1	28.87
MOR-JIS-P280	279.5	296.3	1	29.48
MOR-JIS-P285	284.5	301.3	1	29.65
MOR-JIS-P290	289.5	306.3	1	29.85
MOR-JIS-P295	294.5	311.3	1	30.80
MOR-JIS-P300	299.5	316.3	1	57.78
MOR-JIS-P315	314.5	331.3	1	36.94
MOR-JIS-P320	319.5	336.3	1	66.12
MOR-JIS-P335	334.5	351.3	1	55.01
MOR-JIS-P355	354.5	371.3	1	52.93
MOR-JIS-P360	359.5	376.3	1	57.78
MOR-JIS-P375	374.5	391.3	1	58.96




O-RINGS - 70 DUROMETER MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-P385	384.5	401.3	1	63.00
MOR-JIS-P400	399.5	416.3	1	67.83

Seal color may vary. Special order sizes are available.

O-RINGS - 75 DURO FLUOROCARBON MOR-JIS STYLE



PART NUMBERS

MOR-JIS - G025V
 Type of Seal JIS Standard Number

SEAL INFORMATION

MATERIAL	75A DURO FLUOROCARBON
TEMPERATURE RANGE	-20° TO +400° F
SPEED	3 FT/SEC


Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1.9mm C/S				
MOR-JIS-P005V	4.8	8.6	15	\$0.59
MOR-JIS-P006V	5.8	9.6	15	0.68
MOR-JIS-P007V	6.8	10.6	10	0.82
MOR-JIS-P008V	7.8	11.6	10	0.87
MOR-JIS-P009V	8.8	12.6	10	0.88
MOR-JIS-P010V	9.8	13.6	10	1.19
2.4mm C/S				
MOR-JIS-P010AV	9.8	14.6	5	\$1.42
MOR-JIS-P011V	10.8	15.6	5	1.49
MOR-JIS-P012V	11.8	16.6	5	1.62
MOR-JIS-P012.5V	12.3	17.1	5	1.52
MOR-JIS-P014V	13.8	18.6	5	1.74
MOR-JIS-P015V	14.8	19.6	5	1.84
MOR-JIS-P016V	15.8	20.6	5	1.89
MOR-JIS-P018V	17.8	22.6	5	2.06
MOR-JIS-P020V	19.8	24.6	5	2.20
MOR-JIS-P021V	20.8	25.6	5	2.28
MOR-JIS-P022V	21.8	26.6	5	2.41
3.1mm C/S				
MOR-JIS-G025V	24.4	30.6	2	\$3.74
MOR-JIS-G030V	29.4	35.6	2	4.41
MOR-JIS-G040V	39.4	45.6	2	5.67
MOR-JIS-G045V	44.4	50.6	1	6.64
MOR-JIS-G050V	49.4	55.6	1	6.99
MOR-JIS-G055V	54.4	60.6	1	8.01
MOR-JIS-G060V	59.4	65.6	1	8.20
MOR-JIS-G065V	64.4	70.6	1	9.54
MOR-JIS-G070V	69.4	75.6	1	9.54
MOR-JIS-G075V	74.4	80.6	1	10.17
MOR-JIS-G080V	79.4	85.6	1	10.83
MOR-JIS-G085V	84.4	90.6	1	11.54
MOR-JIS-G090V	89.4	95.6	1	12.12
MOR-JIS-G095V	94.4	100.6	1	12.77
MOR-JIS-G100V	99.4	105.6	1	13.42
MOR-JIS-G105V	104.4	110.6	1	14.09

O-RINGS - 75 DURO FLUOROCARBON MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-G110V	109.4	115.6	1	32.72
MOR-JIS-G115V	114.4	120.6	1	15.39
MOR-JIS-G120V	119.4	125.6	1	16.03
MOR-JIS-G125V	124.4	130.6	1	16.65
MOR-JIS-G145V	144.4	150.6	1	18.88
3.5mm C/S				
MOR-JIS-P029V	28.7	35.7	1	\$9.34
5.7mm C/S				
MOR-JIS-P050AV	49.6	61	1	\$13.49
MOR-JIS-P053V	52.6	64	1	14.13
MOR-JIS-P055V	54.6	66	1	14.17
MOR-JIS-P060V	59.6	71	1	18.18
MOR-JIS-P065V	64.6	76	1	18.35
MOR-JIS-P070V	69.6	81	1	18.68
MOR-JIS-P080V	79.6	91	1	20.91
MOR-JIS-P085V	84.6	96	1	22.08
MOR-JIS-P090V	89.6	101	1	22.88
MOR-JIS-P095V	94.6	106	1	23.75
MOR-JIS-P100V	99.6	111	1	24.92
MOR-JIS-P110V	109.6	121	1	26.82
MOR-JIS-P115V	114.6	126	1	30.04
MOR-JIS-P120V	119.6	131	1	29.50
MOR-JIS-P130V	129.6	141	1	33.43
MOR-JIS-P135V	134.6	146	1	34.13
MOR-JIS-P140V	139.6	151	1	35.84
MOR-JIS-G155V	154.3	165.7	1	38.74
MOR-JIS-G190V	189.3	200.7	1	55.40
MOR-JIS-G195V	194.3	205.7	1	39.99

O-RINGS - 90 DURO NITRILE MOR-JIS STYLE

Please specify 70 or 90 Durometer when ordering. Metric o-rings are offered in minimum package quantities (MP in chart).



PART NUMBERS

MOR-JIS - G025 - 90D

Type of Seal JIS Standard Number Suffix

SEAL INFORMATION

MATERIAL	90A DURO NITRILE
TEMPERATURE RANGE	-40° TO +220° F
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
1.9mm C/S				
MOR-JIS-P003-90D	2.8	6.6	100	\$0.08
MOR-JIS-P004-90D	3.8	7.6	100	0.08
MOR-JIS-P005-90D	4.8	8.6	100	0.11
MOR-JIS-P006-90D	5.8	9.6	100	0.11
MOR-JIS-P007-90D	6.8	10.6	50	0.23
MOR-JIS-P008-90D	7.8	11.6	50	0.25
MOR-JIS-P009-90D	8.8	12.6	50	0.25
MOR-JIS-P010-90D	9.8	13.6	50	0.26
2.4mm C/S				
MOR-JIS-P010A-90D	9.8	14.6	25	\$0.40
MOR-JIS-P011-90D	10.8	15.6	25	0.41
MOR-JIS-P011.2-90D	11	15.8	25	0.41
MOR-JIS-P012-90D	11.8	16.6	25	0.41
MOR-JIS-P012.5-90D	12.3	17.1	20	0.55
MOR-JIS-P014-90D	13.8	18.6	20	0.57
MOR-JIS-P015-90D	14.8	19.6	20	0.56
MOR-JIS-P016-90D	15.8	20.6	20	0.56
MOR-JIS-P018-90D	17.8	22.6	20	0.57
MOR-JIS-P020-90D	19.8	24.6	20	0.75
MOR-JIS-P021-90D	20.8	25.6	20	0.75
MOR-JIS-P022-90D	21.8	26.6	20	0.77
3.1mm C/S				
MOR-JIS-G025-90D	24.4	30.6	25	\$0.40
MOR-JIS-G030-90D	29.4	35.6	20	0.54
MOR-JIS-G035-90D	34.4	40.6	20	0.66
MOR-JIS-G040-90D	39.4	45.6	20	0.72
MOR-JIS-G045-90D	44.4	50.6	10	1.45
MOR-JIS-G050-90D	49.4	55.6	10	1.53
MOR-JIS-G055-90D	54.4	60.6	10	1.59
MOR-JIS-G060-90D	59.4	65.6	5	1.83
MOR-JIS-G065-90D	64.4	70.6	5	1.82
MOR-JIS-G070-90D	69.4	75.6	5	1.84
MOR-JIS-G075-90D	74.4	80.6	5	7.09
MOR-JIS-G080-90D	79.4	85.6	5	2.23
MOR-JIS-G085-90D	84.4	90.6	5	2.30

O-RINGS - 90 DURO NITRILE MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-G090-90D	89.4	95.6	5	2.32
MOR-JIS-G095-90D	94.4	100.6	5	2.38
MOR-JIS-G100-90D	99.4	105.6	5	2.59
MOR-JIS-G105-90D	104.4	110.6	5	2.65
MOR-JIS-G110-90D	109.4	115.6	5	2.69
MOR-JIS-G115-90D	114.4	120.6	5	2.73
MOR-JIS-G120-90D	119.4	125.6	5	2.96
MOR-JIS-G125-90D	124.4	130.6	5	3.01
MOR-JIS-G130-90D	129.4	135.6	5	3.03
MOR-JIS-G135-90D	134.4	140.6	2	3.55
MOR-JIS-G140-90D	139.4	145.6	2	6.34
MOR-JIS-G145-90D	144.4	150.6	2	3.64
3.5mm C/S				
MOR-JIS-P022A-90D	21.7	28.7	20	\$0.46
MOR-JIS-P022.4-90D	22.1	29.1	20	0.56
MOR-JIS-P024-90D	23.7	30.7	20	0.72
MOR-JIS-P025-90D	24.7	31.7	20	0.72
MOR-JIS-P025.5-90D	25.2	32.2	20	0.56
MOR-JIS-P026-90D	25.7	32.7	10	0.94
MOR-JIS-P028-90D	27.7	34.7	10	1.00
MOR-JIS-P029-90D	28.7	35.7	10	1.19
MOR-JIS-P029.5-90D	29.2	36.2	20	0.61
MOR-JIS-P030-90D	29.7	36.7	10	1.20
MOR-JIS-P031-90D	30.7	37.7	10	1.24
MOR-JIS-P031.5-90D	31.2	38.2	20	0.63
MOR-JIS-P032-90D	31.7	38.7	10	1.26
MOR-JIS-P034-90D	33.7	40.7	10	1.32
MOR-JIS-P035-90D	34.7	41.7	10	1.32
MOR-JIS-P035.5-90D	35.2	42.2	20	0.79
MOR-JIS-P036-90D	35.7	42.7	10	1.34
MOR-JIS-P038-90D	37.7	44.7	10	1.41
MOR-JIS-P039-90D	38.7	45.7	10	1.42
MOR-JIS-P040-90D	39.7	46.7	10	1.43
MOR-JIS-P041-90D	40.7	47.7	10	1.45
MOR-JIS-P042-90D	41.7	48.7	10	1.50
MOR-JIS-P044-90D	43.7	50.7	5	1.62
MOR-JIS-P045-90D	44.7	51.7	5	1.62
MOR-JIS-P046-90D	45.7	52.7	5	1.65
MOR-JIS-P048-90D	47.7	54.7	5	2.10
MOR-JIS-P049-90D	48.7	55.7	5	2.16
MOR-JIS-P050-90D	49.7	56.7	5	2.17
4mm C/S				
MOR-JIS-V015-90D	14.5	22.5	2	\$2.58
MOR-JIS-V024-90D	23.5	31.5	2	2.79
5.7mm C/S				
MOR-JIS-P048A-90D	47.6	59	5	\$2.31
MOR-JIS-P050A-90D	49.6	61	5	2.38
MOR-JIS-P052-90D	51.6	63	5	8.26
MOR-JIS-P053-90D	52.6	64	5	2.48
MOR-JIS-P055-90D	54.6	66	5	2.54

O-RINGS - 90 DURO NITRILE MOR-JIS STYLE




Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-P056-90D	55.6	67	5	2.55
MOR-JIS-P058-90D	57.6	69	2	3.37
MOR-JIS-P060-90D	59.6	71	2	3.39
MOR-JIS-P062-90D	61.6	73	2	4.16
MOR-JIS-P063-90D	62.6	74	2	4.74
MOR-JIS-P065-90D	64.6	76	2	4.28
MOR-JIS-P067-90D	66.6	78	2	4.34
MOR-JIS-P070-90D	69.6	81	2	4.46
MOR-JIS-P071-90D	70.6	82	2	4.49
MOR-JIS-P075-90D	74.6	86	2	4.61
MOR-JIS-P080-90D	79.6	91	2	4.78
MOR-JIS-P085-90D	84.6	96	2	4.89
MOR-JIS-P090-90D	89.6	101	2	5.55
MOR-JIS-P095-90D	94.6	106	2	6.48
MOR-JIS-P100-90D	99.6	111	2	6.62
MOR-JIS-P102-90D	101.6	113	2	6.69
MOR-JIS-P105-90D	104.6	116	2	6.75
MOR-JIS-P110-90D	109.6	121	2	6.88
MOR-JIS-P112-90D	111.6	123	2	6.94
MOR-JIS-P115-90D	114.6	126	2	7.03
MOR-JIS-P120-90D	119.6	131	2	7.16
MOR-JIS-P125-90D	124.6	136	2	7.16
MOR-JIS-P130-90D	129.6	141	2	7.16
MOR-JIS-P132-90D	131.6	143	2	7.19
MOR-JIS-P135-90D	134.6	146	2	7.26
MOR-JIS-P140-90D	139.6	151	2	7.32
MOR-JIS-P145-90D	144.6	156	2	7.46
MOR-JIS-G150-90D	149.3	160.7	2	7.77
MOR-JIS-P150-90D	149.6	161	2	9.13
MOR-JIS-G155-90D	154.3	165.7	2	9.25
MOR-JIS-G160-90D	159.3	170.7	2	9.65
MOR-JIS-G165-90D	164.3	175.7	1	11.69
MOR-JIS-G170-90D	169.3	180.7	1	11.79
MOR-JIS-G175-90D	174.3	185.7	1	12.00
MOR-JIS-G180-90D	179.3	190.7	1	13.39
MOR-JIS-G185-90D	184.3	195.7	1	13.55
MOR-JIS-G190-90D	189.3	200.7	1	13.69
MOR-JIS-G195-90D	194.3	205.7	1	13.86
MOR-JIS-G200-90D	199.3	210.7	1	17.83
MOR-JIS-G205-90D	204.3	215.7	1	18.83
MOR-JIS-G210-90D	209.3	220.7	1	21.15
MOR-JIS-G215-90D	214.3	225.7	1	22.07
MOR-JIS-G220-90D	219.3	230.7	1	25.13
MOR-JIS-G225-90D	224.3	235.7	1	25.47
MOR-JIS-G230-90D	229.3	240.7	1	26.04
MOR-JIS-G235-90D	234.3	245.4	1	25.88
MOR-JIS-G240-90D	239.3	250.7	1	27.66
MOR-JIS-G250-90D	249.3	260.7	1	30.03
MOR-JIS-G255-90D	254.3	265.7	1	28.16
MOR-JIS-G260-90D	259.3	270.7	1	32.27

O-RINGS - 90 DURO NITRILE MOR-JIS STYLE

Part Number	A Nom. ID	B Nom. OD	Package Quantity	List Price
MOR-JIS-G270-90D	269.3	280.7	1	32.51
MOR-JIS-G275-90D	274.3	285.7	1	32.54
MOR-JIS-G280-90D	279.3	290.7	1	34.18
MOR-JIS-G290-90D	289.3	300.7	1	40.33
MOR-JIS-G300-90D	299.3	310.7	1	42.17
8.4mm C/S				
MOR-JIS-P150A-90D	149.5	166.3	1	\$25.62
MOR-JIS-P155-90D	154.5	171.3	1	16.47
MOR-JIS-P160-90D	159.5	176.3	1	18.20
MOR-JIS-P165-90D	164.5	181.3	1	18.45
MOR-JIS-P170-90D	169.5	186.3	1	18.69
MOR-JIS-P175-90D	174.5	191.3	1	18.95
MOR-JIS-P180-90D	179.5	196.3	1	20.54
MOR-JIS-P185-90D	184.5	201.3	1	21.40
MOR-JIS-P190-90D	189.5	206.3	1	21.69
MOR-JIS-P195-90D	194.5	211.3	1	21.95
MOR-JIS-P200-90D	199.5	216.3	1	22.25
MOR-JIS-P205-90D	204.5	221.3	1	27.09
MOR-JIS-P210-90D	209.5	226.3	1	27.17
MOR-JIS-P215-90D	214.5	231.3	1	28.18
MOR-JIS-P220-90D	219.5	236.3	1	32.17
MOR-JIS-P225-90D	224.5	241.3	1	31.91
MOR-JIS-P230-90D	229.5	246.3	1	74.06
MOR-JIS-P235-90D	234.5	251.3	1	41.92
MOR-JIS-P240-90D	239.5	256.3	1	41.61
MOR-JIS-P245-90D	244.5	261.3	1	40.34
MOR-JIS-P250-90D	249.5	266.3	1	92.85
MOR-JIS-P255-90D	254.5	271.3	1	91.51
MOR-JIS-P260-90D	259.5	276.3	1	60.50
MOR-JIS-P265-90D	264.5	281.3	1	64.67
MOR-JIS-P270-90D	269.5	286.3	1	111.43
MOR-JIS-P275-90D	274.5	291.3	1	104.59
MOR-JIS-P280-90D	279.5	296.3	1	116.06
MOR-JIS-P290-90D	289.5	306.3	1	111.11
MOR-JIS-P295-90D	294.5	311.3	1	113.30
MOR-JIS-P300-90D	299.5	316.3	1	85.49
MOR-JIS-P315-90D	314.5	331.3	1	125.34
MOR-JIS-P320-90D	319.5	336.3	1	85.91
MOR-JIS-P335-90D	334.5	351.3	1	128.95
MOR-JIS-P340-90D	339.5	356.3	1	57.28
MOR-JIS-P355-90D	354.5	371.3	1	54.47
MOR-JIS-P360-90D	359.5	376.3	1	106.30
MOR-JIS-P375-90D	374.5	391.3	1	120.45
MOR-JIS-P400-90D	399.5	416.3	1	139.44

Seal color may vary. Special order sizes are available.


METRIC O-RING GROOVE DIMENSIONS



Cross Section d	Radial Installation					Axial Installation		Radius	Gap E Max
	Groove Depth + 0.05		Groove Width			Groove Depth	Groove Width	r ± 0.2	
	Dynamic D1	Static D2	G1 ± 0.2	G2 ± 0.2	G3 ± 0.2	H + 0.05	G4 + 0.2		
1.5	1.25	1.10	2.00	3.00	4.00	1.10	2.10	0.30	0.05
1.60	1.30	1.20	2.10	3.10	4.10	1.20	2.20	0.30	0.05
1.78	1.45	1.30	2.40	3.60	5.20	1.30	2.60	0.30	0.06
2.40	2.05	1.80	3.20	4.60	6.00	1.80	3.30	0.30	0.06
2.62	2.25	2.00	3.60	5.00	6.40	2.00	3.80	0.30	0.07
3.00	2.60	2.30	4.00	5.40	6.80	2.30	4.00	0.60	0.07
3.53	3.10	2.70	4.80	6.20	7.60	2.70	5.00	0.60	0.08
4.00	3.50	3.10	5.20	6.90	8.60	3.10	5.30	0.60	0.08
5.33	4.70	4.30	7.10	9.00	10.90	4.30	7.30	0.60	0.10
5.70	5.00	4.60	7.20	9.00	11.00	4.60	7.40	0.60	0.10
7.00	6.10	5.80	9.50	12.30	15.10	5.80	9.70	1.00	0.13
8.40	7.50	7.10	10.00	12.80	15.60	7.10	10.30	1.00	0.13

O-RINGS - OBVD STATIC SEALS

OBVD static seals are a composite of an o-ring and a back-up ring. An 80 durometer nitrile o-ring is permanently affixed to a 95 durometer urethane back-up ring.



SEAL INFORMATION	
MATERIAL	NITRILE URETHANE
TEMPERATURE RANGE	-22° TO +212° F
PRESSURE RANGE	0 TO 7,250 PSI
SPEED	3 FT/SEC

Part Number	A Nom. ID	B Nom. OD	D GROOVE WIDTH	T GROOVE DEPTH	List Price
3mm C/S					
OBVD 32X3	32	38	3.90 +0.20 +0.00	2.30 +0.00 -0.05	\$76.01
OBVD 35X3	35	41	3.90 +0.20 +0.00	2.30 +0.00 -0.05	14.52
OBVD 56X3	56	62	3.90 +0.20 +0.00	2.30 +0.00 -0.05	14.15
OBVD 60X3	60	66	3.90 +0.20 +0.00	2.30 +0.00 -0.05	14.15
OBVD 75X3	75	81	3.90 +0.20 +0.00	2.30 +0.00 -0.05	17.84
OBVD 84X3	84	90	3.90 +0.20 +0.00	2.30 +0.00 -0.05	19.88
OBVD 85X3	85	91	3.90 +0.20 +0.00	2.30 +0.00 -0.05	19.88
OBVD 94X3	94	100	3.90 +0.20 +0.00	2.30 +0.00 -0.05	22.30
OBVD 95X3-2AX	95	101	4.40 +0.20 +0.00	2.30 +0.00 -0.05	44.60
OBVD 104X3	104	110	3.90 +0.20 +0.00	2.30 +0.00 -0.05	29.36
3.53mm C/S					
OBVD 53X3.53	53	60.06	4.50 +0.20 +0.00	2.80 +0.05 +0.00	\$14.52
OBVD 53.57X3.53	53.57	60.63	4.50 +0.20 +0.00	2.80 +0.05 +0.00	14.52
4mm C/S					
OBVD 57X4	57	65	5.20 +0.20 +0.00	3.20 +0.00 -0.05	\$20.65
OBVD 75X4	75	83	5.20 +0.20 +0.00	3.20 +0.00 -0.05	16.82
OBVD 82X4	82	90	5.20 +0.20 +0.00	3.20 +0.00 -0.05	19.11
OBVD 82X4-2AX	82	90	5.70 +0.20 +0.00	3.20 +0.00 -0.05	34.41
OBVD 87X4	87	95	5.20 +0.20 +0.00	3.20 +0.00 -0.05	19.11
OBVD 92X4	92	100	5.20 +0.20 +0.00	3.20 +0.00 -0.05	23.79
OBVD 110X4	110	118	5.20 +0.20 +0.00	3.20 +0.00 -0.05	29.06
OBVD 117X4	117	125	5.20 +0.20 +0.00	3.20 +0.00 -0.05	33.45

O-RINGS - OBVD STATIC SEALS



Part Number	A Nom. ID	B Nom. OD	D GROOVE WIDTH	T GROOVE DEPTH	List Price
OBVD 117X4-2AX	117	125	5.70 ^{+0.20} / _{+0.00}	3.20 ^{+0.00} / _{-0.05}	76.47
OBVD 118X4	118	126	5.20 ^{+0.20} / _{+0.00}	3.20 ^{+0.00} / _{-0.05}	29.45
OBVD 147X4	147	155	5.20 ^{+0.20} / _{+0.00}	3.20 ^{+0.00} / _{-0.05}	22.56
OBVD 195X4	195	203	5.20 ^{+0.20} / _{+0.00}	3.20 ^{+0.00} / _{-0.05}	38.23
5mm C/S					
OBVD 85X5	85	95	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	\$ 18.36
OBVD 110X5	110	120	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	29.06
OBVD 115X5	115	125	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	27.15
OBVD 135X5	135	145	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	26.38
OBVD 140X5	140	150	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	26.38
OBVD 150X5	150	160	6.20 ^{+0.30} / _{+0.00}	4.20 ^{+0.00} / _{-0.10}	27.15
6mm C/S					
OBVD 208X6	208	220	7.20 ^{+0.30} / _{+0.00}	5.10 ^{+0.00} / _{-0.10}	\$ 53.53
OBVD 212X6	212	224	7.20 ^{+0.30} / _{+0.00}	5.10 ^{+0.00} / _{-0.10}	53.53
OBVD 240X6	240	252	7.20 ^{+0.30} / _{+0.00}	5.10 ^{+0.00} / _{-0.10}	56.20
OBVD 298X6	298	310	7.20 ^{+0.30} / _{+0.00}	5.10 ^{+0.00} / _{-0.10}	77.99
7mm C/S					
OBVD 196X7	196	210	8.70 ^{+0.30} / _{+0.00}	6.00 ^{+0.00} / _{-0.10}	\$ 51.61
OBVD 240X7	240	254	8.70 ^{+0.30} / _{+0.00}	6.00 ^{+0.00} / _{-0.10}	52.00
8mm C/S					
OBVD 290X8	290	306	9.80 ^{+0.30} / _{+0.00}	6.80 ^{+0.00} / _{-0.10}	\$ 97.10
OBVD 380X8	380	396	9.80 ^{+0.30} / _{+0.00}	6.80 ^{+0.00} / _{-0.10}	257.94
OBVD 435X8	435	451	9.80 ^{+0.30} / _{+0.00}	6.80 ^{+0.00} / _{-0.10}	299.74
OBVD 560X8	560	576	9.80 ^{+0.30} / _{+0.00}	6.80 ^{+0.00} / _{-0.10}	593.36

Seal color may vary. Special order sizes are available.

SPECIAL ORDER O-RINGS - OBVD

Part Number	List Price	Part Number	List Price	Part Number	List Price
OBVD 196X7-2AX	\$ 108.74	OBVD 238X6	\$ 49.74	OBVD 392X8	\$ 411.59
OBVD 211X7-2AX	117.30	OBVD 242X6	83.47	OBVD 75X3-2AX	70.61
OBVD 223X6	52.21	OBVD 266X7	71.07		
OBVD 223X6-2AX	77.97	OBVD 280X8	78.20		

O-RINGS - SPECIAL ORDER

MOR	SEAL INFORMATION	
	MATERIAL	Blank = 70 Duro Nitrile V = 75 Duro Fluorocarbon 90D = 90 Duro Nitrile
	TEMPERATURE RANGE	-22° TO +212° F
	PRESSURE RANGE	0 TO 7,250 PSI
	SPEED	3 FT/SEC

MDY	SEAL INFORMATION	
	MATERIAL	NBR+FABRIC
	TEMPERATURE RANGE	-30° TO +100° C
	PRESSURE RANGE	250 (BAR)
	SPEED	0,5 M/S

Part Number	List Price
MDY-F-13	\$ 0.60
MDY-F-14	0.69
MDY-F-17	0.86
MDY-F-21	1.04
MDY-F-24	1.12
MDY-F-27	2.67
MDY-F-28	4.57
MDY-F-33	3.02
MDY-F-6	0.69
MDY-G-17	1.12
MDY-G-22	1.29
MDY-G-4	0.69
MDY-G-5	1.12
MDY-G-6	0.86
MDY-SB-036M	5.78
MOR-1.42X1.52	0.04
MOR-1.5X1	0.04
MOR-1.5X1V	0.62
MOR-1.8X1	0.04
MOR-1.8X1.2	0.10
MOR-10.1X1.6V	0.30
MOR-10.3X3.2	0.07
MOR-10.52X1.83V	0.66
MOR-10.5X2.7	0.07
MOR-100X5.33V	2.21
MOR-100X6V	17.38
MOR-100X7V	2.21
MOR-101.03X3.53-90D	1.77
MOR-102X2.5	0.89
MOR-102X3V	2.21

Part Number	List Price
MOR-102X4V	\$ 8.65
MOR-102X5V	13.01
MOR-103X6	1.55
MOR-104.1X5.7V	2.21
MOR-104.5X3V	3.48
MOR-104.5X7	0.96
MOR-104X6	1.55
MOR-105X3.5V	8.06
MOR-105X4.5V	11.17
MOR-105X4V	8.65
MOR-105X5V	12.42
MOR-105X6V	15.38
MOR-105X7	0.96
MOR-105X7V	30.02
MOR-106X2V	2.96
MOR-106X7	1.85
MOR-107X2.5	0.96
MOR-107X3.5	1.11
MOR-107X6-90D	1.77
MOR-108X3.5	1.11
MOR-108X3.5-90D	1.77
MOR-108X4V	9.90
MOR-108X5V	13.60
MOR-109.1X5.7V	17.38
MOR-109.54X5.33V	2.21
MOR-109.5X3-90D	1.77
MOR-109X3.5	0.96
MOR-10X1.3	0.07
MOR-10X1.8-90D	0.07
MOR-10X1V	0.30

Part Number	List Price
MOR-10X3.2	\$ 0.07
MOR-10X3.5V	0.59
MOR-10X5V	1.48
MOR-10X6	0.37
MOR-11.5X1.5	0.04
MOR-11.6X2.4V	0.66
MOR-11.8X2.1	0.07
MOR-110.74X1.78V	4.44
MOR-110X2.5V	6.21
MOR-110X3.5V	8.65
MOR-110X4V	0.05
MOR-110X5V	11.76
MOR-110X7	2.00
MOR-112X3V	7.39
MOR-112X5V	14.86
MOR-112X6	1.70
MOR-112X8	3.11
MOR-113X3.5-90D	1.77
MOR-115X2.5	0.96
MOR-115X3.5V	6.80
MOR-115X4.5V	12.42
MOR-115X4V	14.12
MOR-115X5V	20.33
MOR-115X6V	19.81
MOR-117.1X1.78V	4.07
MOR-117.48X5.33-90D	1.77
MOR-117.48X5.33V	4.07
MOR-117X8	0.96
MOR-118X3.5V	7.39
MOR-118X3V	4.36

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-118X5V	\$ 14.86	MOR-125X5V	\$ 14.19	MOR-134X4-90D	\$ 2.73
MOR-118X6	1.70	MOR-125X6V	20.92	MOR-135X10	1.34
MOR-119.2X5.7V	4.07	MOR-125X8	5.48	MOR-135X2V	4.59
MOR-119X5.7	1.34	MOR-126X4.5	1.48	MOR-135X3.5	3.32
MOR-11X1V	0.66	MOR-127X3.5	1.34	MOR-135X3.5V	7.83
MOR-11X3.2	0.07	MOR-127X5.33V	5.03	MOR-135X4-90D	2.73
MOR-11X3.5	0.07	MOR-127X5V	14.56	MOR-135X4V	8.65
MOR-11X5	0.07	MOR-128X2.5	47.47	MOR-135X5V	18.63
MOR-11X6	0.30	MOR-128X6V	20.56	MOR-135X6V	24.84
MOR-12.07X5.34	0.07	MOR-129.4X1.78V	5.03	MOR-135X7	1.34
MOR-12.1X1.6V	0.73	MOR-129.5X3V	4.51	MOR-139.3X5.7V	16.19
MOR-12.1X2.1	0.07	MOR-129X3V	4.87	MOR-139.7X5.33-90D	2.73
MOR-12.1X2.7	0.05	MOR-12X1V	0.37	MOR-139.7X5.33V	5.03
MOR-12.1X2.7-90D	0.07	MOR-12X4.5	0.22	MOR-139X5	1.70
MOR-12.5X1	0.07	MOR-12X4V	0.89	MOR-13X1V	0.37
MOR-12.5X1-90D	0.07	MOR-12X5.5	0.07	MOR-13X3.2	0.07
MOR-12.5X2.5	0.07	MOR-12X5V	0.89	MOR-13X3.5	0.07
MOR-120.5X12	25.21	MOR-12X6	0.30	MOR-13X3-90D	0.07
MOR-120X3.5-90D	2.21	MOR-13.1X2.62V	0.89	MOR-13X4	0.14
MOR-120X3.5V	6.43	MOR-13.3X2.4-90D	0.45	MOR-13X4V	0.66
MOR-120X4.5	1.34	MOR-13.5X2V	0.45	MOR-13X5	0.22
MOR-120X4.5V	13.60	MOR-13.6X2.7-90D	0.07	MOR-13X6	0.30
MOR-120X4V	11.17	MOR-13.8X2.54	0.07	MOR-14.1X1.6V	0.45
MOR-120X5V	16.11	MOR-13.9X2.4	0.07	MOR-14.3X2.4V	0.59
MOR-120X6V	21.07	MOR-130X2.5	1.11	MOR-14.5X1.5	0.07
MOR-120X7	1.34	MOR-130X4V	10.22	MOR-14.5X2.5	0.07
MOR-122X2	1.34	MOR-130X5V	13.38	MOR-14.5X3	0.07
MOR-122X3V	8.06	MOR-130X8V	5.03	MOR-140X3.5V	8.35
MOR-122X4.5	1.34	MOR-132X2	1.34	MOR-140X3V	5.55
MOR-122X7	1.34	MOR-132X3.5V	11.17	MOR-140X4.5V	16.11
MOR-123.44X1.78V	5.03	MOR-132X3V	5.39	MOR-140X5V	18.63
MOR-123.83X5.33V	5.03	MOR-132X4V	17.08	MOR-140X6V	26.02
MOR-123X7	1.34	MOR-132X5V	14.04	MOR-142X3.5V	12.42
MOR-124.3X5.7V	19.81	MOR-132X6	1.34	MOR-142X3V	8.65
MOR-124.6X6.99	2.83	MOR-133.35X5.33V	5.03	MOR-142X4V	8.58
MOR-124.6X6.99-90D	2.80	MOR-134.3X5.7-90D	2.89	MOR-142X6-90D	2.73
MOR-124.6X6.99V	5.03	MOR-134.3X5.7V	22.32	MOR-142X6V	24.39
MOR-125X2.5V	5.03	MOR-134.5X4.5V	15.53	MOR-145.45X6.55	3.77
MOR-125X3.5V	6.87	MOR-134.5X6.99	1.34	MOR-145X3.5V	12.42
MOR-125X3V	4.28	MOR-134.5X6.99V	5.03	MOR-145X4V	8.50

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-145X5V	\$ 18.70	MOR-154.1X8.4	\$ 3.32	MOR-161.9X6.99	\$ 6.80
MOR-145X6V	23.81	MOR-154.3X5.7V	38.74	MOR-161.9X6.99V	5.48
MOR-146.05X5.33	2.00	MOR-154.5X3	1.25	MOR-161.9X7.6	6.80
MOR-146.05X5.33V	5.03	MOR-155.6X6.99	1.85	MOR-1618X8	6.80
MOR-147X3	1.18	MOR-155.6X6.99-90D	2.73	MOR-162X3.5	1.93
MOR-148X3.5V	9.17	MOR-155.6X6.99V	5.03	MOR-162X3.5V	10.49
MOR-148X3V	11.17	MOR-155X2.5	1.55	MOR-162X3V	8.21
MOR-148X4V	13.60	MOR-155X4.5	2.07	MOR-162X4V	5.48
MOR-148X7	4.07	MOR-155X5.33V	25.66	MOR-162X5	2.21
MOR-149.23X5.33V	5.03	MOR-155X5V	5.03	MOR-164.3X5.7V	22.32
MOR-149.5X3	2.00	MOR-157X3	1.55	MOR-164.5X3	4.66
MOR-149.5X3-90D	2.73	MOR-158X5V	21.07	MOR-164X5	2.21
MOR-149.5X3V	11.17	MOR-159.1X8.4	3.69	MOR-165X10	10.35
MOR-14X1	0.05	MOR-159.5X3	1.25	MOR-165X4.5	2.21
MOR-14X1.5V	0.89	MOR-159.5X6.99	6.80	MOR-165X5.3	2.89
MOR-14X1.6	0.07	MOR-159.5X6.99V	5.03	MOR-165X6V	28.53
MOR-14X1V	0.89	MOR-159X4	1.70	MOR-167.7X5.33-90D	2.73
MOR-14X4V	0.89	MOR-15X1.5V	0.59	MOR-167.7X5.33V	5.48
MOR-14X5	0.22	MOR-15X1V	0.37	MOR-167X4	10.58
MOR-14X5V	0.89	MOR-15X3.2	0.07	MOR-168X3V	8.65
MOR-15.1X1.6V	0.45	MOR-15X3.5V	0.59	MOR-168X4V	16.11
MOR-15.1X2.7	0.06	MOR-15X4.5	0.30	MOR-169.3X5.7V	17.74
MOR-15.3X2.4V	1.34	MOR-15X4V	0.89	MOR-169.5X3	1.48
MOR-15.5X1	0.07	MOR-15X5V	1.62	MOR-16X1.2	0.07
MOR-15.5X3.5	0.07	MOR-15X6	0.30	MOR-16X1.25	0.07
MOR-15.6X2.4V	0.59	MOR-15X6V	0.89	MOR-16X1.5V	0.52
MOR-15.9X2.3	0.07	MOR-16.1X1.6-90D	0.22	MOR-16X1-90D	0.07
MOR-150X2.5	1.18	MOR-16.1X1.6V	0.45	MOR-16X1V	0.96
MOR-150X2.5V	9.90	MOR-16.3X2.4V	0.59	MOR-16X3.5V	0.73
MOR-150X3.5V	9.39	MOR-16.5X1.5	0.07	MOR-16X4V	0.73
MOR-150X3-90D	6.10	MOR-16.5X1.5V	0.52	MOR-16X6	0.30
MOR-150X3V	8.06	MOR-16.5X3	0.14	MOR-16X8	0.07
MOR-150X4V	15.97	MOR-16.82X5.34V	3.11	MOR-17.5X2.4	0.07
MOR-150X5V	17.29	MOR-16.9X2.7	0.07	MOR-17.6X2.4V	1.11
MOR-150X6V	27.28	MOR-160X3.5V	10.28	MOR-17.93X2.46	0.07
MOR-150X7	7.25	MOR-160X4.5V	18.63	MOR-170X2.5	45.09
MOR-151X3.5	1.70	MOR-160X4V	14.86	MOR-170X3.5V	10.80
MOR-152X3.5V	13.60	MOR-160X5V	17.22	MOR-170X4V	9.69
MOR-152X3V	7.25	MOR-160X6V	29.80	MOR-170X5V	17.74
MOR-152X4V	9.53	MOR-161.3X5.33V	5.48	MOR-170X6V	31.05

O-RINGS - SPECIAL ORDER



Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-170X8V	\$ 83.98	MOR-18.6X2.7	\$ 0.07	MOR-18X1V	\$ 1.11
MOR-171X5	2.80	MOR-18.7X1.9	0.07	MOR-18X2.2	0.07
MOR-172X4.5V	19.81	MOR-180X3.5V	16.11	MOR-18X3.5V	0.82
MOR-172X4V	53.45	MOR-180X3V	9.24	MOR-18X3V	1.77
MOR-172X6	3.25	MOR-180X4.5	2.80	MOR-18X4.5	0.22
MOR-174.1X8.4	4.14	MOR-180X5.5	2.89	MOR-18X6	0.30
MOR-174.3X5.7V	29.80	MOR-180X5-90D	5.03	MOR-18X7	2.29
MOR-174.5X3	1.85	MOR-180X5V	30.16	MOR-19.05X2.4	0.07
MOR-174X3.5	2.37	MOR-180X6V	33.49	MOR-19.2X3V	0.66
MOR-174X5.33	2.73	MOR-180X8V	5.48	MOR-19.3X2.4-90D	0.07
MOR-175X3.5V	15.53	MOR-181X6.99V	5.48	MOR-19.5X1.5	0.07
MOR-175X3V	8.35	MOR-182.46X5.27	1.93	MOR-19.8X3.6	0.07
MOR-175X4	2.89	MOR-182X3.5V	16.11	MOR-190X3.5V	10.49
MOR-175X4V	5.48	MOR-182X3V	13.60	MOR-190X4V	18.63
MOR-175X5V	20.25	MOR-182X4V	17.38	MOR-190X5V	26.02
MOR-175X6V	32.23	MOR-183.6X5.7	2.52	MOR-190X7	7.25
MOR-178X3.5V	16.11	MOR-184.1X8.4	4.96	MOR-193.3X4	2.89
MOR-178X3V	9.62	MOR-184.3X5.7V	20.25	MOR-193.7X6.99-90D	5.03
MOR-178X4V	17.38	MOR-184.5X3	2.00	MOR-193.7X6.99V	5.48
MOR-178X6	2.89	MOR-184X5	3.11	MOR-194.1X8.4	5.10
MOR-179.1X8.4	4.87	MOR-185X3.5V	16.11	MOR-194.3X5.7V	39.99
MOR-179.2X5.7	2.59	MOR-185X5-90D	5.03	MOR-194.5X3	10.94
MOR-179.3X5.7V	29.80	MOR-185X5V	21.43	MOR-195X3.5	2.89
MOR-179.5X3	1.85	MOR-185X6	3.77	MOR-195X3.5V	17.38
MOR-179X3	2.29	MOR-185X6V	34.74	MOR-195X4	4.96
MOR-179X3V	18.26	MOR-185X8	8.58	MOR-195X4V	18.63
MOR-179X4	2.37	MOR-186X3.5	2.73	MOR-195X5V	25.14
MOR-17X1.2	0.07	MOR-186X4	2.73	MOR-195X6	4.00
MOR-17X1V	0.70	MOR-186X7-90D	5.03	MOR-195X6V	36.01
MOR-17X3.5	0.14	MOR-187.3X6.99V	5.48	MOR-198X3.5V	5.48
MOR-17X4.5	0.22	MOR-187X4	2.73	MOR-199.1X8.4	5.10
MOR-17X4V	1.85	MOR-188X1.5	2.89	MOR-199.1X8.4V	63.35
MOR-17X5V	3.11	MOR-188X3	2.44	MOR-199.3X5.7V	33.49
MOR-18.1X1.6V	0.73	MOR-188X3.5V	16.11	MOR-199.8X6.99	7.25
MOR-18.3X2.4	0.06	MOR-188X3V	13.60	MOR-19X1.5V	1.04
MOR-18.3X3.6	0.07	MOR-188X4	7.17	MOR-19X1V	0.89
MOR-18.5X2	0.07	MOR-188X4V	5.48	MOR-19X3.5V	0.89
MOR-18.5X2.5V	0.89	MOR-189.1X8.4	5.03	MOR-19X4V	0.89
MOR-18.6X2.4	0.14	MOR-189.5X3	2.00	MOR-19X5V	1.04
MOR-18.6X2.4-90D	0.07	MOR-189.5X4.5V	22.32	MOR-2.2X1	0.10

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-2.35X1	\$ 0.10	MOR-21.3X3.6	\$ 0.22	MOR-220X6	\$ 4.44
MOR-2.4X1.9	0.04	MOR-21.5X1	0.07	MOR-220X6V	38.60
MOR-2.4X1.9V	0.62	MOR-21.5X2.4V	0.82	MOR-220X8	7.69
MOR-2.6X1	0.10	MOR-21.5X3.4	0.07	MOR-221.62X6.99	4.14
MOR-2.6X1.6	0.10	MOR-21.6X2.4	0.07	MOR-221.62X6.99V	5.48
MOR-2.6X1.9	0.04	MOR-21.92X2.95	0.07	MOR-224X7	5.99
MOR-2.6X2	0.05	MOR-210X3	0.82	MOR-225X3.5V	19.81
MOR-2.75X1.6	0.10	MOR-210X3.5V	18.63	MOR-225X3-90D	5.03
MOR-2.7X1.5	0.10	MOR-210X3V	14.86	MOR-225X4	3.77
MOR-2.8X1.8	0.06	MOR-210X4V	15.90	MOR-225X4.5	3.92
MOR-20.3X2.4V	4.00	MOR-210X5	4.96	MOR-225X4V	19.00
MOR-200X3.5V	5.48	MOR-210X5-90D	5.03	MOR-225X6	4.59
MOR-200X3-90D	5.03	MOR-210X6V	37.04	MOR-225X6V	37.33
MOR-200X4V	5.48	MOR-210X8	7.25	MOR-226X7	7.25
MOR-200X5V	5.48	MOR-212X3	3.32	MOR-227X4.5V	26.02
MOR-200X6V	5.48	MOR-214X5	3.77	MOR-228X4	3.11
MOR-202X4	2.89	MOR-215X10V	169.22	MOR-229.1X8.4	7.25
MOR-203X3	3.03	MOR-215X3.5V	5.48	MOR-229.3X5.7V	5.48
MOR-204.1X8.4	5.18	MOR-215X3V	16.11	MOR-22X1V	0.89
MOR-204.1X8.4V	64.62	MOR-215X4	3.69	MOR-22X3.5-90D	0.14
MOR-204X5	3.48	MOR-215X5	3.77	MOR-22X4V	1.04
MOR-205X3.5V	18.63	MOR-215X6V	5.48	MOR-22X5V	0.89
MOR-205X3V	14.86	MOR-216X4	3.03	MOR-22X6	0.37
MOR-205X5-90D	11.97	MOR-218.5X4.5	3.77	MOR-22X8	0.07
MOR-205X5V	37.33	MOR-218X7	5.76	MOR-23.3X2.4	0.07
MOR-205X6	4.14	MOR-219.1X8.4	5.25	MOR-23.3X2.4V	1.25
MOR-205X6V	34.82	MOR-219.3X5.7V	31.05	MOR-23.47X2.95-90D	0.14
MOR-208.92X6.99-90D	7.69	MOR-21X1.5	0.07	MOR-23.5X2.4V	0.89
MOR-208.92X6.99V	31.71	MOR-21X3.5V	0.89	MOR-23.5X2.5	0.07
MOR-208X4	3.41	MOR-21X3V	2.52	MOR-230X2.5	5.25
MOR-208X4.5V	24.84	MOR-21X4V	0.89	MOR-230X3	5.39
MOR-208X6	4.14	MOR-21X5V	2.21	MOR-230X3.5	3.77
MOR-209.1X8.4	5.18	MOR-22.1X1.6V	0.89	MOR-230X3.5V	18.49
MOR-209.3X5.7V	36.01	MOR-22.3X2.4	0.07	MOR-230X3-90D	7.25
MOR-209.5X3	14.49	MOR-22.5X1	0.07	MOR-230X3V	15.53
MOR-20X1-90D	0.07	MOR-22.5X1.5	0.07	MOR-230X4	3.77
MOR-20X1V	0.89	MOR-22.7X2.6	0.07	MOR-230X4V	19.36
MOR-20X5V	3.11	MOR-220X3.5	3.69	MOR-230X5-90D	7.25
MOR-20X6V	0.89	MOR-220X3.5V	5.48	MOR-230X5V	41.77
MOR-21.1X1.9	0.07	MOR-220X4-90D	5.03	MOR-230X6	4.59

O-RINGS - SPECIAL ORDER



Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-230X6V	\$ 38.15	MOR-241X5	\$ 4.44	MOR-253.59X3.53V	\$ 7.10
MOR-230X7	12.79	MOR-242X6V	5.48	MOR-255X3	7.25
MOR-230X8	7.76	MOR-244X5	4.66	MOR-255X4-90D	34.53
MOR-234.1X8.4	5.84	MOR-245X3.5V	21.15	MOR-255X5V	5.18
MOR-234.32X6.99	4.07	MOR-245X3V	17.38	MOR-259.3X5.2	7.25
MOR-234.63X2.62V	5.48	MOR-245X4V	5.48	MOR-25X1-90D	0.14
MOR-235X3	3.92	MOR-245X5V	4.96	MOR-25X1V	0.89
MOR-235X3.5	7.25	MOR-247X6	5.48	MOR-25X2.4	0.52
MOR-235X3.5V	5.48	MOR-247X6.99V	4.44	MOR-25X4.5V	0.89
MOR-235X3V	17.38	MOR-248X3	22.84	MOR-25X4V	1.11
MOR-235X4V	19.74	MOR-249.1X8.4	5.48	MOR-25X6V	0.89
MOR-235X5V	32.23	MOR-249.3X5.7V	3.84	MOR-26.2X3	0.05
MOR-235X6V	57.37	MOR-249X4	5.99	MOR-26.59X2.95	0.07
MOR-235X8	10.72	MOR-24X1	0.14	MOR-26.5X2.65	0.22
MOR-235X8-90D	7.25	MOR-24X1.5-90D	0.14	MOR-26.5X3.5	9.14
MOR-236X7	6.43	MOR-24X1.5V	0.59	MOR-260X10-90D	18.77
MOR-238X6	4.87	MOR-24X1V	0.89	MOR-260X3V	3.55
MOR-238X7-90D	13.15	MOR-24X2V	1.04	MOR-260X4	3.69
MOR-239.1X8.4	5.84	MOR-24X3.5-90D	0.14	MOR-260X7V	5.25
MOR-23X1	0.14	MOR-24X4V	1.11	MOR-264.5X8.4	4.44
MOR-23X1.5V	1.18	MOR-24X5V	2.44	MOR-268X4	13.67
MOR-23X1V	0.89	MOR-24X6	0.37	MOR-26X2.5-90D	0.96
MOR-23X2.5-90D	0.30	MOR-24X6V	0.89	MOR-26X2.5V	0.82
MOR-23X2V	1.34	MOR-25.04X2.95	0.07	MOR-26X4V	0.89
MOR-23X3.5V	1.11	MOR-25.1X1.6V	0.89	MOR-26X5	0.45
MOR-23X4V	1.18	MOR-25.3X2.4	0.14	MOR-26X5V	0.89
MOR-23X5	0.37	MOR-25.5X1	0.07	MOR-26X6	0.45
MOR-23X5V	2.29	MOR-25.5X1.2	0.07	MOR-26X6V	3.84
MOR-23X6	0.37	MOR-25.8X3.53	0.07	MOR-27.1X1.6V	0.89
MOR-24.5X2.5	0.07	MOR-250X3	21.52	MOR-27.3X2.4-90D	0.30
MOR-24.6X2.4	0.07	MOR-250X3.5V	16.19	MOR-27.3X2.7	0.07
MOR-240.7X7	6.43	MOR-250X3V	4.44	MOR-27.5X2.4	0.07
MOR-240X3V	14.86	MOR-250X4.5	27.95	MOR-27.5X2.4V	0.96
MOR-240X4.5	6.43	MOR-250X4.5V	7.25	MOR-27.5X3	0.14
MOR-240X4-90D	7.25	MOR-250X4-90D	19.12	MOR-27.5X3-90D	0.14
MOR-240X4V	5.48	MOR-250X4V	28.16	MOR-27.8X3.6	0.07
MOR-240X5V	32.23	MOR-250X5V	5.18	MOR-270X10	8.94
MOR-240X6	4.87	MOR-250X6	16.42	MOR-270X8	4.87
MOR-240X6V	39.11	MOR-250X7	4.87	MOR-274X5	159.76
MOR-240X8	9.76	MOR-252X4	5.48	MOR-278.7X7V	11.17

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-27X1.5V	\$ 0.89	MOR-3.4X1.9V	\$ 0.62	MOR-329.3X5.7	\$ 10.05
MOR-27X2.5-90D	1.55	MOR-3.5X0.9	0.06	MOR-329.57X6.99-90D	5.48
MOR-27X3.2	0.07	MOR-3.5X1.2	0.06	MOR-32X1.5V	0.89
MOR-27X4.5	0.37	MOR-3.5X2	0.10	MOR-32X5.7	0.07
MOR-27X4V	1.77	MOR-30.2X2.4-90D	0.14	MOR-32X5V	2.03
MOR-27X6	0.45	MOR-30.3X2.4	0.59	MOR-32X6	0.52
MOR-27X6V	0.89	MOR-300X10	5.48	MOR-32X8	1.48
MOR-27X8	0.07	MOR-300X6	4.80	MOR-33.3X2.4	0.22
MOR-28.2X3	0.89	MOR-304X7	10.05	MOR-33.3X2.4V	0.89
MOR-28.3X2.4	0.07	MOR-304X8.4	5.48	MOR-33.5X2	0.07
MOR-28.5X1.5	0.07	MOR-305X5	6.14	MOR-335.9X6.99	11.31
MOR-280X10	7.25	MOR-305X6	13.67	MOR-335X3	5.48
MOR-280X5-90D	7.25	MOR-30X1.5V	0.89	MOR-339.3X5.7	5.48
MOR-280X6-90D	9.46	MOR-30X1V	0.89	MOR-33X1	0.07
MOR-285X6	5.03	MOR-30X3.5V	3.18	MOR-33X2	0.05
MOR-28X1.5V	0.89	MOR-30X4.5V	0.14	MOR-33X3.5V	1.62
MOR-28X2V	0.59	MOR-30X6V	0.89	MOR-33X8	0.07
MOR-28X4V	1.25	MOR-31.2X3	0.07	MOR-34.1X3.6	0.07
MOR-28X5V	2.37	MOR-31.5X3	0.14	MOR-34.5X3	0.14
MOR-28X6V	3.92	MOR-310X10	20.11	MOR-34.5X5	0.07
MOR-29.1X1.6-90D	0.14	MOR-310X5	58.55	MOR-34.6X2.4V	0.89
MOR-29.1X1.6V	0.89	MOR-310X5V	35.44	MOR-340X5.33	5.48
MOR-29.3X3.6	0.07	MOR-310X6V	5.48	MOR-340X8	13.67
MOR-29.51X5.34V	0.89	MOR-310X8	6.66	MOR-345X10.5	5.48
MOR-29.74X2.95	0.07	MOR-315X6	5.48	MOR-34X2.5	0.22
MOR-290X2.5	5.10	MOR-315X7	10.05	MOR-34X3.5V	1.70
MOR-290X3	25.66	MOR-319.2X3.53-90D	5.48	MOR-34X5	0.07
MOR-290X4V	5.03	MOR-31X1.5	0.14	MOR-34X5V	0.89
MOR-29X1.5	0.07	MOR-31X1.5V	0.89	MOR-35.1X1.6V	0.89
MOR-29X2V	0.73	MOR-31X2.5V	0.89	MOR-35.9X1.85	0.07
MOR-29X3.5V	0.89	MOR-32.1X1.6V	0.89	MOR-350X5	5.91
MOR-29X5	0.45	MOR-32.5X2.65	0.07	MOR-350X5V	13.83
MOR-29X8	0.07	MOR-32.5X3	0.14	MOR-350X6	10.94
MOR-2X1.2	0.10	MOR-32.5X3.6	0.14	MOR-350X6-90D	14.56
MOR-2X1V	0.31	MOR-320X4	5.48	MOR-350X8	5.48
MOR-3.1X2.4	0.10	MOR-320X7	5.48	MOR-35X1	0.07
MOR-3.2X1.1V	0.62	MOR-325X5	5.48	MOR-35X3.2	0.07
MOR-3.2X1.8	0.05	MOR-325X6	13.67	MOR-35X4.5V	0.89
MOR-3.3X2.4V	0.62	MOR-328X10	5.48	MOR-35X4-90D	0.22
MOR-3.4X1.5	0.10	MOR-328X6	5.48	MOR-35X4V	0.89

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-35X5-90D	0.22	MOR-39.2X3	\$ 0.07	MOR-41.78X3.53	\$ 0.07
MOR-35X5V	0.73	MOR-39.2X3V	0.89	MOR-412X8	5.48
MOR-35X6	0.07	MOR-39.5X3	0.22	MOR-415X6	19.81
MOR-35X6V	0.52	MOR-39.5X3V	0.89	MOR-41X1	0.07
MOR-36.2X3V	0.89	MOR-39.69X3.53V	0.89	MOR-41X2V	0.89
MOR-360X6	12.79	MOR-39X1.5	0.07	MOR-41X3.5	0.07
MOR-36X2.5-90D	2.14	MOR-39X1.5V	0.89	MOR-41X4.5	0.07
MOR-36X2V	1.18	MOR-39X2.5V	1.41	MOR-41X5V	1.34
MOR-36X4V	0.89	MOR-39X3.5-90D	0.22	MOR-41X6	0.59
MOR-36X5V	0.89	MOR-3X1.6	0.10	MOR-42.2X5.7-90D	0.45
MOR-36X6V	0.89	MOR-3X1.8	0.10	MOR-42.5X3	0.22
MOR-37.1X1.6V	0.89	MOR-3X1-90D	0.09	MOR-42.86X3.53V	1.34
MOR-37.2X5.7	0.37	MOR-3X2.7	0.10	MOR-420X8	22.84
MOR-37.3X3.6	0.07	MOR-3X3	0.10	MOR-425X6	18.33
MOR-37.3X3.6V	1.70	MOR-3X3V	0.41	MOR-42X14	0.07
MOR-37.6X2.4V	0.89	MOR-4.2X1.9V	0.31	MOR-42X2V	1.34
MOR-379.3X5.7-90D	5.48	MOR-4.3X2.4V	0.62	MOR-42X3.5V	2.21
MOR-37X1.5V	0.89	MOR-4.5X1.8V	0.41	MOR-42X4-90D	0.45
MOR-37X2V	0.89	MOR-4.6X1.85	0.05	MOR-42X4V	1.34
MOR-37X3-90D	0.30	MOR-4.6X2.4V	0.62	MOR-42X5V	1.34
MOR-37X5	0.45	MOR-4.7X1.42V	0.62	MOR-42X6	0.59
MOR-37X8	0.07	MOR-4.7X1.6	0.10	MOR-42X6V	1.34
MOR-380X8-90D	21.88	MOR-4.7X1.6V	0.41	MOR-43X2-90D	0.45
MOR-386X6	8.42	MOR-4.8X1.6	0.10	MOR-43X2V	1.34
MOR-387X3	7.25	MOR-4.9X1.9-90D	0.10	MOR-43X3.5V	1.34
MOR-387X7	5.48	MOR-40X2-90D	1.70	MOR-43X4.5	0.07
MOR-388X5	11.90	MOR-40X2V	1.34	MOR-43X5	0.07
MOR-38X1.5	0.22	MOR-40X3.5-90D	0.82	MOR-43X5V	4.36
MOR-38X1.8	0.14	MOR-40X3.5V	5.48	MOR-43X6	0.59
MOR-38X10	0.07	MOR-40X4.5	0.45	MOR-43X8	0.07
MOR-38X2.4	0.07	MOR-40X4.5V	1.34	MOR-44.2X3V	1.34
MOR-38X2.5V	3.41	MOR-40X5V	1.34	MOR-44.3X5.7-90D	0.45
MOR-38X2V	0.82	MOR-40X6	0.52	MOR-44.3X5.7V	1.34
MOR-38X3.53	0.07	MOR-40X6V	1.34	MOR-44.45X3.53V	1.34
MOR-38X3.5V	0.89	MOR-40X8	0.07	MOR-440X8	13.67
MOR-38X4.5	0.07	MOR-41.28X3.53V	2.07	MOR-445X5	13.67
MOR-38X5V	0.89	MOR-41.2X5.7	0.37	MOR-44X1	0.45
MOR-38X6	0.52	MOR-41.4X5.33	0.07	MOR-44X1.5V	1.34
MOR-38X6V	0.89	MOR-41.6X2.4	0.07	MOR-44X2.6V	1.48
MOR-39.2X2.5	0.07	MOR-41.6X2.4V	1.34	MOR-44X2-90D	0.45

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-44X3V	\$ 1.73	MOR-48X9	\$ 0.45	MOR-5X3V	\$ 0.62
MOR-44X4.5	0.45	MOR-49.2X3	1.04	MOR-5X5	0.21
MOR-44X5.5	0.45	MOR-49.5X3-90D	0.37	MOR-6.07X1.63	1.14
MOR-44X5V	1.34	MOR-49X1	0.37	MOR-6.1X1.6V	0.31
MOR-44X6	0.59	MOR-49X2.5V	1.77	MOR-6.3X2.4-90D	0.10
MOR-44X6V	1.34	MOR-49X3V	2.29	MOR-6.3X2.4V	11.59
MOR-45.2X5.7	0.45	MOR-49X4-90D	0.45	MOR-6.4X1.9	0.10
MOR-45.3X5.7V	7.69	MOR-49X6	0.66	MOR-6.5X2	0.10
MOR-45.6X1.78V	1.34	MOR-4X1.2	0.06	MOR-60X2.5V	5.39
MOR-450X5	13.67	MOR-4X1.3	0.62	MOR-60X4V	3.77
MOR-455X4	13.67	MOR-4X1.5V	0.31	MOR-62X2V	2.52
MOR-45X1	0.45	MOR-4X1.6V	0.41	MOR-63X3V	5.18
MOR-45X10	2.37	MOR-4X1.8V	0.41	MOR-64.2X5.7V	10.13
MOR-45X3V	2.96	MOR-4X1-90D	0.10	MOR-64.5X3V	4.28
MOR-45X4V	3.11	MOR-4X2.5V	1.14	MOR-65.09X3.53	0.37
MOR-45X5V	4.59	MOR-4X4	0.10	MOR-65X3.5-90D	0.45
MOR-45X6	0.66	MOR-4X5	0.62	MOR-66X3V	5.10
MOR-46.04X3.53-90D	0.45	MOR-5.1X1	0.62	MOR-66X5V	6.43
MOR-460X6	13.67	MOR-5.1X1.6V	0.31	MOR-67X2.5V	2.59
MOR-46X2V	3.69	MOR-5.3X2.4V	1.14	MOR-67X3.5V	4.07
MOR-46X4.5	0.45	MOR-5.5X1	0.62	MOR-67X3-90D	0.59
MOR-46X4V	4.28	MOR-5.5X1.5V	0.62	MOR-67X3V	2.89
MOR-46X5V	6.21	MOR-5.5X2.4	0.06	MOR-67X4V	3.41
MOR-47.5X2.5	0.30	MOR-5.5X3	0.10	MOR-68X2V	2.59
MOR-47X2V	1.77	MOR-500X3	13.67	MOR-68X3.5V	4.96
MOR-47X4-90D	0.45	MOR-505X3	13.67	MOR-68X4-90D	0.59
MOR-47X4V	3.25	MOR-50X1.5	0.37	MOR-68X4V	3.11
MOR-47X5	0.59	MOR-50X3.5V	1.77	MOR-68X5V	11.17
MOR-47X6	0.66	MOR-516X6	22.63	MOR-68X6V	9.01
MOR-480X6	13.67	MOR-518X8	22.84	MOR-68X7	1.41
MOR-48X1.5	0.45	MOR-51X6	4.21	MOR-69.2X5.7V	8.58
MOR-48X10	2.59	MOR-532.18X5.33-90D	22.84	MOR-69.5X3-90D	0.59
MOR-48X2V	1.62	MOR-532.26X6.99-90D	22.84	MOR-69.5X3V	4.07
MOR-48X3.5-90D	0.45	MOR-54.2X5.7	1.48	MOR-69.85X3.53V	1.77
MOR-48X5V	4.80	MOR-54.5X3-90D	0.93	MOR-69X1.5	0.73
MOR-48X6	0.66	MOR-569.27X6.99-90D	6.80	MOR-69X3.5V	4.36
MOR-48X6.5	0.45	MOR-58X3V	1.77	MOR-69X4.5	3.48
MOR-48X6V	6.66	MOR-5X1.2	0.10	MOR-6X1.2	0.07
MOR-48X7	1.41	MOR-5X2.5-90D	0.10	MOR-6X1-90D	0.10
MOR-48X8	4.28	MOR-5X2.5V	1.45	MOR-6X2.2	0.10

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-6X2.5V	\$ 0.62	MOR-75X3.5V	\$ 6.21	MOR-80X3.5V	\$ 6.80
MOR-6X3V	0.62	MOR-75X3V	4.28	MOR-80X4.5V	9.32
MOR-6X4	0.10	MOR-75X4.5	0.96	MOR-80X5V	7.17
MOR-6X4.5	0.10	MOR-75X4V	3.41	MOR-80X6V	14.86
MOR-6X4V	0.62	MOR-75X6V	13.60	MOR-80X8	2.29
MOR-6X6	0.10	MOR-76X1.5	0.59	MOR-81X2	0.66
MOR-7.5X1	0.10	MOR-76X2.5V	4.28	MOR-82X2.5V	4.96
MOR-7.5X1.5-90D	0.10	MOR-76X3V	4.28	MOR-82X3V	4.96
MOR-7.5X2.4	0.10	MOR-76X5	0.59	MOR-83.8X2.62V	2.21
MOR-7.5X2-90D	0.10	MOR-77.5X2.62V	2.89	MOR-83X4.5	0.59
MOR-7.5X2V	0.62	MOR-77X5	0.14	MOR-84.1X5.7	0.59
MOR-7.65X1.78EPDM	0.21	MOR-77X5-90D	0.89	MOR-84X2.5	0.59
MOR-7.6X1.2	0.10	MOR-78X2.5	0.59	MOR-84X2V	2.21
MOR-70X1.5V	3.69	MOR-78X2.5V	4.28	MOR-84X3.5V	4.51
MOR-70X2V	3.11	MOR-78X2V	3.84	MOR-84X4V	8.06
MOR-70X3.5V	1.77	MOR-78X4.5	0.59	MOR-84X6	3.03
MOR-70X4.5V	8.06	MOR-78X4V	7.39	MOR-85.34X1.78V	2.21
MOR-70X5V	13.08	MOR-78X5V	10.49	MOR-85X2-90D	0.89
MOR-70X7	1.48	MOR-78X6V	14.27	MOR-85X2V	5.10
MOR-71X2.5	0.59	MOR-79.2X5.7V	13.60	MOR-85X3.5V	6.80
MOR-71X3.5V	6.21	MOR-79.5X3V	6.43	MOR-85X4V	8.06
MOR-71X4.5	0.59	MOR-7X1	0.06	MOR-85X5V	7.39
MOR-72.2X5.7	0.66	MOR-7X1.2	0.21	MOR-85X6V	10.94
MOR-72X1.5V	3.69	MOR-7X1.7V	0.62	MOR-85X7V	54.64
MOR-72X2-90D	0.59	MOR-7X1V	0.62	MOR-86X16	0.59
MOR-72X5V	9.90	MOR-7X5	0.41	MOR-86X2.5V	4.96
MOR-72X7	11.39	MOR-7X5V	0.62	MOR-86X2V	4.28
MOR-73X3.5V	8.14	MOR-7X6	0.41	MOR-86X3.5-90D	0.89
MOR-73X3V	4.28	MOR-7X6V	0.62	MOR-86X4.5	0.59
MOR-73X4.5V	1.77	MOR-8.1X1.6V	0.62	MOR-87X4	0.89
MOR-74.2X5.7V	1.77	MOR-8.4X1.6	0.10	MOR-87X5.33	0.59
MOR-74.5X3V	4.44	MOR-8.4X2.2	0.10	MOR-88.5X3.53V	2.21
MOR-74.63X5.33V	2.21	MOR-8.5X1	0.10	MOR-88X3.5	0.59
MOR-74X1	0.59	MOR-8.5X1.25	0.10	MOR-88X3.5V	2.21
MOR-74X1.5	0.59	MOR-8.5X2V	0.62	MOR-88X5V	14.86
MOR-74X2.5	0.59	MOR-8.9X1.8	0.07	MOR-88X6V	14.86
MOR-74X6	0.59	MOR-8.9X1.9	0.05	MOR-89.5X3	1.25
MOR-75X2.5V	2.66	MOR-8.9X2.7	0.06	MOR-89.5X3V	5.55
MOR-75X2V	3.69	MOR-80X2.5V	8.35	MOR-89X3.5V	6.80
MOR-75X3.5-90D	0.89	MOR-80X2V	2.00	MOR-8X1.36	0.10

O-RINGS - SPECIAL ORDER

Part Number	List Price	Part Number	List Price	Part Number	List Price
MOR-8X1.8V	\$ 0.41	MOR-90X7V	\$ 34.74	MOR-96X5V	\$ 12.42
MOR-8X1V	0.31	MOR-91X2	0.96	MOR-97.8X3.53	0.59
MOR-8X2.2	0.10	MOR-92.06X6.94	0.59	MOR-97X4V	5.25
MOR-8X2.5V	0.62	MOR-92X1.5	0.59	MOR-97X5-90D	0.89
MOR-8X3.2	0.10	MOR-92X3V	4.96	MOR-98.05X1.78V	2.21
MOR-8X3.5	0.10	MOR-92X4V	8.06	MOR-98X2.5V	5.55
MOR-8X4.5	0.21	MOR-92X8	0.59	MOR-98X3.5V	5.18
MOR-8X4V	0.83	MOR-93X3V	5.18	MOR-98X3V	6.21
MOR-8X5	0.21	MOR-93X5	0.59	MOR-98X4V	8.65
MOR-9.5X1	0.06	MOR-94.3X5.7V	14.86	MOR-98X5V	11.76
MOR-9.5X1-90D	0.07	MOR-94.5X3V	4.96	MOR-98X6	1.48
MOR-9.5X2.75	0.07	MOR-94X1	0.59	MOR-99.5X3-90D	1.64
MOR-9.5X2V	0.66	MOR-94X2.5V	4.96	MOR-99X5.7V	15.53
MOR-9.6X2.4V	0.45	MOR-94X2V	4.28	MOR-99X6	1.48
MOR-9.92X2.62V	0.66	MOR-95X1.5V	3.69	MOR-9X1.2	0.10
MOR-90X1	0.59	MOR-95X3.5V	4.80	MOR-9X1.5V	0.93
MOR-90X1.5V	3.69	MOR-95X4.5V	6.58	MOR-9X1V	0.93
MOR-90X2.5V	4.96	MOR-95X5V	8.65	MOR-9X2.2	0.10
MOR-90X2V	4.28	MOR-95X6	1.48	MOR-9X5	0.21
MOR-90X3V	5.55	MOR-95X6V	16.70	MOR-9X5.5	0.10
MOR-90X4.5V	11.39	MOR-95X7	0.59	MOR-9X6	0.41
MOR-90X4V	4.07	MOR-95X8-90D	0.89	MOR-9X6V	1.11
MOR-90X5V	11.76	MOR-96X2.5V	3.48		
MOR-90X6V	16.11	MOR-96X3V	5.55		


O-RING CORD STOCK

Part Number	List Price
MORC-1.5	\$0.83
MORC-2.0	0.88
MORC-2.5	1.08
MORC-3.0	1.42
MORC-4.0	1.52
MORC-5.0	2.31
MORC-5.7	2.67
MORC-6.0	2.35
MORC-8.4	3.49

Sold by the foot.

STYLE MBT BACK-UP RINGS

Commonly used with metric o-rings, these back-up rings are made of virgin PTFE unless suffix specifies otherwise.



PART NUMBERS

MBT - 3 X 1.5 X 1.25

Type of Seal Inside Diameter Cross Section Width

STANDARD IS VIRGIN PTFE.
 G= GLASS FILLED PTFE
 B= BRONZE FILLED PTFE
 CG= CARBON GRAPHITE FILLED PTFE
 S= SPLIT RING

SEAL INFORMATION

MATERIAL	PTFE
TEMPERATURE RANGE	-100° TO +500° F

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
1mm C/S				
MBT-20X1X.85GM	20	22	.85	\$14.43
1.5mm C/S				
MBT-3X1.5X1.25	3	6	1.25	\$2.46
MBT-4X1.5X1.25	4	7	1.25	1.18
MBT-5X1.5X1.25	5	8	1.25	2.46
MBT-6X1.5X1.25	6	9	1.25	2.46
MBT-7X1.5X1.25	7	10	1.25	2.46
MBT-8X1.5X1.25	8	11	1.25	2.46
MBT-9X1.5X1.25	9	12	1.25	2.46
MBT-10X1.5X1.25	10	13	1.25	2.46
MBT-13X1.5X1	13	16	1	7.82
2mm C/S				
MBT-10X2X1.25	10	14	1.25	\$2.46
MBT-11X2X1.25	11	15	1.25	2.46
MBT-12X2X1.25	12	16	1.25	2.46
MBT-12.5X2X1.25	12.5	16.5	1.25	2.46
MBT-13X2X1.2	13	17	1.2	19.38
MBT-14X2X1.25	14	18	1.25	2.46
MBT-15X2X1.25	15	19	1.25	2.46
MBT-16X2X1.25	16	20	1.25	2.46
MBT-18X2X1.25	18	22	1.25	2.46
MBT-20X2X1.25	20	24	1.25	2.46
MBT-21X2X1.25	21	25	1.25	2.46
MBT-22X2X1.25	22	26	1.25	2.46
MBT-26X2X2.5SG	26	30	2.5	20.71
MBT-28X2X1.5S	28	32	1.5	10.16
MBT-47X2X1.25	47	51	1.25	8.69
MBT-53X2X1.25	53	57	1.25	9.94
2.1mm C/S				
MBT-11.8X2.1X1	11.8	16	1	\$7.82
2.4mm C/S				
MBT-127.7X2.4X1.25G	127.7	132.5	1.25	\$19.71
2.5mm C/S				
MBT-20X2.5X1.25	20	25	1.25	\$10.18
MBT-25X2.5X1.25	25	30	1.25	1.71
MBT-30X2.5X1.25	30	35	1.25	2.57
MBT-32X2.5X1.5	32	37	1.5	27.82
MBT-35X2.5X1.25	35	40	1.25	2.57
MBT-40X2.5X1.25	40	45	1.25	2.81

STYLE MBT BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
MBT-45X2.5X1.25	45	50	1.25	2.81
MBT-50X2.5X1.25	50	55	1.25	3.68
MBT-55X2.5X1.25	55	60	1.25	5.02
MBT-56X2.5X1.25	56	61	1.25	7.46
MBT-57X2.5X1.5	57	62	1.5	11.64
MBT-60X2.5X1.25	60	65	1.25	5.34
MBT-65X2.5X1.25	65	70	1.25	6.07
MBT-70X2.5X1.25	70	75	1.25	8.20
MBT-75X2.5X1.25	75	80	1.25	8.39
MBT-80X2.5X1.25	80	85	1.25	11.18
MBT-85X2.5X1.25	85	90	1.25	11.35
MBT-88X2.5X1.3	88	93	1.3	19.28
MBT-90X2.5X1.25	90	95	1.25	11.35
MBT-95X2.5X1.25	95	100	1.25	11.35
MBT-100X2.5X1.25	100	105	1.25	11.59
MBT-105X2.5X1.25	105	110	1.25	11.85
MBT-110X2.5X1.25	110	115	1.25	11.85
MBT-115X2.5X1.25	115	120	1.25	12.08
MBT-120X2.5X1.25	120	125	1.25	12.08
MBT-125X2.5X1.25	125	130	1.25	12.23
MBT-130X2.5X1.25	130	135	1.25	12.40
MBT-135X2.5X1.25	135	140	1.25	13.26
MBT-140X2.5X1.25	140	145	1.25	14.29
MBT-145X2.5X1.25	145	150	1.25	14.56
MBT-155X2.5X1.5	155	160	1.5	17.37
2.6mm C/S				
MBT-74.4X2.6X1.8	74.4	79.6	1.8	\$8.59
2.75mm C/S				
MBT-35X2.75X1.5S	35	40.5	1.5	\$6.16
3mm C/S				
MBT-22X3X1.25	22	28	1.25	\$2.46
MBT-22.4X3X1.25	22.4	28.4	1.25	2.46
MBT-24X3X1.25	24	30	1.25	2.46
MBT-25X3X1.25	25	31	1.25	2.46
MBT-26X3X1.25	26	32	1.25	2.46
MBT-28X3X1.25	28	34	1.25	2.46
MBT-29X3X1.25	29	35	1.25	2.46
MBT-29.5X3X1.25	29.5	35.5	1.25	2.46
MBT-30X3X1.25	30	36	1.25	2.46
MBT-30X3X2.3	30	36	2.3	10.97
MBT-31X3X1.25	31	37	1.25	2.46
MBT-32X3X1.25	32	38	1.25	2.74
MBT-34X3X1.25	34	40	1.25	2.74
MBT-35X3X1.25	35	41	1.25	2.74
MBT-35.5X3X1.25	35.5	41.5	1.25	2.94
MBT-36X3X1.25	36	42	1.25	2.94
MBT-38X3X1.25	38	44	1.25	2.94
MBT-39X3X1.25	39	45	1.25	3.14
MBT-40X3X1.25	40	46	1.25	3.14
MBT-41X3X1.25	41	47	1.25	3.14
MBT-42X3X1.25	42	48	1.25	3.14
MBT-44X3X1.25	44	50	1.25	3.53
MBT-45X3X1.25	45	51	1.25	3.53
MBT-46X3X1.25	46	52	1.25	3.53
MBT-48X3X1.25	48	54	1.25	3.53
MBT-49X3X1.25	49	55	1.25	3.53
MBT-50X3X1.25	50	56	1.25	3.53

STYLE MBT BACK-UP RINGS


Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
3.1mm C/S				
MBT-94.8X3.1X1.7	94.8	101	1.7	\$15.81
MBT-104.8X3.1X1.7	104.8	111	1.7	17.71
3.5mm C/S				
MBT-62X3.5X1.1	62	69	1.1	\$42.84
MBT-82X3.5X1.5G	82	89	1.5	22.85
4mm C/S				
MBT-123X4X1.7	123	131	1.7	\$19.26
MBT-150X4X1.6	150	158	1.6	4.36
4.5mm C/S				
MBT-170X4.5X1.9	170	179	1.9	\$11.84
MBT-190X4.5X1.9	190	199	1.9	13.81
5mm C/S				
MBT-25.5X5X2SB	25.5	35.5	2	\$5.42
MBT-50X5X1.9	50	60	1.9	13.59
MBT-52X5X1.9	52	62	1.9	5.64
MBT-53X5X1.9	53	63	1.9	5.64
MBT-55X5X1.9	55	65	1.9	5.64
MBT-56X5X1.9	56	66	1.9	6.13
MBT-58X5X1.9	58	68	1.9	6.13
MBT-60X5X1.9	60	70	1.9	6.13
MBT-62X5X1.9	62	72	1.9	6.13
MBT-63X5X1.9	63	73	1.9	6.28
MBT-65X5X1.9	65	75	1.9	6.56
MBT-67X5X1.9	67	77	1.9	6.87
MBT-70X5X1.9	70	80	1.9	7.10
MBT-71X5X1.9	71	81	1.9	7.10
MBT-74X5X1.9	74	84	1.9	8.28
MBT-75X5X1.9	75	85	1.9	7.61
MBT-80X5X1.9	80	90	1.9	8.19
MBT-85X5X1.9	85	95	1.9	8.40
MBT-90X5X1.9	90	100	1.9	9.47
MBT-93X5X1.7	93	103	1.7	20.49
MBT-95X5X1.9	95	105	1.9	9.75
MBT-100X5X1.9	100	110	1.9	10.01
MBT-105X5X1.9	105	115	1.9	10.80
MBT-110X5X1.9	110	120	1.9	10.98
MBT-112X5X1.9	112	122	1.9	10.98
MBT-115X5X1.9	115	125	1.9	11.29
MBT-120X5X1.9	120	130	1.9	11.82
MBT-125X5X1.9	125	135	1.9	12.35
MBT-130X5X1.9	130	140	1.9	12.58
MBT-132X5X1.9	132	142	1.9	12.58
MBT-135X5X1.9	135	145	1.9	13.10
MBT-140X5X1.9	140	150	1.9	13.66
MBT-145X5X1.9	145	155	1.9	14.12
MBT-150X5X1.9	150	160	1.9	14.41
MBT-155X5X1.9	155	165	1.9	14.88
MBT-160X5X1.9	160	170	1.9	15.92
MBT-162X5X1.9	162	172	1.9	16.75
MBT-165X5X1.9	165	175	1.9	15.92
MBT-170X5X1.9	170	180	1.9	16.19
MBT-180X5X1.9	180	190	1.9	17.46
MBT-180X5X2.5	180	190	2.5	29.55
MBT-185X5X1.9	185	195	1.9	17.72
MBT-190X5X1.9	190	200	1.9	18.25

STYLE MBT BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
MBT-195X5X1.9	195	205	1.9	18.74
MBT-200X5X1.9	200	210	1.9	19.28
MBT-210X5X1.9	210	220	1.9	20.07
MBT-214X5X1.9	214	224	1.9	24.54
MBT-215X5X1.9	215	225	1.9	25.10
MBT-220X5X1.9	220	230	1.9	21.03
MBT-230X5X1.9	230	240	1.9	21.86
MBT-240X5X1.9	240	250	1.9	23.10
MBT-250X5X1.9	250	260	1.9	23.91
MBT-260X5X1.9	260	270	1.9	24.90
MBT-270X5X1.9	270	280	1.9	27.38
MBT-275X5X1.9	275	285	1.9	29.27
MBT-280X5X1.9	280	290	1.9	31.60
MBT-290X5X1.9	290	300	1.9	34.04
MBT-300X5X1.9	300	310	1.9	43.89
6mm C/S				
MBT-325X6X3.5	325	337	3.5	\$67.28
7.5mm C/S				
MBT-112X7.5X3SCG	112	127	3	\$27.74
MBT-150X7.5X2.75	150	165	2.75	28.71
MBT-155X7.5X2.75	155	170	2.75	29.51
MBT-160X7.5X2.75	160	175	2.75	30.26
MBT-165X7.5X2.75	165	180	2.75	30.26
MBT-170X7.5X2.75	170	185	2.75	33.19
MBT-175X7.5X2.75	175	190	2.75	34.25
MBT-180X7.5X2.75	180	195	2.75	35.05
MBT-185X7.5X2.75	185	200	2.75	35.79
MBT-190X7.5X2.75	190	205	2.75	36.21
MBT-195X7.5X2.75	195	210	2.75	36.90
MBT-200X7.5X2.75	200	215	2.75	37.53
MBT-205X7.5X2.75	205	220	2.75	37.53
MBT-209X7.5X2.75	209	224	2.75	37.53
MBT-210X7.5X2.5	210	225	2.5	48.53
MBT-210X7.5X2.75	210	225	2.75	39.32
MBT-235X7.5X2.75	235	250	2.75	44.17
MBT-240X7.5X2.75	240	255	2.75	44.96
MBT-245X7.5X2.75	245	260	2.75	45.97
MBT-255X7.5X2.75	255	270	2.75	47.78
MBT-265X7.5X2.75	265	280	2.75	49.58
MBT-275X7.5X2.75	275	290	2.75	51.37
MBT-280X7.5X2.75	280	295	2.75	52.40
MBT-285X7.5X2.75	285	300	2.75	52.91
MBT-300X7.5X2.75	300	315	2.75	55.49
12.5mm C/S				
MBT-180X12.5X4SB	180	205	4	\$83.98

Seal color may vary. Special order sizes are available.

STYLE MBU BACK-UP RINGS



PART NUMBERS

MBT - 6 X 2 X 1.3

Type of Seal: MBT
Inside Diameter: 6
Cross Section: 2
Width: 1.3

NOTE:

50D Urethane is 50 shore D
60D Urethane is 60 shore D
70D Urethane is 70 shore D

SEAL INFORMATION

MATERIAL	95A DUROMETER URETHANE
TEMPERATURE RANGE	-40° TO +200° F
PART NUMBER	(Prefix) - (ID) X (CS) X (W)

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
1.5mm C/S				
MBU-82X1.5X2.5-60D	82	85	2.5	\$1.46
2mm C/S				
MBU-6X2X1.3	6	10	1.3	\$1.73
MBU-14X2X1.3	14	18	1.3	0.42
MBU-16X2X1.3	16	20	1.3	1.31
MBU-28X2X1.2	28	32	1.2	0.54
2.4mm C/S				
MBU-71X2.4X1.3-70D	71	75.8	1.3	\$1.82
MBU-81X2.4X1.3-70D	81	85.8	1.3	2.19
MBU-86X2.4X1.3-70D	86	90.8	1.3	2.42
MBU-105X2.4X1.25-70D	105	109.8	1.25	32.53
MBU-106X2.4X1.3-70D	106	110.8	1.3	3.69
MBU-121X2.4X1.3-70D	121	125.8	1.3	3.47
MBU-126X2.4X1.3-70D	126	130.8	1.3	4.73
2.5mm C/S				
MBU-25X2.5X1.3	25	30	1.3	\$0.55
MBU-27X2.5X1.3	27	32	1.3	0.54
MBU-30X2.5X1.3	30	35	1.3	0.52
MBU-33X2.5X1.5	33	38	1.5	0.54
MBU-35X2.5X1.25-70D	35	40	1.25	1.79
MBU-35X2.5X1.3	35	40	1.3	0.55
MBU-37X2.5X1.3	37	42	1.3	0.56
MBU-40X2.5X1.3	40	45	1.3	0.58
MBU-40X2.5X1.3-70D	40	45	1.3	1.20
MBU-43X2.5X1.3	43	48	1.3	0.60
MBU-45X2.5X1.3	45	50	1.3	0.62
MBU-47X2.5X1.3	47	52	1.3	4.89
MBU-50X2.5X1.3	50	55	1.3	0.64
MBU-52X2.5X1.5-60D	52	57	1.5	1.46
MBU-52X2.5X1.6-70D	52	57	1.6	1.34
MBU-55X2.5X1.3	55	60	1.3	0.78
MBU-58X2.5X1.3	58	63	1.3	0.79
MBU-60X2.5X1.3	60	65	1.3	0.85
MBU-60X2.5X1.5-70D	60	65	1.5	1.40
MBU-62X2.5X1.3	62	67	1.3	0.97
MBU-62X2.5X1.65-70D	62	67	1.65	1.47
MBU-65X2.5X1.25-70D	65	70	1.25	3.65
MBU-65X2.5X1.3	65	70	1.3	1.10
MBU-67X2.5X1.5-60D	67	72	1.5	1.52

STYLE MBU BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
MBU-70X2.5X1.3	70	75	1.3	0.98
MBU-70X2.5X1.3-70D	70	75	1.3	1.77
MBU-72X2.5X1.5-60D	72	77	1.5	1.59
MBU-72X2.5X1.6-70D	72	77	1.6	1.85
MBU-72.5X2.5X1.3	72.5	77.5	1.3	3.68
MBU-75X2.5X1.25-70D	75	80	1.25	2.25
MBU-75X2.5X1.3	75	80	1.3	0.89
MBU-75X2.5X2.25	75	80	2.25	1.42
MBU-77X2.5X1.5-60D	77	82	1.5	1.59
MBU-77X2.5X1.6-70D	77	82	1.6	2.04
MBU-80X2.5X1.3	80	85	1.3	0.94
MBU-85X2.5X1.25-70D	85	90	1.25	2.35
MBU-85X2.5X1.3	85	90	1.3	0.99
MBU-87X2.5X1.5-60D	87	92	1.5	1.65
MBU-90X2.5X1.25-70D	90	95	1.25	2.54
MBU-90X2.5X1.3	90	95	1.3	1.01
MBU-91X2.5X1.3-70D	91	96	1.3	2.58
MBU-92X2.5X1.5-60D	92	97	1.5	1.71
MBU-92X2.5X1.6-70D	92	97	1.6	2.63
MBU-95X2.5X1.25-70D	95	100	1.25	2.75
MBU-95X2.5X1.3	95	100	1.3	1.01
MBU-98X2.5X1.3	98	103	1.3	1.05
MBU-100X2.5X1.25-70D	100	105	1.25	2.94
MBU-100X2.5X1.3	100	105	1.3	1.06
MBU-102X2.5X1.5-60D	102	107	1.5	1.59
MBU-105X2.5X1.3	105	110	1.3	1.31
MBU-110X2.5X1.25-70D	110	115	1.25	4.43
MBU-110X2.5X1.3	110	115	1.3	1.55
MBU-115X2.5X1.3	115	120	1.3	1.59
MBU-120X2.5X1.25-70D	120	125	1.25	3.42
MBU-120X2.5X1.3	120	125	1.3	1.74
MBU-125X2.5X1.25-70D	125	130	1.25	4.68
MBU-125X2.5X1.3	125	130	1.3	1.59
MBU-125X2.5X1.5	125	130	1.5	1.22
MBU-130X2.5X1.25-70D	130	135	1.25	2.80
MBU-130X2.5X1.3	130	135	1.3	1.44
MBU-135X2.5X1.5	135	140	1.5	1.81
MBU-140X2.5X1.3	140	145	1.3	1.68
3mm C/S				
MBU-53.3X3X1	53.3	59.3	1	\$0.85
3.5mm C/S				
MBU-47X3.5X1.1	47	54	1.1	\$5.57
MBU-56X3.5X1.25	56	63	1.25	18.00
MBU-66X3.5X1.2	66	73	1.2	17.59
MBU-72X3.5X1.25	72	79	1.25	17.59
MBU-76X3.5X1.1	76	83	1.1	25.69
4.5mm C/S				
MBU-162X4.5X1.9-70D	162	171	1.9	\$40.66
4.9mm C/S				
MBU-70X4.9X1.9-70D	70	79.8	1.9	\$6.75
MBU-80X4.9X1.9-70D	80	89.8	1.9	2.30
MBU-85X4.9X1.9-70D	85	94.8	1.9	7.09
MBU-90X4.9X1.9-70D	90	99.8	1.9	3.91
MBU-121X4.9X1.9-70D	121	130.8	1.9	5.33
MBU-126X4.9X1.9-70D	126	135.8	1.9	4.73
MBU-141X4.9X1.9-70D	141	150.8	1.9	6.16

STYLE MBU BACK-UP RINGS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	List Price
5mm C/S				
MBU-50X5X1.7	50	60	1.7	\$1.06
MBU-53X5X1.7	53	63	1.7	0.98
MBU-55X5X1.7	55	65	1.7	1.13
MBU-60X5X1.7	60	70	1.7	1.05
MBU-75X5X1.7	75	85	1.7	2.36
MBU-77X5X1.7	77	87	1.7	2.01
MBU-78X5X1.7	78	88	1.7	1.38
MBU-85X5X1.7	85	95	1.7	1.67
MBU-90X5X1.7	90	100	1.7	1.54
MBU-95X5X1.7	95	105	1.7	1.59
MBU-100X5X1.7	100	110	1.7	1.61
MBU-110X5X1.7	110	120	1.7	2.17
MBU-115X5X1.7	115	125	1.7	2.23
MBU-120X5X1.7	120	130	1.7	2.50
MBU-130X5X1.7	130	140	1.7	2.31
MBU-140X5X1.7	140	150	1.7	2.37
MBU-145X5X1.7	145	155	1.7	2.71
MBU-150X5X1.7	150	160	1.7	2.45
MBU-155X5X1.7	155	165	1.7	3.90
MBU-160X5X1.7	160	170	1.7	4.46
MBU-160X5X2.5-70D	160	170	2.5	6.84
MBU-170X5X1.7	170	180	1.7	4.48
MBU-175X5X1.9	175	185	1.9	4.64
MBU-180X5X1.7	180	190	1.7	4.63
MBU-180X5X2.5-70D	180	190	2.5	8.41
MBU-190X5X1.7	190	200	1.7	4.65
MBU-190X5X2.65-70D	190	200	2.65	9.31
MBU-215X5X2.5-70D	215	225	2.5	9.63
MBU-245X5X2	245	255	2	8.17
7.1mm C/S				
MBU-215X7.1X2.1	215	229.2	2.1	\$4.71
MBU-235X7.1X2.1	235	249.2	2.1	6.11
MBU-245X7.1X2.1	245	259.2	2.1	6.58
7.5mm C/S				
MBU-60X7.5X1.7	60	75	1.7	\$2.00
MBU-145X7.5X2.5	145	160	2.5	3.51
MBU-155X7.5X1.7	155	170	1.7	14.79
MBU-165X7.5X2.1	165	180	2.1	4.91
MBU-175X7.5X2.1	175	190	2.1	4.24
MBU-185X7.5X2.5	185	200	2.1	4.74
MBU-205X7.5X2.1	205	220	2.1	7.89

Seal color may vary. Special order sizes are available.